



Product Service

Attestation of Conformity

No. E8A 16 08 65581 220

Holder of Certificate: Letaron Electronic Co., Ltd.

Xiaotiantou Village, Xinsi Area
Hengli Town
523460 Dongguan City, Guangdong Province
PEOPLE'S REPUBLIC OF CHINA

Name of Object: Power supply
(LED DRIVER)

This Attestation of Conformity is issued on a voluntary basis according to the Directive 2014/30/EU relating to electromagnetic compatibility. It confirms that the listed apparatus complies with all essential requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for testing and certification. See also notes overleaf.

Test report no.: 64740120121306

Date, 2016-08-09

(Mike Zhuo)



After preparation of the necessary technical documentation as well as the EU declaration of conformity the required CE marking can be affixed on the product. That declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.

Page 1 of 6



Product Service

Attestation of Conformity
No. E8A 16 08 65581 220

Model(s):

AED60-24VLS, AED50-24VLS, AED60-12VLS,
AED50-12VLS, AED60-1500ILS, AED36-12VLS,
AED30-12VLS, AED36-1400ILS, AED36-1050ILS,
AED36-900ILS, AED36-700ILS, AED36-600ILS,
AED20-12VLS, AED20-1400ILS, AED20-1050ILS,
AED20-900ILS, AED20-700ILS, AED20-600ILS,
AED20-500ILS, AED20-350ILS, AED20-300ILS,
AED15-1400ILS, AED15-1050ILS, AED15-900ILS,
AED15-700ILS, AED15-600ILS, AED15-500ILS,
AED15-350ILS, AED15-300ILS, AED15-250ILS,
AED08-1050ILS, AED08-900ILS, AED08-700ILS,
AED08-600ILS, AED08-500ILS, AED08-350ILS,
AED08-300ILS, AED08-250ILS, AED04-700ILS,
AED04-600ILS, AED04-500ILS, AED04-350ILS,
AED04-300ILS, AED04-250ILS, AED60-1050ILS,
AED04B-350ILS, AED36P-700ILS, AED20P-500ILS,
AED15P-700ILS, AED15P-350ILS, AED08P-700ILS,
AED08P-350ILS, AED15E-250ILS, AED15E-300ILS
AED15E-500ILS, AED15E-600ILS, AED15E-900ILS
AED15E-1050ILS, AED15E-1400ILS, AED20E-300ILS
AED20E-350ILS, AED20E-600ILS, AED20E-700ILS
AED20E-900ILS, AED20E-1050ILS, AED20E-1400ILS
AED20E-12VLS, AED30E-12VLS, AED36E-600ILS
AED36E-900ILS, AED36E-12VLS, AED36E-1050ILS
AED36E-1400ILS

Description of Object:

Rated voltage: See page 3-6
Rated frequency: 50/60 Hz
Rated output: See page 3-6
Protection class: II

Tested according to:

EN 55015:2013/A1:2015
EN 61547:2009
EN 61000-3-2:2014
EN 61000-3-3:2013



Product Service

Attestation of Compliance

No. E8A 16 08 65581 220

Model	Rated Input	Output voltage	Output current	Type
AED60-24VLS	100-240V~, 50/60Hz, 1.0A	DC 24V	MAX.2500 mA	Constant voltage
AED50-24VLS	100-240V~, 50/60Hz, 1.0A	DC 24V	MAX.2100 mA	Constant voltage
AED60-12VLS	100-240V~, 50/60Hz, 1.0A	DC 12V	MAX.5000 mA	Constant voltage
AED50-12VLS	100-240V~, 50/60Hz, 1.0A	DC 12V	MAX.4200 mA	Constant voltage
AED60-1500ILS	100-240V~, 50/60Hz, 1.0A	DC 12-36V	1500 mA	Constant current
	100-240V~, 50/60Hz, 1.0A	DC 36V	MAX.1400 mA	Constant voltage
AED60-1050ILS	100-240V~, 50/60Hz, 1.0A	DC 12-36V	1050mA	Constant current
AED36-12VLS	100-240V~, 50/60Hz, 0.6A	DC 12V	MAX.3000 mA	Constant voltage
AED30-12VLS	100-240V~, 50/60Hz, 0.6A	DC 12V	MAX.2500 mA	Constant voltage
AED36-1400ILS	100-240V~, 50/60Hz, 0.6A	DC 9-24V	1400 mA	Constant current
	100-240V~, 50/60Hz, 0.6A	DC 24V	MAX.1250 mA	Constant voltage
AED36-1050ILS	100-240V~, 50/60Hz, 0.6A	DC 15-36V	1050 mA	Constant current
	100-240V~, 50/60Hz, 0.6A	DC 36V	MAX.900 mA	Constant voltage
AED36-900ILS	100-240V~, 50/60Hz, 0.6A	DC 18-36V	900 mA	Constant current
AED36-700ILS	100-240V~, 50/60Hz, 0.6A	DC 18-49V	700 mA	Constant current
AED36-600ILS	100-240V~, 50/60Hz, 0.6A	DC 18-49V	600 mA	Constant current
AED20-12VLS	100-240V~, 50/60Hz, 0.5A	DC 12V	MAX.1600 mA	Constant voltage
AED20-1400ILS	100-240V~, 50/60Hz, 0.5A	DC 3-16V	1400 mA	Constant current
AED20-1050ILS	100-240V~, 50/60Hz, 0.5A	DC 3-24V	1050 mA	Constant current
	100-240V~, 50/60Hz, 0.5A	DC 24V	MAX.830 mA	Constant voltage
AED20-900ILS	100-240V~, 50/60Hz, 0.5A	DC 9-24V	900 mA	Constant current
AED20-700ILS	100-240V~, 50/60Hz, 0.5A	DC 12-36V	700 mA	Constant current
	100-240V~, 50/60Hz, 0.5A	DC 36V	MAX.550 mA	Constant voltage
AED20-600ILS	100-240V~, 50/60Hz, 0.5A	DC 12-36V	600 mA	Constant current
AED20-500ILS	100-240V~, 50/60Hz, 0.5A	DC 24-48V	500 mA	Constant current
AED20-350ILS	100-240V~, 50/60Hz, 0.5A	DC 27-56V	350 mA	Constant current

Page 3 of 6



Product Service

Attestation of Compliance

No. E8A 16 08 65581 220

Model	Rated Input	Output voltage	Output current	Type
AED20-300ILS	100-240V~, 50/60Hz, 0.5A	DC 27-56V	300 mA	Constant current
AED15-1400ILS	100-240V~, 50/60Hz, 0.3A	DC 3-12V	1400 mA	Constant current
	100-240V~, 50/60Hz, 0.3A	DC 12V	MAX.1250 mA	Constant voltage
AED15-1050ILS	100-240V~, 50/60Hz, 0.3A	DC 3-14V	1050 mA	Constant current
AED15-900ILS	100-240V~, 50/60Hz, 0.3A	DC 4-14V	900 mA	Constant current
AED15-700ILS	100-240V~, 50/60Hz, 0.3A	DC 9-24V	700 mA	Constant current
	100-240V~, 50/60Hz, 0.3A	DC 24V	MAX.625 mA	Constant voltage
AED15-600ILS	100-240V~, 50/60Hz, 0.3A	DC 9-24V	600 mA	Constant current
AED15-500ILS	100-240V~, 50/60Hz, 0.3A	DC 12-35V	500 mA	Constant current
	100-240V~, 50/60Hz, 0.3A	DC 36V	MAX.420 mA	Constant voltage
AED15-350ILS	100-240V~, 50/60Hz, 0.3A	DC 15-44V	350 mA	Constant current
AED15-300ILS	100-240V~, 50/60Hz, 0.3A	DC 15-44V	300 mA	Constant current
AED15-250ILS	100-240V~, 50/60Hz, 0.3A	DC 18-55V	250 mA	Constant current
AED08-1050ILS	100-240V~, 50/60Hz, 0.3A	DC 3-8V	1050 mA	Constant current
AED08-900ILS	100-240V~, 50/60Hz, 0.3A	DC 3-8V	900 mA	Constant current
AED08-700ILS	100-240V~, 50/60Hz, 0.3A	DC 6-12V	700 mA	Constant current
	100-240V~, 50/60Hz, 0.3A	DC 12V	MAX.625 mA	Constant voltage
AED08-600ILS	100-240V~, 50/60Hz, 0.3A	DC 6-12V	600 mA	Constant current
AED08-500ILS	100-240V~, 50/60Hz, 0.3A	DC 6-16V	500 mA	Constant current
AED08-350ILS	100-240V~, 50/60Hz, 0.3A	DC 9-24V	350 mA	Constant current
	100-240V~, 50/60Hz, 0.3A	DC 24V	MAX.300 mA	Constant voltage
AED08-300ILS	100-240V~, 50/60Hz, 0.3A	DC 9-24V	300 mA	Constant current
AED08-250ILS	100-240V~, 50/60Hz, 0.3A	DC 12-36V	250 mA	Constant current
	100-240V~, 50/60Hz, 0.3A	DC 36V	MAX.200 mA	Constant voltage
AED04-700ILS	100-240V~, 50/60Hz, 0.15A	DC 3-5V	700 mA	Constant current
	100-240V~, 50/60Hz, 0.15A	DC 5V	MAX.600 mA	Constant voltage

Page 4 of 6



Product Service

Attestation of Compliance

No. E8A 16 08 65581 220

Model	Rated Input	Output voltage	Output current	Type
AED04-600ILS	100-240V~, 50/60Hz, 0.15A	DC 3-5V	600 mA	Constant current
AED04-500ILS	100-240V~, 50/60Hz, 0.15A	DC 3-10.5V	500 mA	Constant current
AED04-350ILS	100-240V~, 50/60Hz, 0.15A	DC 3-12V	350 mA	Constant current
	100-240V~, 50/60Hz, 0.15A	DC 12V	MAX.300 mA	Constant voltage
AED04-300ILS	100-240V~, 50/60Hz, 0.15A	DC 3-12V	300 mA	Constant current
AED04-250ILS	100-240V~, 50/60Hz, 0.15A	DC 6-24V	250 mA	Constant current
	100-240V~, 50/60Hz, 0.15A	DC 24V	MAX.170 mA	Constant voltage
AED04B-350ILS	100-240V~, 50/60Hz, 0.15A	DC3-12V	350mA	Constant current
	100-240V~, 50/60Hz, 0.15A	DC12V	MAX.300 mA	Constant voltage
AED36P-700ILS	220-240V~, 50/60Hz, 0.6A	DC 3-45V	700 mA	Constant current
AED20P-500ILS	220-240V~, 50/60Hz, 0.5A	DC 3-49V	500 mA	Constant current
AED15P-700ILS	220-240V~, 50/60Hz, 0.3A	DC 3-22V	700 mA	Constant current
		DC 24V	MAX. 625mA	Constant voltage
AED15P-350ILS	220-240V~, 50/60Hz, 0.3A	DC 3-44V	350 mA	Constant current
AED08P-700ILS	220-240V~, 50/60Hz, 0.3A	DC 3-11V	700 mA	Constant current
		DC 12V	MAX. 625mA	Constant voltage
AED08P-350ILS	220-240V~, 50/60Hz, 0.3A	DC 3-22V	350 mA	Constant current
		DC 24 V	MAX. 300mA	Constant voltage

Model	Rated Input	Output voltage	Output current	Type
AED15E-250ILS	220-240V~, 50/60Hz,0.3A	DC 18-55V	250 mA	Constant current
AED15E-300ILS	220-240V~, 0.3A	DC 15-44V	300 mA	Constant current
AED15E-500ILS	220-240V~, 50/60Hz,0.3A	DC 12-35V	500 mA	Constant current
	220-240V~, 50/60Hz,0.3A	DC 36V	MAX.420mA	Constant voltage
AED15E-600ILS	220-240V~, 50/60Hz,0.3A	DC 9-24V	600 mA	Constant current
AED15E-900ILS	220-240V~, 50/60Hz,0.3A	DC 4-14V	900 mA	Constant current
AED15E-1050ILS	220-240V~, 50/60Hz,0.3A	DC 4-14V	1050 mA	Constant current

Page 5 of 6

Attestation of Compliance

No. E8A 16 08 65581 220

AED15E-1400ILS	220-240V~, 50/60Hz,0.3A	DC 3-11V	1400 mA	Constant current
	220-240V~, 50/60Hz,0.3A	DC 12V	MAX.1250mA	Constant voltage
AED20E-300ILS	220-240V~, 50/60Hz,0.5A	DC 27-56V	300 mA	Constant current
AED20E-350ILS	220-240V~, 0.5A	DC 27-56V	350 mA	Constant current
AED20E-600ILS	220-240V~, 50/60Hz,0.5A	DC 12-36V	600 mA	Constant current
AED20E-700ILS	220-240V~, 50/60Hz,0.5A	DC 12-36V	700 mA	Constant current
	220-240V~, 50/60Hz,0.5A	DC 36V	MAX.550mA	Constant voltage
AED20E-900ILS	220-240V~, 50/60Hz,0.5A	DC 9-24V	900 mA	Constant current
AED20E-1050ILS	220-240V~, 50/60Hz,0.5A	DC 9-24V	1050 mA	Constant current
	220-240V~, 50/60Hz,0.5A	DC 24V	MAX.830mA	Constant voltage
AED20E-1400ILS	220-240V~, 50/60Hz,0.5A	DC 6-16V	1400 mA	Constant current
AED20E-12VLS	220-240V~, 50/60Hz,0.5A	DC 12V	MAX.1600mA	Constant voltage
AED30E-12VLS	220-240V~, 50/60Hz,0.6A	DC 12V	MAX.2500mA	Constant voltage
AED36E-600ILS	220-240V~, 50/60Hz,0.6A	DC 18-49V	600 mA	Constant current
AED36E-900ILS	220-240V~, 50/60Hz,0.6A	DC 15-36V	900 mA	Constant current
AED36E-12VLS	220-240V~, 50/60Hz,0.6A	DC 12V	MAX.3000mA	Constant voltage
AED36E-1050ILS	220-240V~, 50/60Hz,0.6A	DC 15-36V	1050 mA	Constant current
	220-240V~, 50/60Hz,0.6A	DC 36V	MAX.900mA	Constant voltage
AED36E-1400ILS	220-240V~, 50/60Hz,0.6A	DC 9-24V	1400 mA	Constant current
	220-240V~, 50/60Hz,0.6A	DC 24V	MAX.1250mA	Constant voltage

Test report no.: 64740120121306

Date, 2016-08-09



Page 6 of 6