

R



R.1



R.3



R.8



R.22



R.10

346

ARTICOLO ITEM	L	H	P
R 1	70	300	37
R 3	65	300	37
R 8	95	340	25
R 10	145	330	20
R 22	70	300	25


R.31



R.41



R.45



R 44



R.43



ARTICOLO ITEM	L	H	P
R 31	70	205	30
R 41	85	165	30
R 43	65	335	35
R 44	80	305	40
R 45	75	320	40

R

R




ARTICOLO ITEM	L	H	P	FILETTO THREAD
R 15*	230	330	50	n.2 10x1
R 15 SB	170	330	20	
R 15 B DX	100	70	50	n.1 10x1
R 15 B SX	100	70	50	n.1 10x1
R 21	160	260	28	

(*) In 3 pezzi / In 3 pieces

ARTICOLO ITEM	L	H	P	FILETTO THREAD
R 57	240	200	18	n.8 fori + n.3 10x1
R 116	500	215	18	n.14 fori + n.5 10x1
R 131	200	185	15	n.2 fori + n.2 10x1



R.131




R.57




R.116


R



R.26



R.28



R.65



R.20




R.39



350

ARTICOLO ITEM	L	H	P
R 20	90	305	50
R 26	80	280	42
R 28	60	225	30
R 39	62	215	28
R 65	110	355	40



R.84
R.84 FOR



R.83



R.126
R.126 FIL



R.126 02
R.126 03

R.76
R.76 FOR



R.85
R.85 FOR



ARTICOLO ITEM	L	H	P	FORI / FILETTI HOLES / THREADS
R 76	125	175	27	-
R 76 for*	125	175	27	n. 2 Ø 4,5
R 83	145	240	34	-
R 84	135	208	29	-
R 84 for*	135	208	29	n. 2 Ø 4,5
R 85	95	130	26	-
R 85 for*	95	130	26	n. 2 Ø 4,5
R 126	50	28	23	-
R 126 02	50	28	23	n.2 fori + n.2 M4
R 126 03	50	28	23	n.3 fori + n.2 M4
R 126 fil.	50	28	23	n.2 M4

* Con 2 fori laterali e staffa fil. M4

*Supplied with 2 side holes and bracket thread M4

R



R.16



R.147 (•)




R.151 (•)

ARTICOLO ITEM	L	H	P
R 16	125	285	20
R 147(•)	230	550	43
R 148(•)	190	416	35
R 149(•)	260	550	45
R 151(•)	170	416	32

(•) Not available for USA market



R.148 (•)



R.149 (•)

R



R.25



R.59



R.60



R.61



R.62
R.62 FIL



R.62 02
R.62 03




R.145
R.145 FOR



354

ARTICOLO ITEM	L	H	P	FILETTO THREAD
R 25	70	205	15	-
R 59	65	165	20	n.4 fori/holes
R 60	65	165	20	-
R 61	57	12	-	n.2 M4
R 62	48	27	23	-
R 62-02	48	27	23	n.2 fori+2 M4
R 62-03	48	27	23	n.3 fori+2 M4
R 62 FIL	48	27	23	n.2 M4
R 145	90	165	20	-
R 145 FOR (*)	90	165	20	n.2 fori/side holes

(*) Con staffa / Supplied with bracket



ARTICOLO ITEM	L	H	P
R 30	90	450	35
R 32	60	215	28
R 38	97	275	30
R 66	70	225	30
R 87	75	260	47

R.32



R.66



R.30



R.38



R.87



R



R.36



R.37



R.79



R.80



R.73



R.107



R.123

356

ARTICOLO ITEM	L	H	P
R 36	92	135	23
R 37	92	140	23
R 73	115	155	35
R 79	92	132	21
R 80	Staffa/bracket for R. 79		
R 107 (*)	83	110	17
R 123 (*)	52	122	15

(*) Not available for U.K. market




R.75



R.100

ARTICOLO ITEM	L	H	P
R 75	110	260	30
R 100 (*)	110	310	30
R 101 (*)	110	600	30

(*) Not available for USA market



R.101

R



R.58



R.64



R.89



R.90



R.91

358

ARTICOLO ITEM	L	H	P
R 58	120	420	60
R 64	70	245	30
R 89	60	295	37
R 90	62	315	33
R 91	58	270	37

R.88
R.88GR



R.68




R.68 B



R.98



L.56



R.146

R.88

R.146



ARTICOLO ITEM	L	H	P	FORI / FILETTI HOLES / THREADS
R 68	63	250	42	-
R 68B	58	12		n. 2 M4
R 88*	Ø 80		33	n. 2 Ø 45 + 10,2
R 88GR	Ø 80		33	10,2
R 98	120	160	40	-
R 146	220	300	45	n. 2 10x1 + n. 1 13x1

* Con staffa / Supplied with bracket

R


R



R.46



R.69



R.67

360



R.86



R.71

ARTICOLO ITEM	L	H	P
R 46	65	122	20
R 67	135	135	31
R 69	100	180	36
R 71*	142	240	30
R 86	128	260	26

* Not available for USA market



R.74



R.82




R.95



R.96



R.111



R.112

ARTICOLO ITEM	L	H	P
R 74	120	175	17
R 82	123	123	17
R 95	123	240	17
R 96	125	200	20
R 111	100	135	18
R 112	125	230	22

R



R.49



R.55
R.55GR



R.63
R.63GR



R.56

362




R.77
R.77GR




R.81

R.144



ARTICOLO ITEM	L	H	P	FORI / FILETTI HOLES / THREADS
R 49*	60	80	17	n. 2 Ø 4,5
R 55*	60	105	20	n. 2 Ø 4,5
R 55GR	60	105	20	-
R 56	31	60	17	-
R 63*	70	110	25	n. 2 Ø 4,5
R 63GR	70	110	25	-
R 77*	85	140	33	n. 2 Ø 4,5
R 77GR	85	140	33	-
R 81*	86	141	40	n. 2 Ø 4,5
R 144*	90	128	22	n. 2 Ø 4,5

* Fornito con staffa / Supplied with bracket



R.158
R.158 FOR con staffa



R.157
R.157 FOR con staffa



R.51 con staffa
R.51GR



R.51/B



R.156
R.156 FOR con staffa



R.150

ARTICOLO ITEM	L	H	P	FORI / FILETTI HOLES / THREADS
R 51*	40	160	16	n. 2 Ø 4,5
R 51GR	40	160	16	-
R 51/B	36	53	12	n. 2 fil M4
R 150	120	250	22	-
R 156	45	120	26	-
R 156 FOR*	45	120	26	n. 2 Ø 4,5
R 157	45	200	26	-
R 157 FOR*	45	200	26	n. 2 Ø 4,5
R 158	45	250	26	-
R 158 FOR*	45	250	26	n. 2 Ø 4,5

* Fornito con staffa / Supplied with bracket

R



R.50GR
R.50



R.70GR
R.70



R.106 FOR



R.54 GR
R.54



R.53

364



R.52

ARTICOLO ITEM	L	H	P	FORI / FILETTI HOLES / THREADS
R 50*	60	138	17	n. 2 Ø 4,5
R 50GR	60	138	17	-
R 52	115	115	15	-
R 53	Ø105	-	17	n. 1 10,5
R 54*	82	160	20	n. 2 Ø 4,5
R 54GR	82	160	20	-
R 70*	60	138	21	n. 2 Ø 4,5
R 70GR	60	138	21	-
R 106 FOR	45	100	20	n. 2 Ø 4,5

* Fornito con staffa / Supplied with bracket




R.103 FOR




R.104 FOR



R.141



R.142



R.143



ARTICOLO ITEM	L	P	FORI HOLES
R 103 FOR*	Ø100	35	n.1 10,2 + n.2 Ø4,5
R 104 FOR*	Ø120	38	n.1 10,2 + n.2 Ø4,5
R 141*	Ø80	28	n.1 10,2 + n.2 Ø4,5
R 142*	Ø90	30	n.1 10,2 + n.2 Ø4,5
R 143*	Ø100	32	n.1 10,2 + n.2 Ø4,5

* Fornito con staffa / Supplied with bracket

R



R.113
R.113 FOR




R.134
R.134 FOR



366



R.153
R.153 FOR



R.152
R.152 FOR



ARTICOLO ITEM	L	H	Ø INT Ø INSIDE	P	FORI HOLES
R 113	Ø114	-	100	23	-
R 113 FOR*	Ø114	-	100	23	n. 2 Ø 4,5
R 134	Ø160	-	135	30	-
R 134 FOR*	Ø160	-	135	30	n. 2 Ø 4,5
R 152	110	110	103	23	-
R 152 FOR*	110	110	103	23	n. 2 Ø 4,5
R 153	160	160	132	30	-
R 153 FOR*	160	160	132	30	n. 2 Ø 4,5

* Fornito con staffa / Supplied with bracket



R.135
R.135 FOR



R.136



R.137



R.138



R.155
R.155 FOR


ARTICOLO ITEM	L	H	P	FORI HOLES
R 135	82	140	24	-
R 135 FOR*	82	140	24	n. 2 Ø 4,5
R 136*	Ø75	-	30	n. 2 Ø 4,5
R 137*	75	75	30	n. 2 Ø 4,5
R 138*	90	155	23	n. 2 Ø 4,5
R 155	Ø120	-	25	n. 1 10,5
R 155 FOR*	Ø120	-	25	n. 2 Ø 4,5

* Fornito con staffa / Supplied with bracket


R



R.92
R.92 FOR



R.93
R.93 FOR



R.94
R.94 FOR



R.97
R.97 FOR



R.99



368

ARTICOLO ITEM	L	H	P	FORI / FILETTI HOLES / THREADS
R 92	Ø120	-	24	-
R 92FOR*	Ø120	-	24	n. 3 Ø 4,5
R 93	120	120	24	-
R 93FOR*	120	120	24	n. 3 Ø 4,5
R 94	95	130	24	-
R 94FOR*	95	130	24	n. 3 Ø 4,5
R 97	Ø120	-	23	n. 1 Ø 9
R 97FOR*	Ø120	-	23	n. 1 10,2 + n. 3 Ø 4,5
R 99**	Ø120	-	23	n. 1 10,2 + n. 3 Ø 4,5 + 2

* Fornito con staffa fil. M4 / Supplied with M4 thread bracket

**Con staffa e fregio filettato / With curl and bracket thread



R.102 FOR



R.115
R.115 FOR



O.195 FOR



R.139



R.140



ARTICOLO ITEM	L	H	P	FORI / FILETTI HOLES / THREADS
O 195 FOR*	Ø120	-	34	n. 1 10,2 + n. 2 Ø 4,5
R 102 FOR*	Ø100	-	30	n. 1 10,2 + n. 2 Ø 4,5
R 115	Ø120	-	26	n. 1 10,2
R 115 FOR*	Ø120	-	26	n. 1 10,2 + n.2 Ø 4,5
R 139*	120	260	25	n. 2 Ø 4,5
R 140*	80	175	25	n. 2 Ø 4,5

* Fornito con staffa fil. M4 / Supplied with M4 thread bracket

R



R.125



R.121

ARTICOLO ITEM	L	H	FILETTI THREADS
R 121 L.V.	340	185	n.3 FIL. 10x1
R 125 L.V.	330	300	n.3 FIL. 10x1

ARTICOLO L H P
ITEM

R 130 205 225 25

R 133 90 104 45

R 154 190 270 35

4157 280 155 140



R.130



4157

371



R.133



R.154

R

R



R.1001



R.1008



R.1004




R.1013

372

ARTICOLO ITEM	L	H	P
R 1001	125	205	23
R 1004	85	350	38
R 1008	60	245	30
R 1013	58	270	35

bronze veritable



R.1015



V.155



H.1068



H.1073



V.154



R.1016



H.1076

ARTICOLO ITEM	L	H	P	FILETTI HREADS
H 1068	130	80	-	n. 1 10x1
H 1073 <input type="checkbox"/>	135	80	-	n. 2 10x1
H 1076	105	80	-	n. 1 10x1
R 1015	95	550	30	-
R 1016*	70	360	26	-
V 154 LV	12	105	-	-
V 155 LV	88	78	-	-

* Fornito con fregio / Supplied with curl

R

R.1003



R.1005



374

ARTICOLO ITEM	L	H	P
R 1003	53	265	22
R 1005	82	300	40
R 1007 dx	160	220	50
R 1007 sx	160	220	50

bronze veritable

R.1007 sx



R.1007 dx



R.1010



R.1011



R.1014



ARTICOLO ITEM	L	H	P
R 1010	55	255	30
R 1011	55	260	30
R 1014	95	330	50

bronze veritable

R



Z.1024



R.1012



R.1017
R.1017 FOR



376

ARTICOLO ITEM	L	H	P	FORI HOLES
R 1012	114	262	27	-
R 1017	70	140	26	-
R 1017 FOR(*)	70	140	26	n. 2 Ø 4,5
Z 1024	140	310	40	-

* Fornito con staffa fil M4 / Supplied with M4 thread bracket
Bronze véritable