


Catalogue **STEAB ACCESORIES**
 Line **PAGURO IP68**
 FAmily **Junction Boxes Quick Paguro IP68**


Subfamily **Juntion Boxes Quick Paguro IP68 2 ways**



Quick Paguro IP68 connection box. It does not require the use of tools. Quick connectors without screws thanks to Wago connectors. Snap closure.

Picture	Article	Description	Lot	Price/Unit
	16576001		1	12,08 €
		Connection box IP68 5760/9/2 Paguro 2 outputs with Wago connectors	10	8,94 €
			50	8,28 €
		For neoprene cables, cable outer diameter (min. – max.) 6 – 9 mm. Suggested connection up to 2x1.5 mm2. Supplied with 2x4mmq Wago connectors		
		Length (mm): 123 Width (mm): 32 High (mm): 25 Colour: Black Voltage In (V): 250 Intensidad In (A): 10 Ingress Protection: IP68		




Subfamily **Juntion Boxes Quick Paguro IP68 2 ways**

Picture	Article	Description	Lot	Price/Unit
	16576002		1	14,53 €
	Connection box IP68 5760/9/4 Paguro 2 outputs with Wago connectors		10	10,76 €
			50	9,97 €
	<p>For neoprene cables, cable outer diameter (min. – max.) 6 – 9 mm. Suggested connection up to 4x1 mm2. Supplied with 2x4mmq Wago connectors</p> <p>Length (mm): 123 Width (mm): 32 High (mm): 25 Colour: Black Voltage In (V): 250 Intensidad In (A): 10 Ingress Protection: IP68</p>			
				

	16576003		1	15,81 €
	Connection box IP68 5760/13/3 Paguro 2 outputs with Wago connectors		10	11,71 €
			50	10,84 €
	<p>For neoprene cables, cable outer diameter (min. – max.) 9 – 13 mm. Suggested connection up to 3x4 mm2. Supplied with 2x4mmq Wago connectors</p> <p>Length (mm): 128 Width (mm): 40 High (mm): 25 Colour: Black Voltage In (V): 250 Intensidad In (A): 10 Ingress Protection: IP68</p>			
				

STEAB ACCESORIES > PAGURO IP68 > Junction Boxes Quick Paguro IP68

Subfamily **Juntion Boxes Quick Paguro IP68 2 ways**

Picture	Article	Description	Lot	Price/Unit
	16576004		1	18,25 €
		Connection box IP68 5760/13/5 Paguro 2 outputs with Wago connectors	10	13,52 €
			50	12,52 €
		For neoprene cables, cable outer diameter (min. – max.) 9 – 13 mm. Suggested connection up to 5x2.5 mm2. Supplied with 2x4mmq Wago connectors		
		Length (mm): 128 Width (mm): 40 High (mm): 25 Colour: Black Voltage In (V): 250 Intensidad In (A): 10 Ingress Protection: IP68		

