

Catalogue **SMART LIGHTING**


Line **Casambi Lighting control**

FAMILY **Casambi Dimmer 12V-24V LED Strips**

Subfamily **Casambi Dimmer 12-24V monocolor led stripes 1 to 4 channels**

Download CASAMBI Bluetooth catalogue [here](#).

Watch CASAMBI video tutorials on [our YouTube channel](#).


Picture	Article	Description	Lot	Price/Unit
	AD800382		1	105,39 €
	Casambi Bluetooth Dimmer 12-24V 2 channels		5	95,81 €
	monocolor		10	91,26 €

Control of led strips and LED modules at constant voltage at 12 or 24V

Length (mm): 72,6 Width (mm): 30 High (mm): 18
 Colour: White Voltage In (Vdc): 12~24
 Power (W): 72~144
 Room Temperature (°C): -20~+45
 Critical Temperature (°C): 75



Subfamily **Casambi Dimmer 12-24V monocolor led stripes 1 to 4 channels**

Picture	Article	Description	Lot	Price/Unit
	AD800383		1	105,39 €
	Casambi Bluetooth Dimmer 12-24V 3 channels monocolor		5	95,81 €
			10	91,26 €

Control of led strips and LED modules at constant voltage at 12 or 24V


Length (mm): 72,6 Width (mm): 30 High (mm): 18
 Colour: White Voltage In (Vdc): 12~24
 Power (W): 72~144 Room Temperature (°C): -20~+45
 Critical Temperature (°C): 75



	AD800387		1	114,83 €
	Casambi Bluetooth Dimmer 12-24V 1 channel monocolor		5	104,39 €
			10	99,44 €

Control of led strips and LED modules at constant voltage at 12 or 24V

Length (mm): 72,6 Width (mm): 30 High (mm): 18
 Colour: White Voltage In (Vdc): 12~24
 Power (W): 72~144 Room Temperature (°C): -20~+45
 Critical Temperature (°C): 75



Catalogue **SMART LIGHTING**


Line **Casambi Lighting control**

FAMILY **Casambi Dimmer 12V-24V LED Strips**

Subfamily **Casambi Dimmer 12-24V CCT, RGB, RGB+W led stripes**

Download CASAMBI Bluetooth catalogue [here](#).


Watch CASAMBI video tutorials on [our YouTube channel](#).

Picture	Article	Description	Lot	Price/Unit
	AD800385		1	105,39 €
	Casambi Dimmer 12-24V 4 channels Configurable		5	95,81 €
	Control of led strips and LED modules at constant voltage at 12 or 24V		10	91,26 €
		Length (mm): 72,6 Width (mm): 30 High (mm): 18 Colour: White Voltage In (Vdc): 12~24 Power (W): 72~144 Room Temperature (°C): -20~+45 Critical Temperature (°C): 75		




SMART LIGHTING > Casambi Lighting control > Casambi Dimmer 12V-24V LED Strips


Subfamily **Casambi Dimmer 12-24V CCT, RGB, RGB+W led stripes**

Picture	Article	Description	Lot	Price/Unit
	AD800386		1	105,39 €
	Casambi Bluetooth Dimmer 12-24V 4 channels RGB+W		5	95,81 €
			10	91,26 €

For the control of RGB + W LED strips and modules


Length (mm): 72,6 Width (mm): 30 High (mm): 18
 Colour: White Voltage In (Vdc): 12~24
 Power (W): 72~144 Room Temperature (°C): -20~+45
 Critical Temperature (°C): 75



	AD800388		1	105,39 €
	Casambi Bluetooth Dimmer 12-24V 2 channels CCT		5	95,81 €
			10	91,26 €


For the control of strips and modules CCT led warm and cold light

Length (mm): 72,6 Width (mm): 30 High (mm): 18
 Colour: White Voltage In (Vdc): 12~24
 Power (W): 72~144 Room Temperature (°C): -20~+45
 Critical Temperature (°C): 75





SMART LIGHTING > Casambi Lighting control > Casambi Dimmer 12V-24V LED Strips

Subfamily **Casambi Dimmer 12-24V CCT, RGB, RGB+W led stripes**

Picture	Article	Description	Lot	Price/Unit
	AD800389		1	105,39 €
	Casambi Bluetooth Dimmer 12-24V 3 channels RGB		5	95,81 €
	For the control of strips and RGB led modules		10	91,26 €

Length (mm): 72,6 Width (mm): 30 High (mm): 18
 Colour: White Voltage In (Vdc): 12~24
 Power (W): 72~144 Room Temperature (°C): -20~+45
 Critical Temperature (°C): 75



	AD808885		1	129,83 €
	Dimmer Casambi Bluetooth 12-24V 4 chanel multifuntion CCT, RGB, RGB+W		5	118,01 €
	Control of led strips and Led modules at constant voltage at 12 or 24V		10	112,41 €

Control of led strips and Led modules at constant voltage at 12 or 24V

Length (mm): 100 Width (mm): 37 Colour: Black
 Voltage In (Vdc): 12~24 Frecuency (Hz): 400
 Power (W): 72~144 Room Temperature (°C): -20~+45
 Critical Temperature (°C): 75 Ingress Protection: IP65

