



Catalogue **ELECTRICAL EQUIPMENT**
 Line **Terminal Blocks and Junction Boxes**
 FAmily **Compact screwless connectors**
 Subfamily **Compact screwless connectors**


| Picture | Article | Description | Lot | Price/Unit |
|---|-----------|--|-----|------------|
|  | 49B212411 | | 1 | 1,29 € |
| | | 2-conductor connector for 4mm2 linear installation | 60 | 0,83 € |
| | | | 120 | 0,75 € |
| | | Width (mm): 8,1 High (mm): 8,9 Colour: Transparent | 600 | 0,72 € |
| | | Voltage In (V): 450 Intensidad In (A): 32 Temperature (°C): 85 Room Temperature (°C): -60~+105 | | |



| | | | | |
|---|----------|--|-----|----------|
|  | CDMOR412 | | 1 | 0,75 € |
| | | Universal terminal 2 poles Wago 221-412 Transparent | 50 | 0,5187 € |
| | | | 100 | 0,4232 € |
| | | For rigid or flexible cables 0.2-4mm2; 24-12AWG. T85°C | | |
| | | Length (mm): 18,6 Width (mm): 13,1 High (mm): 8,3 Voltage In (Vac): 450 Intensidad In (A): 32 | | |




Subfamily **Compact screwless connectors**

| Picture | Article | Description | Lot | Price/Unit |
|---|----------|--|-----|------------|
|  | CDMOR413 | | 1 | 0,99 € |
| | | Universal terminal 3 poles Wago 221-413 Transparent | 50 | 0,68 € |
| | | For rigid or flexible cables 0.2-4mm ² ; 24-12AWG. T85°C | 100 | 0,5324 € |

Length (mm): 18,6 Width (mm): 18,7 High (mm): 8,3
Voltage In (Vac): 450 Intensidad In (A): 32





| | | | | |
|---|----------|--|-----|--------|
|  | CDMOR415 | | 1 | 1,51 € |
| | | Universal terminal 5 poles Wago 221-415 Transparent | 50 | 1,05 € |
| | | For rigid or flexible cables 0.2-4mm ² ; 24-12AWG. T85°C | 100 | 0,85 € |

Length (mm): 18,6 Width (mm): 29,9 High (mm): 8,3
Voltage In (Vac): 450 Intensidad In (A): 32



ELECTRICAL EQUIPMENT > Terminal Blocks and Junction Boxes > Compact screwless connectors

Subfamily **Compact screwless connectors**

| Picture | Article | Description | Lot | Price/Unit |
|---|---|-------------|-----|------------|
|  | 493Q008 | | 1 | 1,77 € |
| | Compact screwless connector for rigid cable | | 50 | 1,17 € |
| | 1.5-2.5mm ² -8 contacts | | 100 | 1,03 € |
| | For rigid cables of section 1.5-2.5mm ² VDE 600V, 24A. UL 600V | | 500 | 0,99 € |
| | Length (mm): 20,5 Width (mm): 39,2 High (mm): 9,1 Colour: Green Voltage In (V): 300 Intensidad In (A): 20 | | | |
|  | 493W002 | | 1 | 0,77 € |
| | Compact screwless connector for cable 0.20-2.5mm ² | | 50 | 0,5106 € |
| | - 2 contacts | | 100 | 0,4441 € |
| | For rigid and flexible cables section 0.20-2.5mm (AWG 24-14). Rigid cables do not require the operation of the opening and closing lever. VDE 450V, 24A, T80. UL 600V, 20A, T105 | | 500 | 0,4219 € |
| | Colour: Transparent | | | |