







Catalogue **ELECTRICAL EQUIPMENT**

Line **Installation Couplers Ensto**


FAMILY **Compact EnstoNet conectors**

Subfamily **4 Ways compact Ensto connector**

Picture	Article	Description	Lot	Price/Unit
	B3KC540		1	0,90 €
	Compact connector 4 vias KC 50-40		250	0,82 €
	Fast connection tab without anchoring polycarbonate UL94 V2		1000	0,78 €
		Length (mm): 40 Width (mm): 31 High (mm): 21 Colour: White Voltage In (Vac): 450 Intensidad In (A): 16 Temperature (°C): 110 Connection: Automatic		
				
	B3KC541		1	0,92 €
	Compact connector 4 vias KC 50-41		250	0,85 €
	Fast connection tab with anchoring,earth terminal,polycarbonate UL94 V2 marking N.TT.L.1.2		1000	0,81 €
		Length (mm): 40 Width (mm): 31 High (mm): 21 Colour: White Voltage In (Vac): 450 Intensidad In (A): 16 Temperature (°C): 110 Connection: Automatic		
				

ELECTRICAL EQUIPMENT > Installation Couplers Ensto > Compact EnstoNet connectors

Subfamily **4 Ways compact Ensto connector**

Picture	Article	Description	Lot	Price/Unit
	B3KC544		1	0,98 €
	Compact connector 4 vias KC 50-44		250	0,88 €
	Fast connection tab with anchoring, earth terminal, polycarbonate UL94 V2		1000	0,85 €
		Length (mm): 40 Width (mm): 31 High (mm): 21 Colour: White Voltage In (Vac): 450 Intensidad In (A): 16 Temperature (°C): 110 Connection: Automatic		







Catalogue **ELECTRICAL EQUIPMENT**

Line **Installation Couplers Ensto**

FAMILY **Compact EnstoNet conectors**

Subfamily **5 Ways compact Ensto connector**

Picture	Article	Description	Lot	Price/Unit
	B3KC550		1	0,98 €
	Compact connector 5 vias KC 50-50		250	0,88 €
	Fast connection tab without anchoring polycarbonate UL94 V2		1000	0,85 €
		Length (mm): 50 Width (mm): 31 High (mm): 21 Colour: White Voltage In (Vac): 450 Intensidad In (A): 16 Temperature (°C): 110 Connection: Automatic		
				
	B3KC554		1	1,21 €
	Compact connector 5 vias KC 50-54		250	1,11 €
	Fast connection tab with anchoring, earth terminal, polycarbonate UL94 V2		1000	1,05 €
		Length (mm): 50 Width (mm): 31 High (mm): 21 Colour: White Voltage In (Vac): 450 Intensidad In (A): 16 Temperature (°C): 110		
