













Catalogue **ELECTRICAL EQUIPMENT**

Line **Korner IP68 Connectors**

FAMILY **IP68 Screw connectors**

Subfamily **Connectors with screw IP68 cable section 1.5mm2 17.5A -400V**













| Picture | Article | Description | Lot | Price/Unit |
|---|---|---|-----|------------|
|  | 498M162 | | 1 | 3,38 € |
| | Connector with screws IP68 OK-M16 2 poles 1.5mm2 | | 50 | 2,70 € |
| | Cable section 1.5mm2 17.5A-400V and AWG16-15A-300V | | 100 | 2,58 € |
| | | | 300 | 2,45 € |
| | Width (mm): 20,3 High (mm): 63,1 Section (mm2): 1,5 Colour: Black Voltage In (Vac): 400 Intensidad In (A): 17.5 Temperature (°C): 105 Ingress Protection: IP68 Reference: 4530200 | | | |
|  | |     | | |
| | 498M163 | | 1 | 4,36 € |
| | Connector with screws IP68 OK-M16 3 poles 1.5mm2 | | 50 | 3,48 € |
| | Cable section 1.5mm2 17.5A-400V and AWG16-15A-300V | | 100 | 3,32 € |
| | | | 300 | 3,16 € |
|  | Width (mm): 20,3 High (mm): 63,1 Section (mm2): 1,5 Colour: Black Voltage In (Vac): 400 Intensidad In (A): 17.5 Temperature (°C): 105 Ingress Protection: IP68 Reference: 4530300 | | | |
|  | |     | | |

Catalogue **ELECTRICAL EQUIPMENT**

Line **Korner IP68 Connectors**

FAMILY **IP68 Screw connectors**

Subfamily **Connectors with screw IP68 cable section 2.5mm2 24A -400V**


| Picture | Article | Description | Lot | Price/Unit |
|---|---|---|-----|------------|
|  | 498M203 | Connector with IP68 screws OK-M20 3 poles 2.5mm2 | 1 | 4,36 € |
| | | Cable section 2.5mm2- 24A-400V and AWG14-20A-300V | 25 | 3,48 € |
|  | 498M204 | Connector with IP68 screws OK-M20 4 poles 2.5mm2 | 1 | 4,88 € |
| | | Cable section 2.5mm2- 24A-400V and AWG14-20A-300V | 25 | 3,90 € |
| | | Length (mm): 87,7 Width (mm): 24,2 Section (mm2): 2,5 Colour: Black Voltage In (Vac): 400 Intensidad In (A): 24 Temperature (°C): 105 Ingress Protection: IP68 | 50 | 3,72 € |
| | | Reference: 4531300 | 150 | 3,54 € |
|  |     | | | |
|  |     | | | |

Catalogue **ELECTRICAL EQUIPMENT**

Line **Korner IP68 Connectors**

FAMILY **IP68 Screw connectors**

Subfamily **Connectors with screw IP68 cable section 6mm2 40A -400V**

| Picture | Article | Description | Lot | Price/Unit |
|--|--|-------------|-----|------------|
|  | 498M253 | | 1 | 8,23 € |
| | Connector with screws IP68 OK-M25 3 poles 6mm2 | | 10 | 6,58 € |
| | Cable section 6mm2- 40A-400V and | | 25 | 6,27 € |
| | AWG10-30A-300V | | 75 | 5,97 € |
| | Length (mm): 100 Width (mm): 30 Section (mm2): 6 Colour: Black Voltage In (Vac): 400 Intensidad In (A): 40 Temperature (°C): 105 Ingress Protection: IP68 Reference: 4532300 | | | |

