



Catalogue **LED TECHNOLOGY**
 Line **Led modules**
 Family **Constant Current Led Modules**
 Subfamily **Contant Current Led Modules**

Picture	Article	Description	Lot	Price/Unit
	LC0B00013M		1	8,45 €
		Led spotlight CRI80 3000K 30° 100 Lm 1W. M16 Nut and 50cm AWG20 cable	50	7,02 €
			100	6,70 €
		Anodized aluminum body + M16x1.5 nut	500	6,37 €
		High (mm): 18,3 Diameter (mm): 17 Voltage In (Vdc): 3 Intensidad In (A): 0.35 Power (W): 1 Lumen: 100 Candelas: 290 Angle (°): 30 Energy efficiency: F CRI (≥): 80 Life (Hours): 30000 Ingress Protection: IP20 Dimmable: SI		




LED TECHNOLOGY > Led modules > Constant Current Led Modules

Subfamily **Contant Current Led Modules**


Picture	Article	Description	Lot	Price/Unit
	G5A71130		1	4,82 €
	Led COB 11W square base AL 700mA 3000K		5	4,03 €
	With 15 cm parallel brown (+) blue (-) cable. Ideal for substitution of 50W halogen dichroic		10	3,51 €
			100	3,04 €
	Length (mm): 70 Diameter (mm): 50 Colour: Warm White Voltage In (Vdc): 15.6 Intensidad In (A): 0.7 Frecuency (Hz): 50~60 Power (W): 11 Colour Temperature (°K): 3000 Lumen: 858 Angle (°): 40 Energy efficiency: A+ Kwh/1000h: 11 CRI (?): 80 Life (Hours): 39000 Ingress Protection: IP20			




Catalogue **LED TECHNOLOGY**
 Line **Led modules**
 FAmily **Constant Current Led Modules**
 Subfamily **Constant current linear modules**

Picture	Article	Description	Lot	Price/Unit
	LTLM140830		1	2,08 €
	Linear LED LM140/20E16 830H		72	1,90 €
			144	1,76 €
		Length (mm): 140 Width (mm): 20 Intensidad In (A): 0.5 Power (W): 5.4 Room Temperature (°C): -40~+55 Critical Temperature (°C): 85 Colour Temperature (°K): 3000 Lumen/Watt: 150 Angle (°): 120 Energy efficiency: D CRI (≥): 80 Reference: 128227-830H		




	LTLM140927		1	1,81 €
	Linear LED LM140/20E16 927H		72	1,64 €
			144	1,52 €
		Length (mm): 140 Width (mm): 20 Intensidad In (A): 0.5 Power (W): 5.4 Room Temperature (°C): -40~+55 Critical Temperature (°C): 85 Colour Temperature (°K): 2700 Lumen/Watt: 131 Angle (°): 120 Energy efficiency: D CRI (≥): 90 Reference: 128227-927H		




LED TECHNOLOGY > Led modules > Constant Current Led Modules

Subfamily **Constant current linear modules**

Picture	Article	Description	Lot	Price/Unit
	LTLM140930		1	1,81 €
	Linear LED LM140/20E16 930H		72	1,64 €
			144	1,52 €
		Length (mm): 140 Width (mm): 20 Intensidad In (A): 0.5 Power (W): 5.4 Room Temperature (°C): -40~+55 Critical Temperature (°C): 85 Colour Temperature (°K): 3000 Lumen/Watt: 135 Angle (°): 120 Energy efficiency: D CRI (?): 90 Reference: 128227-930H		




	LTLM140940		1	1,81 €
	Linear LED LM140/20E16 940H		72	1,64 €
			144	1,52 €
		Length (mm): 140 Width (mm): 20 Intensidad In (A): 0.5 Power (W): 5.4 Room Temperature (°C): -40~+55 Critical Temperature (°C): 85 Colour Temperature (°K): 4000 Lumen/Watt: 142 Angle (°): 120 Energy efficiency: D CRI (?): 90 Reference: 128227-940H		




LED TECHNOLOGY > Led modules > Constant Current Led Modules

Subfamily **Constant current linear modules**


Picture	Article	Description	Lot	Price/Unit
	LTLM280927		1	2,77 €
	Linear LED LM280/20E32 927H		36	2,52 €
			72	2,34 €
		Length (mm): 279,4 Width (mm): 20 Intensidad In (A): 0.5 Power (W): 11 Room Temperature (°C): -40~+55 Critical Temperature (°C): 85 Colour Temperature (°K): 2700 Lumen/Watt: 131 Angle (°): 120 Energy efficiency: D CRI (?): 90 Reference: 128083-927H		




	LTLM280930		1	2,77 €
	Linear LED LM280/20E32 930H		36	2,52 €
			72	2,34 €
		Length (mm): 279,4 Width (mm): 20 Intensidad In (A): 0.5 Power (W): 11 Room Temperature (°C): -40~+55 Critical Temperature (°C): 85 Colour Temperature (°K): 3000 Lumen/Watt: 135 Angle (°): 120 Energy efficiency: D CRI (?): 90 Reference: 128083-930H		



Subfamily **Constant current linear modules**

Picture	Article	Description	Lot	Price/Unit
	LTLM280940		1	2,77 €
	Linear LED LM280/20E32 940H		36	2,52 €
			72	2,34 €
		Length (mm): 279,4 Width (mm): 20 Intensidad In (A): 0.5 Power (W): 11 Room Temperature (°C): -40~+55 Critical Temperature (°C): 85 Colour Temperature (°K): 4000 Lumen/Watt: 142 Angle (°): 120 Energy efficiency: D CRI (?): 90 Reference: 128083-940H		



	LTLM560927		1	4,43 €
	Linear LED LM560/20E64 927H		36	4,03 €
			72	3,73 €
		Length (mm): 559,6 Width (mm): 20 Intensidad In (A): 0.5 Power (W): 22 Room Temperature (°C): -40~+55 Critical Temperature (°C): 85 Colour Temperature (°K): 2700 Lumen/Watt: 131 Angle (°): 120 Energy efficiency: D CRI (?): 90 Reference: 128082-927H		



LED TECHNOLOGY > Led modules > Constant Current Led Modules

Subfamily **Constant current linear modules**

Picture	Article	Description	Lot	Price/Unit
	LTLM560930		1	4,43 €
	Linear LED LM560/20E64 930H		36	4,03 €
			72	3,73 €
		Length (mm): 559,6 Width (mm): 20 Intensidad In (A): 0.5 Power (W): 22 Room Temperature (°C): -40~+55 Critical Temperature (°C): 85 Colour Temperature (°K): 3000 Lumen/Watt: 135 Angle (°): 120 Energy efficiency: D CRI (?): 90		
	Reference: 128082-930H			



	LTLM560940		1	4,43 €
	Linear LED LM560/20E64 940H		36	4,03 €
			72	3,73 €
		Length (mm): 559,6 Width (mm): 20 Intensidad In (A): 0.5 Power (W): 22 Room Temperature (°C): -40~+55 Critical Temperature (°C): 85 Colour Temperature (°K): 4000 Lumen/Watt: 142 Angle (°): 120 Energy efficiency: D CRI (?): 90		
	Reference: 128082-940H			

