












Catalogue **LED TECHNOLOGY**
 Line **Led modules**
 FAmily **Constant Voltage Led Modules**
 Subfamily **Linear LED modules at constant voltage**

Picture	Article	Description	Lot	Price/Unit
	18RHF718262SG2		1	2,94 €
		Linear module 72mm 18led 2.5W 24VDC 2700K with connectors	20	2,67 €
			100	2,54 €
		Automatic connection via 4 Molex connectors. Possibility of multiple connections with connection pin reference 18RHF2060.		
		Length (mm): 72 Width (mm): 10 High (mm): 4 Voltage In (Vdc): 24 Power (W): 2.5 Room Temperature (°C): -40~+55 Critical Temperature (°C): 85 Colour Temperature (°K): 2700 Connection: Automatic Lumen: 500 Angle (°): 130 Energy efficiency: C CRI (≥): 80 Life (Hours): 50000 Dimmable: SI Colour consistency: 3		




LED TECHNOLOGY > Led modules > Constant Voltage Led Modules

Subfamily **Linear LED modules at constant voltage**

Picture	Article	Description	Lot	Price/Unit
	18RHF736562SG2		1	4,97 €
	Linear module 144mm 36led 5W 24VDC 2700K with connectors		20 100	4,51 € 4,29 €
	<p>Automatic connection via 4 Molex connectors. Possibility of multiple connections with connection pin reference 18RHF2060.</p> <p>Length (mm): 144 Width (mm): 10 High (mm): 4 Voltage In (Vdc): 24 Power (W): 5 Room Temperature (°C): -40~+55 Critical Temperature (°C): 85 Colour Temperature (°K): 2700 Connection: Automatic Lumen: 1000 Angle (°): 130 Energy efficiency: C CRI (?): 80 Life (Hours): 50000 Dimmable: SI Colour consistency: 3</p>			
				
		  		
	18RHF7721062SG2		1	8,78 €
	Linear module 288mm 72led 10W 24VDC 2700Kwith connectors		20 100	8,00 € 7,61 €
	<p>Automatic connection using 4 Molex connectors. Possibility of multiple connection with connection pin reference 18RHF2060.</p> <p>Length (mm): 288 Width (mm): 10 High (mm): 4 Voltage In (Vdc): 24 Power (W): 10 Room Temperature (°C): -40~+55 Critical Temperature (°C): 85 Colour Temperature (°K): 2700 Connection: Automatic Lumen: 2000 Angle (°): 130 Energy efficiency: C Incandescence equivalence (W): 200 CRI (?): 80 Life (Hours): 50000 Dimmable: SI Colour consistency: 3</p>			
				
		  		

LED TECHNOLOGY > Led modules > Constant Voltage Led Modules


Subfamily **Linear LED modules at constant voltage**

Picture	Article	Description	Lot	Price/Unit
	18RHF7721063SG2		1	8,78 €
	Linear module 288mm 72led 10W 24VDC 3000K with connectors		20	8,00 €
			100	7,61 €

Automatic connection using 4 Molex connectors.
Possibility of multiple connection with connection pin reference 18RHF2060.

Length (mm): 288 Width (mm): 10 High (mm): 4
Voltage In (Vdc): 24 Power (W): 10
Room Temperature (°C): -40~+55
Critical Temperature (°C): 85
Colour Temperature (°K): 3000 Connection: Automatic
Lumen: 2000 Angle (°): 130 Energy efficiency: C
Incandescence equivalence (W): 200 CRI (?): 80
Life (Hours): 50000 Dimmable: SI
Colour consistency: 3



	18RHF2060		1	0,68 €
	Connection pin for linear module 288mm 72led		20	0,61 €
			100	0,59 €

