










Catalogue **LED TECHNOLOGY**  
 Line **Flexible Led Strips and accessories**  
 FAmily **Flexible Led Strips IP68**  
 Subfamily **Flexible Led Strips IP68 12V**


Picture	Article	Description	Lot	Price/Unit
	LF0B0359		1	49,14 €
	Led Strip Flexible 3M D5050 RGB 30 12VDC 21,6W IP68		5	46,80 €
			10	44,20 €
	Water resistant. IP68, PVC & EPOXY coating. PCB copper.  Length (mm): 3000 Width (mm): 12 High (mm): 5 Colour: Copper PCB Voltage In (Vdc): 12 Intensidad In (A): 1.8 Power (W): 7.2 Temperature (°C): -40+85 Room Temperature (°C): -40~+85 Angle (°): 120 Ingress Protection: IP68 Dimmable: SI			
	  			

	LF0A0352		1	34,45 €
	Flexible Led strip 3m. IP68 12V 14,4W 6000K Cool white		10	32,81 €
			20	30,55 €
	Total number LED 300. Divisible every 5cm in modules of 3 (1 LED each 16,6mm). With adhesive.CRI>80  Length (mm): 3000 Width (mm): 10 High (mm): 4 Colour: Copper PCB Voltage In (Vdc): 12 Intensidad In (A): 1.2 Power (W): 4.8 Temperature (°C): -20+50 Room Temperature (°C): -20~+50 Colour Temperature (°K): 6000 Lumen: 390 Angle (°): 120 Ingress Protection: IP68 Dimmable: SI			
	  			

Subfamily **Flexible Led Strips IP68 12V**


Picture	Article	Description	Lot	Price/Unit
	LF0B0360		1	78,91 €
	Flexible Led strip 5m IP68 12V 72W RGB		5	71,77 €
	Total number LED 300. Divisible every 5cm in modules of 3 (1 LED each 16,6mm). With adhesive.CRI>80		10	68,42 €
		Length (mm): 5000 Width (mm): 12 High (mm): 5 Colour: White PCB Voltage In (Vdc): 12 Intensidad In (A): 6 Power (W/m): 14.4 Temperature (°C): -40+85 Room Temperature (°C): -40~+85 Angle (°): 120 Ingress Protection: IP68 Dimmable: SI		



	LF0A0354		1	114,83 €
	Flexible Led strip 5m IP68 12V 72W 6000K Cool white		5	109,36 €
	Total number LED 300. Divisible every 5cm in modules of 3 (1 LED each 16,6mm). With adhesive.CRI>80		10	106,60 €
		Length (mm): 5000 Width (mm): 12 High (mm): 5 Colour: Copper PCB Voltage In (Vdc): 12 Intensidad In (A): 6 Power (W): 14.4 Temperature (°C): -20+50 Room Temperature (°C): -20~+50 Colour Temperature (°K): 6000 Lumen: 1000 Angle (°): 120 Ingress Protection: IP68 Dimmable: SI		




Catalogue **LED TECHNOLOGY**  
 Line **Flexible Led Strips and accessories**  
 FAmily **Flexible Led Strips IP68**  
 Subfamily **Flexible Led Strips IP68 24V**

Picture	Article	Description	Lot	Price/Unit
	LFJ224092		1	53,95 €
		Flexible led strip 5m SMD2835-120led/m. IP68 24V	5	49,02 €
		9.6W/m - 48W 2700K	10	46,64 €
	Total number of led 600. Divisible in modules of 6 Led each 5cm, (one led every 8.3mm). With adhesive			
	Length (mm): 5000 Width (mm): 12 High (mm): 5,3 Colour: White PCB Voltage In (Vdc): 24 Intensidad In (A): 2 Power (W/m): 9.6 Temperature (°C): -20+50 Room Temperature (°C): -20~+50 Colour Temperature (°K): 2700 Lumen/meter: 754 Angle (°): 120 CRI (≥): 80 Life (Hours): 50000 Ingress Protection: IP68 Dimmable: SI			




Subfamily **Flexible Led Strips IP68 24V**

Picture	Article	Description	Lot	Price/Unit
	LFJ224093		1	53,95 €
	Flexible led strip 5m SMD2835-120led/m. IP68 24V		5	49,02 €
	9.6W/m - 48W 3000K		10	46,64 €

Total number of led 600. Divisible in modules of 6 Led each 5cm, (one led every 8.3mm). With adhesive

Length (mm): 5000 Width (mm): 12 High (mm): 5,3  
 Colour: White PCB Voltage In (Vdc): 24  
 Intensidad In (A): 2 Power (W/m): 9.6  
 Temperature (°C): -20+50  
 Room Temperature (°C): -20~+50  
 Colour Temperature (°K): 3000 Lumen/meter: 768  
 Angle (°): 120 CRI (?): 80 Life (Hours): 50000  
 Ingress Protection: IP68 Dimmable: SI




	LFJ224094		1	53,95 €
	Flexible led strip 5m SMD2835-120led/m. IP68 24V		5	49,02 €
	9.6W/m - 48W 4000K		10	46,64 €

Total number of led 600. Divisible in modules of 6 Led each 5cm, (one led every 8.3mm). With adhesive

Length (mm): 5000 Width (mm): 12 High (mm): 5,3  
 Colour: White PCB Voltage In (Vdc): 24  
 Intensidad In (A): 2 Power (W/m): 9.6  
 Temperature (°C): -20+50  
 Room Temperature (°C): -20~+50  
 Colour Temperature (°K): 4000 Lumen/meter: 816  
 Angle (°): 120 CRI (?): 80 Life (Hours): 50000  
 Ingress Protection: IP68 Dimmable: SI




Subfamily **Flexible Led Strips IP68 24V**

Picture	Article	Description	Lot	Price/Unit
	LFJ224095		1	53,95 €
	Flexible led strip 5m SMD2835-120led/m. IP68 24V		5	49,02 €
	9.6W/m - 48W 5000K		10	46,64 €

Total number of led 600. Divisible in modules of 6 Led each 5cm, (one led every 8.3mm). With adhesive

Length (mm): 5000 Width (mm): 12 High (mm): 5,3  
 Colour: White PCB Voltage In (Vdc): 24  
 Intensidad In (A): 2 Power (W/m): 9.6  
 Temperature (°C): -20+50  
 Room Temperature (°C): -20~+50  
 Colour Temperature (°K): 5000 Lumen/meter: 864  
 Angle (°): 120 CRI (?): 80 Life (Hours): 50000  
 Ingress Protection: IP68 Dimmable: SI




	LFJ224142		1	66,03 €
	Flexible led strip 5m SMD2835-180led/m. IP68 24V		5	59,98 €
	14,4W/m - 72W 2700K		10	57,17 €

Total number of led 900. Divisible in modules of 6 Led each 3,3cm, (one led every 5,6mm). With adhesive

Length (mm): 5000 Width (mm): 12 High (mm): 5,3  
 Colour: White PCB Voltage In (Vdc): 24  
 Intensidad In (A): 2 Power (W/m): 9.6  
 Temperature (°C): -20+50  
 Room Temperature (°C): -20~+50  
 Colour Temperature (°K): 2700 Lumen/meter: 1130  
 Angle (°): 120 CRI (?): 80 Life (Hours): 50000  
 Ingress Protection: IP68 Dimmable: SI




Subfamily **Flexible Led Strips IP68 24V**

Picture	Article	Description	Lot	Price/Unit
	LFJ224143		1	66,03 €
	Flexible led strip 5m SMD2835-180led/m. IP68 24V		5	59,98 €
	14,4W/m - 72W 3000K		10	57,17 €

Total number of led 900. Divisible in modules of 6 Led each 3,3cm, (one led every 5,6mm). With adhesive

Length (mm): 5000 Width (mm): 12 High (mm): 5,3  
 Colour: White PCB Voltage In (Vdc): 24  
 Intensidad In (A): 2 Power (W/m): 14.4  
 Temperature (°C): -20+50  
 Room Temperature (°C): -20~+50  
 Colour Temperature (°K): 3000 Lumen/meter: 1152  
 Angle (°): 120 CRI (?): 80 Life (Hours): 50000  
 Ingress Protection: IP68 Dimmable: SI




	LFJ224144		1	66,03 €
	Flexible led strip 5m SMD2835-180led/m. IP68 24V		5	59,98 €
	14,4W/m - 72W 4000K		10	57,17 €

Total number of led 900. Divisible in modules of 6 Led each 3,3cm, (one led every 5,6mm). With adhesive

Length (mm): 5000 Width (mm): 12 High (mm): 5,3  
 Colour: White PCB Voltage In (Vdc): 24  
 Intensidad In (A): 2 Power (W/m): 14.4  
 Temperature (°C): -20+50  
 Room Temperature (°C): -20~+50  
 Colour Temperature (°K): 4000 Lumen/meter: 1224  
 Angle (°): 120 CRI (?): 80 Life (Hours): 50000  
 Ingress Protection: IP68 Dimmable: SI




Subfamily **Flexible Led Strips IP68 24V**

Picture	Article	Description	Lot	Price/Unit
	LFJ224145		1	66,03 €
	Flexible led strip 5m SMD2835-180led/m. IP68 24V		5	59,98 €
	14,4W/m - 72W 5000K		10	57,17 €

Total number of led 900. Divisible in modules of 6 Led each 3,3cm, (one led every 5,6mm). With adhesive

Length (mm): 5000 Width (mm): 12 High (mm): 5,3  
 Colour: White PCB Voltage In (Vdc): 24  
 Intensidad In (A): 2 Power (W/m): 14.4  
 Temperature (°C): -20+50  
 Room Temperature (°C): -20~+50  
 Colour Temperature (°K): 5000 Lumen/meter: 1296  
 Angle (°): 120 CRI (?): 80 Life (Hours): 50000  
 Ingress Protection: IP68 Dimmable: SI




	LFJW524192		1	107,61 €
	Flexible LED strip 5m SMD5050-60led / m. IP68 24V		5	97,77 €
	19.2W / m-96W 2700K		10	93,15 €

Total number of led 300. Divisible in modules of 6 Led every 10cm, (one led every 16.7mm). With adhesive

Length (mm): 5000 Width (mm): 12 High (mm): 5,3  
 Colour: White PCB Voltage In (Vdc): 24  
 Intensidad In (A): 2 Power (W/m): 19.2  
 Temperature (°C): -20+50  
 Room Temperature (°C): -20~+50  
 Colour Temperature (°K): 2700 CRI (?): 90  
 Life (Hours): 50000 Ingress Protection: IP68  
 Dimmable: SI




Subfamily **Flexible Led Strips IP68 24V**

Picture	Article	Description	Lot	Price/Unit
	LFJW524193		1	107,61 €
	Flexible LED strip 5m SMD5050-60led / m. IP68 24V		5	97,77 €
	19.2W / m-96W 3000K		10	93,15 €

Total number of led 300. Divisible in modules of 6 Led every 10cm, (one led every 16.7mm). With adhesive

Length (mm): 5000 Width (mm): 12 High (mm): 5,3  
 Colour: White PCB Voltage In (Vdc): 24  
 Intensidad In (A): 2 Power (W/m): 19.2  
 Temperature (°C): -20+50  
 Room Temperature (°C): -20~+50  
 Colour Temperature (°K): 3000 CRI (?): 90  
 Life (Hours): 50000 Ingress Protection: IP68  
 Dimmable: SI



	LFJW524194		1	107,61 €
	Flexible LED strip 5m SMD5050-60led / m. IP68 24V		5	97,77 €
	19.2W / m-96W 4000K		10	93,15 €


Total number of led 300. Divisible in modules of 6 Led every 10cm, (one led every 16.7mm). With adhesive

Length (mm): 5000 Width (mm): 12 High (mm): 5,3  
 Colour: White PCB Voltage In (Vdc): 24  
 Intensidad In (A): 2 Power (W/m): 19.2  
 Temperature (°C): -20+50  
 Room Temperature (°C): -20~+50  
 Colour Temperature (°K): 4000 CRI (?): 90  
 Life (Hours): 50000 Ingress Protection: IP68  
 Dimmable: SI






Subfamily **Flexible Led Strips IP68 24V**

Picture	Article	Description	Lot	Price/Unit
	LFJW524195		1	107,61 €
	Flexible LED strip 5m SMD5050-60led / m. IP68 24V		5	97,77 €
	19.2W / m-96W 5000K		10	93,15 €

Total number of led 300. Divisible in modules of 6 Led every 10cm, (one led every 16.7mm). With adhesive

Length (mm): 5000 Width (mm): 12 High (mm): 5,3  
 Colour: White PCB Voltage In (Vdc): 24  
 Intensidad In (A): 2 Power (W/m): 19.2  
 Temperature (°C): -20+50  
 Room Temperature (°C): -20~+50  
 Colour Temperature (°K): 5000 CRI (?): 90  
 Life (Hours): 50000 Ingress Protection: IP68  
 Dimmable: SI



	LF0B0660		1	79,05 €
	Flexible Led strip 5m IP68 24V 72W RGB		5	71,90 €
			10	68,54 €

Total number LED 300. Divisible every 10cm in modules of 6 (1 LED each 16,6mm). With adhesive.CRI>80

Length (mm): 5000 Width (mm): 12 High (mm): 5  
 Colour: White PCB Voltage In (Vdc): 24  
 Intensidad In (A): 3 Power (W/m): 14.4  
 Temperature (°C): -40+85  
 Room Temperature (°C): -40~+85 Angle (°): 120  
 Ingress Protection: IP68 Dimmable: SI

