

Catalogue **HALOTEC HARDWARE**
 Line **Halotec Lamps**
 Family **Fluorescent Compact E27**
 Subfamily **Mini Triple Tube E27 Fluorescent Lamps**

Picture	Article	Description	Lot	Price/Unit
---------	---------	-------------	-----	------------



E220411
 Mini ELTlamp E27 230V 11W 4200°K


Triple tube. Integrated electronic ballast. No dimmable. Average life 8000h

Length (mm): 120 Diameter (mm): 40
 Colour: Natural White Voltage In (Vac): 230
 Frecuency (Hz): 50 Power (W): 11
 Colour Temperature (°K): 4200 Lumen: 590
 Socket: E27 Energy efficiency: A Kwh/1000h: 11
 CRI (≥): 80 Life (Hours): 8000 Power factor: 0,55
 Switching cycle (≥): 6000
 Warm-up time up to 60% of the full light output (sec): <40
 Lumen maintenance factor at the end of the nominal life: 0,70 Starting time (seg): <0,3




HALOTEC HARDWARE > Halotec Lamps > Fluorescent Compact E27

Subfamily **Mini Triple Tube E27 Fluorescent Lamps**


Picture	Article	Description	Lot	Price/Unit
	E220411D		1	4,51 €
	Pack of 2 units Lamp Mini ELT E27 230V 11W		25	3,73 €
	4200°K		50	3,42 €
		triple Tube. Integrated electronic ballast. No adjustable. Average Life 8000h		
		Length (mm): 120 Diameter (mm): 40 Colour: Natural White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 11 Colour Temperature (°K): 4000 Lumen: 590 Socket: E27 Energy efficiency: A Kwh/1000h: 11 CRI (?): 80 Life (Hours): 8000 Power factor: 0.55 Switching cycle (?): 6000 Warm-up time up to 60% of the full light output (sec): <40 Lumen maintenance factor at the end of the nominal life: 0.70 Starting time (seg): <0.3		



Catalogue **HALOTEC HARDWARE**
 Line **Halotec Lamps**
 FAmily **Fluorescent Compact E27**
 Subfamily **Mini spherical E27 Fluorescent lamps**

Picture	Article	Description	Lot	Price/Unit
	E265407		1	1,53 €
	Mini ball lamp EG E27 230V 7W 4200°K		10	1,14 €
		Integrated electronic ballast. No dimmable. Average life 6000h		50
		Length (mm): 95 Diameter (mm): 50 Colour: Natural White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 7 Colour Temperature (°K): 4200 Lumen: 290 Socket: E27 Energy efficiency: A Kwh/1000h: 7 CRI (≥): 80 Life (Hours): 6000 Power factor: 0,55 Starting time (seg): 1,5		




	E265409		1	1,67 €
	Mini ball lamp EG E27 230V 9W 4200°K		25	1,24 €
		Integrated electronic ballast. No dimmable. Average life 6000h		50
		Length (mm): 100 Diameter (mm): 50 Colour: Natural White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 9 Colour Temperature (°K): 4200 Lumen: 405 Socket: E27 Energy efficiency: A Kwh/1000h: 9 CRI (≥): 80 Life (Hours): 6000 Power factor: 0,55 Starting time (seg): 1,5		




HALOTEC HARDWARE > Halotec Lamps > Fluorescent Compact E27

Subfamily **Mini spherical E27 Fluorescent lamps**

Picture	Article	Description	Lot	Price/Unit
	E265411		1	2,43 €
	Mini ball lamp EG E27 230V 11W 4200°K		25	1,79 €
	Integrated electronic ballast. No dimmable. Average life 6000h		50	1,65 €
	Length (mm): 105 Diameter (mm): 50 Colour: Natural White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 11 Colour Temperature (°K): 4200 Lumen: 535 Socket: E27 Energy efficiency: A Kwh/1000h: 11 CRI (?): 80 Life (Hours): 6000 Power factor: 0,55 Starting time (seg): 1,5			



Catalogue **HALOTEC HARDWARE**
 Line **Halotec Lamps**
 Family **Fluorescent Compact E27**
 Subfamily **Spherical Globe E27 Fluorescent lamps**

Picture	Article	Description	Lot	Price/Unit
	E265423		1	2,83 €
	Globe lamp EG E27 230V 23W 4200°K		20	2,13 €
	Integrated electronic ballast. No dimmable. Average life 6000h		40	1,92 €
	Length (mm): 172 Diameter (mm): 110 Colour: Natural White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 23 Colour Temperature (°K): 4200 Lumen: 1380 Socket: E27 Energy efficiency: A Kwh/1000h: 23 CRI (≥): 80 Life (Hours): 6000 Power factor: 0,55 Lumen maintenance factor at the end of the nominal life: 0,65 Starting time (seg): <1,0			




Catalogue **HALOTEC HARDWARE**


Line **Halotec Lamps**

FAMILY **Fluorescent Compact E27**

Subfamily **Candle E27 Fluorescent lamps**


Picture	Article	Description	Lot	Price/Unit
	E267409		1	1,68 €
	Candle lamp ECL E27 230V 9W 4200°K		10	1,30 €
		Integrated electronic ballast. No dimmable. Average life 6000h	50	1,17 €
		Length (mm): 142 Diameter (mm): 42 Colour: Natural White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 9 Colour Temperature (°K): 4200 Lumen: 405 Socket: E27 Energy efficiency: A Kwh/1000h: 9 CRI (≥): 80 Life (Hours): 6000 Power factor: 0,55 Starting time (seg): 1,5		



	E267411		1	1,68 €
	Candle lamp ECL E27 230V 11W 4200°K		10	1,30 €
		Integrated electronic ballast. No dimmable. Average life 6000h	50	1,17 €
		Length (mm): 142 Diameter (mm): 42 Colour: Natural White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 11 Colour Temperature (°K): 4200 Lumen: 510 Socket: E27 Energy efficiency: A Kwh/1000h: 11 CRI (≥): 80 Life (Hours): 6000 Power factor: 0,55 Starting time (seg): 1,5		




Catalogue **HALOTEC HARDWARE**
 Line **Halotec Lamps**
 Family **Fluorescent Compact E27**
 Subfamily **Mini Double Tube E27 Fluorescent Lamps**

Picture	Article	Description	Lot	Price/Unit
	E219406			
	Mini ELD lamp E27 230V 6W 4200°K	Double tube. Integrated electronic ballast. No dimmable. Average life 8000h Length (mm): 116 Diameter (mm): 34 Colour: Natural White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 6 Colour Temperature (°K): 4200 Lumen: 270 Socket: E27 Energy efficiency: A Kwh/1000h: 6 CRI (≥): 80 Life (Hours): 8000 Power factor: 0,55 Switching cycle (≥): 6000 Warm-up time up to 60% of the full light output (sec): <40 Lumen maintenance factor at the end of the nominal li fe: 0,70 Starting time (seg): <0,3		



Catalogue **HALOTEC HARDWARE**
 Line **Halotec Lamps**
 FAmily **Fluorescent Compact E27**
 Subfamily **Double Tube E27 Fluorescent Lamps**

Picture	Article	Description	Lot	Price/Unit
	E217209		1	1,77 €
	ELD lamp E27 230V 9W 2700°K		10	1,34 €
	Double tube. Integrated electronic ballast. No dimmable. Average life 8000h		50	1,23 €
	Length (mm): 130 Diameter (mm): 45 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 9 Colour Temperature (°K): 2700 Lumen: 500 Socket: E27 Energy efficiency: A Kwh/1000h: 9 CRI (≥): 80 Life (Hours): 8000 Power factor: 0,55 Switching cycle (≥): 6000 Warm-up time up to 60% of the full light output (sec): <40 Lumen maintenance factor at the end of the nominal li fe: 0,70 Starting time (seg): <0,3			



