



Catalogue **ELECTRICAL EQUIPMENT**
 Line **Lampholders**
 Family **Halogen Lampholders Low Voltage**
 Subfamily **Accesories for Halogen Lampholders Low Voltage**

Picture	Article	Description	Lot	Price/Unit
	AR4094081		1	5,19 €
	Low voltage pendant PN5300 / TF 80 cm white		250	4,06 €
	washer and external threading diam 20 for sujeccion Lens		500	3,91 €
	Length (mm): 80 Diameter (mm): 0,61 Colour: White Voltage In (Vdc/ac): 24 Intensidad In (A): 4 Temperature (°C): 180			




	AR4094082		1	5,19 €
	Low voltage pendant PN5300 / TF 80 cm black		250	4,06 €
	washer and external threading diam 20 for sujeccion Lens		500	3,91 €
	Length (mm): 80 Section (mm2): 0,61 Colour: Black Voltage In (Vdc/ac): 24 Intensidad In (A): 4 Temperature (°C): 180			




ELECTRICAL EQUIPMENT > Lampholders > Halogen Lampholders Low Voltage

Subfamily **Accesories for Halogen Lampholders Low Voltage**

Picture	Article	Description	Lot	Price/Unit
	AR4090002		1	0,66 €
		Support for socket 5300 PN / 5300	1000	0,5183 €
		Washer for hanging halogen PN5300	2000	0,5032 €
		High (mm): 20 Diameter (mm): 22 Colour: Neutral		




	AR4090005		1	0,4447 €
		Soporte SUR 10/1 for lampholder 5300 M10x1	1000	0,3474 €
		Support resin for halogen lampholder 5300, fixation by screws M3, threaded M10x1	2000	0,3372 €
		High (mm): 17 Diameter (mm): 17		




ELECTRICAL EQUIPMENT > Lampholders > Halogen Lampholders Low Voltage

Subfamily **Accesories for Halogen Lampholders Low Voltage**


Picture	Article	Description	Lot	Price/Unit
	AR4090004		1	0,1343 €
	Squad SQ 31 for lampholder 5300		1000	0,1050 €
	Length (mm): 29 Width (mm): 22,5 High (mm): 7,5 Colour: Chrome		2000	0,1018 €



	AR4090001		1	0,1171 €
	Squad SQ 30 for Lampholder 5300		1000	0,0915 €
	Length (mm): 32 Width (mm): 23 Colour: Chrome		2000	0,0888 €




Catalogue **ELECTRICAL EQUIPMENT**
 Line **Lampholders**
 Family **Halogen Lampholders Low Voltage**
 Subfamily **Lampholders With Tower G4-Gx5.3-G6.35-Gy6.35**

Picture	Article	Description	Lot	Price/Unit
	92P88PT		1	1,34 €
	P88SP	low voltage lamp holder 20 cm fep T180°	25	1,08 €
		steatite. Cm.cable 20 AWG Teflon FEP 20. Caps: GZ4, G5.3, GX5.3, GU5.3, G4, G6.35 and GY6.35	1000	0,98 €




	AR4010125		1	1,09 €
		Lampholder 5300 mounted SUR3/SIL75/12,5cm	100	0,91 €
		Assembled with 12.5cm of Silicone cable.	500	0,85 €

Subfamily **Lampholders With Tower G4-Gx5.3-G6.35-Gy6.35**


Picture	Article	Description	Lot	Price/Unit
	AR4010160		1	1,44 €
		Lampholder low voltage 5300/SIL75/16cm	50	0,92 €
		With 16cm Silicone cable 0,75mm2. Pins G5.3 GX5.3	500	0,71 €
		GX6.35 GZ6.35	1500	0,69 €
		High (mm): 13 Diameter (mm): 17 Section (mm2): 0,75 Colour: Esteatita Voltage In (Vdc/ac): 24 Intensidad In (A): 10 Temperature (°C): 180-300		
		Reference: 010577		




	AR4010500		1	1,13 €
		Lampholder low voltage 5300/SIL75/50cm	500	0,88 €
		With 50cm Silicone cable 0,75mm2. Pins G5.3 GX5.3	1500	0,86 €
		GX6.35 GZ6.35		
		High (mm): 13 Diameter (mm): 17 Section (mm2): 0,75 Colour: Esteatita Voltage In (Vdc/ac): 24 Intensidad In (A): 10 Temperature (°C): 180-300		



Subfamily **Lampholders With Tower G4-Gx5.3-G6.35-Gy6.35**


Picture	Article	Description	Lot	Price/Unit
	AR4010600		1	1,22 €
	Lampholder low voltage 5300/SIL75/60cm		500	0,94 €
	With 60cm silicone cable 0.75mm2.G5.3,GX5.3,GX6.35,GZ6.35 bushings			
	High (mm): 13 Diameter (mm): 17 Section (mm2): 0,75 Colour: Esteatita Voltage In (Vdc/ac): 24 Intensidad In (A): 10 Temperature (°C): 180-300			




	AR4011000		1	2,94 €
	Lampholder low voltage 5300/SIL75/100cm		50	1,83 €
	With 100cm Silicone cable 0,75mm2. Pins G5.3 GX5.3 GX6.35 GZ6.35		500	1,43 €
			1500	1,38 €
	High (mm): 13 Diameter (mm): 17 Section (mm2): 0,75 Colour: Esteatita Voltage In (Vdc/ac): 24 Intensidad In (A): 10 Temperature (°C): 180-300			



Subfamily **Lampholders With Tower G4-Gx5.3-G6.35-Gy6.35**


Picture	Article	Description	Lot	Price/Unit
	AR4040120		1	1,52 €
		Lampholder low voltage 5300/TF20/12,5cm	50	0,95 €
		With 12,5cm Teflon FEP AWG20 cable. Pins G5.3	500	0,74 €
		GX5.3 GX6.35 GZ6.35	1500	0,72 €
		High (mm): 13 Diameter (mm): 17 Section (mm2): 0,61 Colour: Esteatita Voltage In (Vdc/ac): 24 Intensidad In (A): 10 Temperature (°C): 180-300		



	AR4040180		1	1,68 €
		Lampholder low voltage 5300/TF20/18cm	50	1,04 €
		With 18cm Teflon FEP AWG20 cable. Pins G5.3	500	0,82 €
		GX5.3 GX6.35 GZ6.35	1500	0,79 €
		High (mm): 13 Diameter (mm): 17 Section (mm2): 0,61 Colour: Esteatita Voltage In (Vdc/ac): 24 Intensidad In (A): 10 Temperature (°C): 180-300		



Subfamily **Lampholders With Tower G4-Gx5.3-G6.35-Gy6.35**


Picture	Article	Description	Lot	Price/Unit
	AR4040200		1	0,96 €
	Lampholder Low Tension 5300/TF20/20 cm.		500	0,76 €
	With 20cm Teflon FEP AWG20 cable. Pins G5.3 GX5.3 GX6.35 GZ6.35		1500	0,74 €
		High (mm): 13 Diameter (mm): 17 Section (mm2): 0,61 Colour: Esteatita Voltage In (Vdc/ac): 24 Intensidad In (A): 10 Temperature (°C): 180-300		




	AR4040300		1	1,13 €
	Lampholder Low Tension 5300/TF20/30 cm		500	0,88 €
	With 30cm Teflon FEP AWG20 cable. Pins G5.3 GX5.3 GX6.35 GZ6.35		1500	0,86 €
		High (mm): 13 Diameter (mm): 17 Section (mm2): 0,61 Colour: Esteatita Voltage In (Vdc/ac): 24 Intensidad In (A): 10 Temperature (°C): 180-300		



Subfamily **Lampholders With Tower G4-Gx5.3-G6.35-Gy6.35**

Picture	Article	Description	Lot	Price/Unit
	AR4040709		1	2,21 €
		Lampholder low voltage 5300 mounted on bracket SQ30/A-A/2/TF20/70cm	500	1,73 €
			1500	1,68 €
		Fitted with bracket 70cm Teflon FEP AWG20 cable. Pins G5.3 GX5.3 GX6.35 GZ6.35		
		Length (mm): 32 Width (mm): 23 High (mm): 13 Section (mm2): 0,61 Colour: Esteatita Voltage In (Vdc/ac): 24 Intensidad In (A): 10 Temperature (°C): 180-300		




	AR4040809		1	2,34 €
		Lampholder low voltage 5300 mounted on bracket SQ30/A-A/2/TF20/80cm	500	1,85 €
			1500	1,77 €
		Fitted with bracket 80cm Teflon FEP AWG20 cable. Pins G5.3 GX5.3 GX6.35 GZ6.35		
		Length (mm): 32 Width (mm): 23 High (mm): 13 Section (mm2): 0,61 Colour: Esteatita Voltage In (Vdc/ac): 24 Intensidad In (A): 10 Temperature (°C): 180-300		




ELECTRICAL EQUIPMENT > Lampholders > Halogen Lampholders Low Voltage

Subfamily Lampholders With Tower G4-Gx5.3-G6.35-Gy6.35

Picture	Article	Description	Lot	Price/Unit
	AR4041759		1	2,86 €
		Lampholder low voltage 5300 mounted on bracket	500	2,24 €
		SQ30/A/A/2/TF20/175cm	1500	2,18 €
		Fitted with bracket 175cm Teflon FEP AWG20 cable. Pins G5.3 GX5.3 GX6.35 GZ6.35		
		Length (mm): 32 Width (mm): 23 High (mm): 13 Section (mm2): 0,61 Colour: Esteatita Voltage In (Vdc/ac): 24 Intensidad In (A): 10 Temperature (°C): 180-300		




	AR4042500		1	8,54 €
		Lampholder low voltage 5300/TF20/250cm	10	5,36 €
		With 250cm Teflon FEP AWG20 cable. Pins G5.3 GX5.3 GX6.35 GZ6.35	100	4,16 €
			500	4,06 €
		High (mm): 13 Diameter (mm): 17 Section (mm2): 0,61 Colour: Esteatita Voltage In (Vdc/ac): 24 Intensidad In (A): 10 Temperature (°C): 180-300		




ELECTRICAL EQUIPMENT > Lampholders > Halogen Lampholders Low Voltage

Subfamily Lampholders With Tower G4-Gx5.3-G6.35-Gy6.35



Picture	Article	Description	Lot	Price/Unit
	AR40A0500		1	3,21 €
	Lampholder low voltage 5300/PT75/50cm		50	2,00 €
	With 50cm Teflon PTFE 0,75mm2 cable. Pins G5.3		500	1,57 €
	GX5.3 GX6.35 GZ6.35		1000	1,52 €
	High (mm): 13 Diameter (mm): 17 Section (mm2): 0,75 Colour: Esteatita Voltage In (Vdc/ac): 24 Intensidad In (A): 10 Temperature (°C): 250-300			






	AR40G3500		1	18,30 €
	Lampholder low voltage 5300/SLFP75/350/PEP21/M		100	15,26 €
	Voltage In (Vdc/ac): 24 Intensidad In (A): 10		500	13,94 €






Catalogue **ELECTRICAL EQUIPMENT**
 Line **Lampholders**
 FAmily **Halogen Lampholders Low Voltage**
 Subfamily **Lampholders Without Tower G4-Gx5.3-G6.35-Gy6.35**




Picture	Article	Description	Lot	Price/Unit
	92P650T		1	1,08 €
	lampholder P65 20cm teflon low voltage T180 th		100	0,86 €
	Steatite with 20cm cable Teflon FEP AWG20 Bases : G5.3, GX5.3. IP20		1000	0,78 €
	High (mm): 10,2 Diameter (mm): 17 Voltage In (Vdc): 24 Intensidad In (A): 8 Temperature (°C): 180-250			
				

	AR4240168		1	1,69 €
	Lampholder Low Tension 5311/GU/TF20/16 cm		500	1,31 €
	With support GU and 16cm Teflon FEP AWG20 cable		1500	1,29 €
	High (mm): 9 Diameter (mm): 17 Section (mm2): 0,61 Colour: Esteatita Voltage In (Vdc/ac): 24 Intensidad In (A): 10 Temperature (°C): 180-300			
		Reference: 025582		

ELECTRICAL EQUIPMENT > Lampholders > Halogen Lampholders Low Voltage


Subfamily Lampholders Without Tower G4-Gx5.3-G6.35-Gy6.35

Picture	Article	Description	Lot	Price/Unit
	AR4240400		1	1,48 €
	Lampholder Low Tension 5311/TF20/40 cm		500	1,16 €
	With 40cm Teflon FEP AWG20 cable, pins G4 GZ4(4A/24V) GX5.3 G6.35 GY6.35		1500	1,11 €
	High (mm): 9 Diameter (mm): 17 Section (mm2): 0,61 Colour: Esteatita Voltage In (Vdc/ac): 24 Intensidad In (A): 10 Temperature (°C): 180-300			
				

	AR4240600		1	3,47 €
	Lampholder low voltage 5311/TF20/60cm		50	2,17 €
	With 60cm Teflon FEP AWG20 cable, pins G4 GZ4(4A/24V) GX5.3 G6.35 GY6.35		1000	1,69 €
	High (mm): 9 Diameter (mm): 17 Section (mm2): 0,61 Colour: Esteatita Voltage In (Vdc/ac): 24 Intensidad In (A): 10 Temperature (°C): 180-300			
	Reference: 023834			
				

ELECTRICAL EQUIPMENT > Lampholders > Halogen Lampholders Low Voltage


Subfamily Lampholders Without Tower G4-Gx5.3-G6.35-Gy6.35

Picture	Article	Description	Lot	Price/Unit
	AR4241750		1	5,98 €
	Lampholder low voltage5311/TF20/175cm		50	3,73 €
	With 175m Teflon FEP AWG20 cable, pins G4		500	2,91 €
	GZ4(4A/24V) GX5.3 G6.35 GY6.35		1000	2,82 €
		High (mm): 9 Diameter (mm): 17 Section (mm2): 0,61 Colour: Esteatita Voltage In (Vdc/ac): 24 Intensidad In (A): 10 Temperature (°C): 180-300		

	AR4242000		1	7,38 €
	Lampholder Low Tension 5311/TF20/200 cm		50	4,62 €
	With 200cm Teflon FEP AWG20 cable, pins G4		500	3,60 €
	GZ4(4A/24V) GX5.3 G6.35 GY6.35		1000	3,50 €
		High (mm): 9 Diameter (mm): 17 Section (mm2): 0,61 Colour: Esteatita Voltage In (Vdc/ac): 24 Intensidad In (A): 10 Temperature (°C): 180-300		
		Reference: 025598		


ELECTRICAL EQUIPMENT > Lampholders > Halogen Lampholders Low Voltage

Subfamily Lampholders Without Tower G4-Gx5.3-G6.35-Gy6.35

Picture	Article	Description	Lot	Price/Unit
	AR4242150		1	9,41 €
	Lampholder Low Tension 5311/TF20/215 cm		10	5,89 €
	With 215cm Teflon FEP AWG20 cable, pins G4		100	4,62 €
	GZ4(4A/24V) GX5.3 G6.35 GY6.35		500	4,47 €

High (mm): 9 Diameter (mm): 17 Section (mm2): 0,61
Colour: Esteatita Voltage In (Vdc/ac): 24
Intensidad In (A): 10 Temperature (°C): 180-300




	AR4242200		1	7,90 €
	Lampholder low voltage 5311/TF20/220cm		10	4,93 €
	With 220cm Teflon FEP AWG20 cable, pins G4		100	3,86 €
	GZ4(4A/24V) GX5.3 G6.35 GY6.35		500	3,73 €

High (mm): 9 Diameter (mm): 17 Section (mm2): 0,61
Colour: Esteatita Voltage In (Vdc/ac): 24
Intensidad In (A): 10 Temperature (°C): 180-300




ELECTRICAL EQUIPMENT > Lampholders > Halogen Lampholders Low Voltage

Subfamily Lampholders Without Tower G4-Gx5.3-G6.35-Gy6.35


Picture	Article	Description	Lot	Price/Unit
	AR4110120		1	0,72 €
	Lampholder Low Tension 5310/5/SIL75/12,5 cm		500	0,56 €
	With 12,5cm Silicone cable 0,75mm2		1500	0,5437 €
	High (mm): 9 Diameter (mm): 17 Section (mm2): 0,75 Colour: Esteatita Voltage In (Vdc/ac): 24 Intensidad In (A): 4 Temperature (°C): 180-300			



	AR4110160		1	1,17 €
	Lampholder low voltage 5310/5/SIL75/16cm		50	0,73 €
	With 16cm Silicone cable 0,75mm2		500	0,5742 €
	With 1000 Silicone cable 0,75mm2		1000	0,5572 €
	High (mm): 9 Diameter (mm): 17 Section (mm2): 0,75 Colour: Esteatita Voltage In (Vdc/ac): 24 Intensidad In (A): 4 Temperature (°C): 180-300			




Subfamily **Lampholders Without Tower G4-Gx5.3-G6.35-Gy6.35**

Picture	Article	Description	Lot	Price/Unit
	AR4140200		1	0,85 €
		lampholder Low Tension 5310/5/TF20/20 cm	500	0,66 €

With 20cm Teflon FEP AWG20 cable

High (mm): 9 Diameter (mm): 17 Section (mm2): 0,61
Colour: Esteatita Voltage In (Vdc/ac): 24
Intensidad In (A): 4 Temperature (°C): 180-300



	AR4140300		1	1,24 €
		Lampholder Low Tension 5310/5/TF20/30 cm	500	0,95 €


With 30cm Teflon FEP AWG20 cable

High (mm): 9 Diameter (mm): 17 Section (mm2): 0,61
Colour: Esteatita Voltage In (Vdc/ac): 24
Intensidad In (A): 4 Temperature (°C): 180-300




ELECTRICAL EQUIPMENT > Lampholders > Halogen Lampholders Low Voltage

Subfamily Lampholders Without Tower G4-Gx5.3-G6.35-Gy6.35

Picture	Article	Description	Lot	Price/Unit
	AR4140302		1	1,57 €
	Lampholder Low Tension 5310/TF20/30 cm		50	0,99 €
	With 30cm Silicone cable 0,75mm2		100	0,83 €
			500	0,81 €
	High (mm): 9 Diameter (mm): 17 Section (mm2): 0,61 Colour: Esteatita Voltage In (Vdc/ac): 24 Intensidad In (A): 4 Temperature (°C): 180-300			




	AR4140400		1	1,26 €
	Low voltage lamp holder 5310/5/TF20/40 cm		500	0,98 €
	With 40cm Teflon FEP cable AWG20. G5.3-GX5.3 socket			
	High (mm): 9 Diameter (mm): 17 Section (mm2): 0,61 Colour: Esteatita Voltage In (Vdc/ac): 24 Intensidad In (A): 4 Temperature (°C): 180-300			




ELECTRICAL EQUIPMENT > Lampholders > Halogen Lampholders Low Voltage

Subfamily Lampholders Without Tower G4-Gx5.3-G6.35-Gy6.35

Picture	Article	Description	Lot	Price/Unit
	AR4141600		1	3,38 €
		Low voltage lamp holder 5310/5/TF20/160 cm	500	2,65 €
		With 160cm Teflon FEP cable AWG20. G5.3-GX5.3 socket		
		High (mm): 9 Diameter (mm): 17 Section (mm2): 0,61 Colour: Esteatita Voltage In (Vdc/ac): 24 Intensidad In (A): 4 Temperature (°C): 180-300		




	AR4141750		1	6,29 €
		Lampholder low voltage 5310/5/TF20/175cm	50	3,94 €
		With 175cm Teflon FEP AWG20 cable	1000	3,00 €
		High (mm): 9 Diameter (mm): 17 Section (mm2): 0,61 Colour: Esteatita Voltage In (Vdc/ac): 24 Intensidad In (A): 4 Temperature (°C): 180-300		



ELECTRICAL EQUIPMENT > Lampholders > Halogen Lampholders Low Voltage


Subfamily Lampholders Without Tower G4-Gx5.3-G6.35-Gy6.35

Picture	Article	Description	Lot	Price/Unit
	AR4142200		1	3,76 €
		Low voltage lamp holder 5310/5/TF20/220 cm	500	2,95 €

With 200cm Teflon FEP cable AWG20. G5.3-GX5.3 socket

High (mm): 9 Diameter (mm): 17 Section (mm2): 0,61
Colour: Esteatita Voltage In (Vdc/ac): 24
Intensidad In (A): 4 Temperature (°C): 180-300




	AR4150750		1	5,58 €
		Lampholder low voltage 5310/5/TFA/75 cm	50	3,48 €
		Mounted with 75cm Teflon cable.	100	2,70 €


500 2,64 €
Voltage In (Vdc/ac): 24 Intensidad In (A): 4
Temperature (°C): 180-300



ELECTRICAL EQUIPMENT > Lampholders > Halogen Lampholders Low Voltage


Subfamily Lampholders Without Tower G4-Gx5.3-G6.35-Gy6.35

Picture	Article	Description	Lot	Price/Unit
	AR41A0300		1	1,20 €
	Lampholder low voltage 5310/5/PTFE/30 cm		100	1,00 €
	Mounted with 75cm Teflon cable.		500	0,96 €
	Voltage In (Vdc/ac): 24 Intensidad In (A): 4 Temperature (°C): 250-300			


	AR4310120		1	1,59 €
	Lampholder low voltage 5320/SIL75/12,5cm		50	0,98 €
	With 12,5cm Silicone cable 0,75mm ² , pins G4 GZ4(4A/24V) GX5.3 G6.35 GY6.35		500	0,76 €
	Length (mm): 16 Width (mm): 26 High (mm): 8 Section (mm ²): 0,75 Colour: Esteatita Voltage In (Vdc/ac): 24 Intensidad In (A): 10 Temperature (°C): 180-300		1000	0,74 €



Subfamily Lampholders Without Tower G4-Gx5.3-G6.35-Gy6.35


Picture	Article	Description	Lot	Price/Unit
	AR4310200		1	1,04 €
	Lampholder Low Tension 5320/SIL75/20 cm		500	0,82 €
	With 20cm Silicone cable 0,75mm2, pins G4 GZ4(4A/24V) GX5.3 G6.35 GY6.35		1500	0,79 €
		Length (mm): 16 Width (mm): 26 High (mm): 8 Section (mm2): 0,75 Colour: Esteatita Voltage In (Vdc/ac): 24 Intensidad In (A): 4 Temperature (°C): 180-300		




	AR4310250		1	1,78 €
	Lampholder low voltage 5320/SIL75/25cm		50	1,11 €
	With 25cm Silicone cable 0,75mm2, pins G4 GZ4(4A/24V) GX5.3 G6.35 GY6.35		1000	0,85 €
		Length (mm): 16 Width (mm): 26 High (mm): 8 Section (mm2): 0,75 Colour: Esteatita Voltage In (Vdc/ac): 24 Intensidad In (A): 10 Temperature (°C): 180-300		



Subfamily **Lampholders Without Tower G4-Gx5.3-G6.35-Gy6.35**

Picture	Article	Description	Lot	Price/Unit
	AR4310300		1	1,92 €
	Lampholder Low Tension 5320/SIL75/30 cm		50	1,21 €
	With 30cm Silicone cable 0,75mm2, pins G4		500	0,94 €
	GZ4(4A/24V) GX5.3 G6.35 GY6.35		1000	0,91 €
		Length (mm): 16 Width (mm): 26 High (mm): 8 Section (mm2): 0,75 Colour: Esteatita Voltage In (Vdc/ac): 24 Intensidad In (A): 10 Temperature (°C): 180-300		




	AR4310800		1	2,29 €
	Lampholder low voltage 5320/SIL75/8 cm		50	1,42 €
	With 80cm Silicone cable 0,75mm2, pins G4		500	1,09 €
	GZ4(4A/24V) GX5.3 G6.35 GY6.35		1000	1,05 €
		Length (mm): 16 Width (mm): 26 High (mm): 8 Section (mm2): 0,75 Colour: Esteatita Voltage In (Vdc/ac): 24 Intensidad In (A): 10 Temperature (°C): 180-300		




ELECTRICAL EQUIPMENT > Lampholders > Halogen Lampholders Low Voltage

Subfamily Lampholders Without Tower G4-Gx5.3-G6.35-Gy6.35

Picture	Article	Description	Lot	Price/Unit
	AR4312000		1	5,28 €
	Lampholder low voltage 5320/SIL75/200cm		50	3,29 €
	With 200cm Silicone cable 0,75mm2, pins G4		250	2,57 €
	GZ4(4A/24V) GX5.3 G6.35 GY6.35		500	2,52 €
	Length (mm): 16 Width (mm): 26 High (mm): 8 Section (mm2): 0,75 Colour: Esteatita Voltage In (Vdc/ac): 24 Intensidad In (A): 10 Temperature (°C): 180-300			







arditi
LIGHTING INNOVATION







	994118T		1	0,96 €
	Halogen Lampholder A41 T180 ° 18 cm Teflon		500	0,87 €
	Steatite. With 18cm cable Teflon FEP AWG20. Bases:		1000	0,83 €
	G4, G6.35, GU5.3, GX5.3, GY6.35.			
	High (mm): 9,5 Diameter (mm): 17 Voltage In (Vdc): 24 Intensidad In (A): 10 Temperature (°C): 180-300			



Subfamily Lampholders Without Tower G4-Gx5.3-G6.35-Gy6.35



Picture	Article	Description	Lot	Price/Unit
	994198T		1	3,46 €
	Halogen Lampholder A41 T180 ° 160 cm Teflon		500	3,15 €
	Steatite. With 160cm cable Teflon FEP AWG20. Bases: G4, G6.35, GU5.3, GX5.3, GY6.35.		1000	3,00 €
		High (mm): 9,5 Diameter (mm): 17 Voltage In (Vdc): 24 Intensidad In (A): 10 Temperature (°C): 180-300		
	<hr/>			
	994250T		1	1,82 €
	Halogen Lampholder A41 T180 ° 40 cm Teflon with bracket		500	1,66 €
	Steatite. With 50cm cable Teflon FEP AWG20. Bases: G4, G6.35, GU5.3, GX5.3, GY6.35. with bracket		1000	1,55 €
		Length (mm): 32 Width (mm): 21,5 High (mm): 11 Voltage In (Vdc): 24 Intensidad In (A): 10 Temperature (°C): 180-300		
	<hr/>			
	994260T		1	1,99 €
	Halogen lampholder 60 cm + stand A41 T180 ° Teflon		500	1,82 €
	Steatite. With 60cm cable Teflon FEP AWG20. Bases: G4, G6.35, GU5.3, GX5.3, GY6.35. with bracket		1000	1,74 €
		Length (mm): 32 Width (mm): 21,5 High (mm): 11 Voltage In (Vdc): 24 Intensidad In (A): 10 Temperature (°C): 180-300		
	<hr/>			


Catalogue **ELECTRICAL EQUIPMENT**
 Line **Lampholders**
 Family **Halogen Lampholders Low Voltage**
 Subfamily **G4 Lampholder to Embed**

Picture	Article	Description	Lot	Price/Unit
	996115S	Halogen lampholder A61 15cm Silicone T180°	1	0,5725 €
		Material PPS, with 15cm cable Silicone 0,75mm2 T180°C. Fixing holes M3	100	0,5112 €
		Length (mm): 16 Width (mm): 13,5 High (mm): 8,7 Section (mm2): 0,75 Voltage In (Vdc): 24 Intensidad In (A): 4 Temperature (°C): 180-250 Socket: G4	500	0,4962 €
				
	996215S	Halogen lampholder A62 15cm Silicone T180°	1	0,5594 €
		Material PPS, with 15cm cable Silicone 0,75mm2 T180°C. Fixing holes M3	100	0,4995 €
		Length (mm): 12,5 Width (mm): 13,5 High (mm): 8,7 Section (mm2): 0,75 Voltage In (Vdc): 24 Intensidad In (A): 4 Temperature (°C): 180-250 Socket: G4	500	0,4849 €
				

ELECTRICAL EQUIPMENT > Lampholders > Halogen Lampholders Low Voltage

Subfamily G4 Lampholder to Embed


Picture	Article	Description	Lot	Price/Unit
	996230S		1	0,4284 €
	Halogen lampholder A62 30cm Silicone T180°		100	0,3825 €
	Material PPS, with 30cm cable Silicone 0,75mm2 T180°C. Fixing holes M3		500	0,3713 €
	Length (mm): 12,5 Width (mm): 13,5 High (mm): 8,7 Section (mm2): 0,75 Voltage In (Vdc): 24 Intensidad In (A): 4 Temperature (°C): 180-250 Socket: G4			
				

	AR3711012		1	1,20 €
	Lampholder low voltage 5421/SIL75/12,5cm		50	0,74 €
	Material PPS with 12.5 cm Silicone cable 0.75mm2		500	0,5820 €
	Length (mm): 16 Width (mm): 13,5 High (mm): 8 Section (mm2): 0,75 Colour: Black Voltage In (Vdc/ac): 24 Intensidad In (A): 4 Temperature (°C): 180-220 Socket: G4		1500	0,5650 €







ELECTRICAL EQUIPMENT > Lampholders > Halogen Lampholders Low Voltage

Subfamily **G4 Lampholder to Embed**




Picture	Article	Description	Lot	Price/Unit
	AR3731012		1	1,20 €
		Lampholder low voltage 5423/SIL75/12,5cm	50	0,74 €
		Material PPS with 12.5 cm Silicone cable 0.75mm2	500	0,5820 €
			1500	0,5650 €
		Length (mm): 12 Width (mm): 12 High (mm): 7 Section (mm2): 0,75 Colour: Black Voltage In (Vdc/ac): 24 Intensidad In (A): 4 Temperature (°C): 180-220 Socket: G4		

Catalogue **ELECTRICAL EQUIPMENT**
 Line **Lampholders**
 Family **Halogen Lampholders Low Voltage**
 Subfamily **G4 Lampholder to insert in Tube**

Picture	Article	Description	Lot	Price/Unit
	997009T		1	0,62 €
	Halogen lampholder A70 10cm FEP AWG20 transparent		100 500	0,5520 € 0,5359 €
	Material PPS. with 10cm cable Teflon FEP AWG20. For insert in tubes internal diameter 7,7-7,8mm High (mm): 17 Diameter (mm): 9 Voltage In (Vdc): 24 Intensidad In (A): 4 Temperature (°C): 180-220 Socket: G4			
				

 <p>Image in another color</p>	997012B		1	2,20 €
	Halogen lampholder A70 120cm FEP AWG22 blue-brown		100 500	1,98 € 1,92 €
	Material PPS. with 120cm cable Teflon FEP AWG22. For insert in tubes internal diameter 7,7-7,8mm High (mm): 17 Diameter (mm): 9 Voltage In (Vdc): 24 Intensidad In (A): 4 Temperature (°C): 180-220 Socket: G4			
				


Subfamily **G4 Lampholder to insert in Tube**

Picture	Article	Description	Lot	Price/Unit
 <p>Image in another color</p>	997012N		1	2,20 €
	Halogen lampholder A70 120cm FEP AWG22 transparent-black		100	1,98 €
			500	1,92 €
	Material PPS. with 120cm cable Teflon FEP AWG22. For insert in tubes internal diameter 7,7-7,8mm High (mm): 17 Diameter (mm): 9 Voltage In (Vdc): 24 Intensidad In (A): 4 Temperature (°C): 180-220 Socket: G4			
				
	997013N		1	2,12 €
	Halogen lampholder A70 130cm FEP AWG22 transparent-black		100	1,90 €
			500	1,85 €
	Material PPS. With 130cm cable Teflon FEP AWG22. For insert in tubes internal diameter 7,7-7,8mm High (mm): 17 Diameter (mm): 9 Voltage In (Vdc): 24 Intensidad In (A): 4 Temperature (°C): 180-220 Socket: G4			
				
	997014B		1	2,24 €
	Halogen lampholder A70 140cm FEP AWG22 blue-brown		100	2,00 €
			500	1,95 €
	Material PPS. with 140cm cable Teflon FEP AWG22. For insert in tubes internal diameter 7,7-7,8mm High (mm): 17 Diameter (mm): 9 Voltage In (Vdc): 24 Intensidad In (A): 4 Temperature (°C): 180-220 Socket: G4			
				

ELECTRICAL EQUIPMENT > Lampholders > Halogen Lampholders Low Voltage

Subfamily G4 Lampholder to insert in Tube


Image in another color

Picture	Article	Description	Lot	Price/Unit
	997014N		1	2,24 €
	Halogen lampholder A70 140cm FEP AWG22		100	2,00 €
	transparent-black		500	1,95 €

Material PPS. with 140cm cable Teflon FEP AWG22.
For insert in tubes internal diameter 7,7-7,8mm

High (mm): 17 Diameter (mm): 9 Voltage In (Vdc): 24
Intensidad In (A): 4 Temperature (°C): 180-220
Socket: G4




	997020B		1	0,65 €
	Halogen lampholder A70 20cm FEP AWG22		100	0,5805 €
	blue-brown		500	0,5634 €

Material PPS. with 20cm cable Teflon FEP AWG22.
For insert in tubes internal diameter 7,7-7,8mm

High (mm): 17 Diameter (mm): 9 Voltage In (Vdc): 24
Intensidad In (A): 4 Temperature (°C): 180-220
Socket: G4

Image in another color



	997020T		1	0,65 €
	Halogen lampholder A70 20cm FEP AWG20		100	0,5803 €
	transparent-black		500	0,5633 €

Material PPS. with 20cm cable Teflon FEP AWG22.
For insert in tubes internal diameter 7,7-7,8mm


High (mm): 17 Diameter (mm): 9 Voltage In (Vdc): 24
Intensidad In (A): 4 Temperature (°C): 180-220
Socket: G4



ELECTRICAL EQUIPMENT > Lampholders > Halogen Lampholders Low Voltage

Subfamily G4 Lampholder to insert in Tube

Image in another color


Picture	Article	Description	Lot	Price/Unit
	997030B		1	0,79 €
	Halogen lampholder A70 30cm FEP AWG22		100	0,71 €
	blue-brown		500	0,69 €

Material PPS. with 30cm cable Teflon FEP AWG22.
For insert in tubes internal diameter 7,7-7,8mm

High (mm): 17 Diameter (mm): 9 Voltage In (Vdc): 24
Intensidad In (A): 4 Temperature (°C): 180-220
Socket: G4

Image in another color




	997050B		1	1,25 €
	Halogen lampholder A70 50cm FEP AWG22		100	1,12 €
	blue-brown		500	1,09 €

Material PPS. with 50cm cable Teflon FEP AWG22.
For insert in tubes internal diameter 7,7-7,8mm

High (mm): 17 Diameter (mm): 9 Voltage In (Vdc): 24
Intensidad In (A): 4 Temperature (°C): 180-220
Socket: G4

Image in another color



	997060B		1	1,38 €
	Halogen lampholder A70 60 cm FEP AWG22		100	1,24 €
	blue-brown		500	1,20 €

Material PPS. with 60cm cable Teflon FEP AWG22.
For insert in tubes internal diameter 7,7-7,8mm


High (mm): 17 Diameter (mm): 9 Voltage In (Vdc): 24
Intensidad In (A): 4 Temperature (°C): 180-220
Socket: G4



ELECTRICAL EQUIPMENT > Lampholders > Halogen Lampholders Low Voltage

Subfamily G4 Lampholder to insert in Tube

Image in another color


Picture	Article	Description	Lot	Price/Unit
	997060T		1	1,38 €
	Halogen lampholder A70 60cm FEP AWG20		100	1,24 €
	transparent		500	1,20 €

Material PPS. with 60cm cable Teflon FEP AWG20.
For insert in tubes internal diameter 7,7-7,8mm

High (mm): 17 Diameter (mm): 9 Voltage In (Vdc): 24
Intensidad In (A): 4 Temperature (°C): 180-220
Socket: G4

Image in another color




	997070B		1	1,52 €
	Halogen lampholder A70 70cm FEP AWG22		100	1,37 €
	blue-brown		500	1,33 €

Material PPS. with 70cm cable Teflon FEP AWG22.
For insert in tubes internal diameter 7,7-7,8mm

High (mm): 17 Diameter (mm): 9 Voltage In (Vdc): 24
Intensidad In (A): 4 Temperature (°C): 180-220
Socket: G4

Image in another color



	997070N		1	1,39 €
	Halogen lampholder A70 70cm FEP AWG22		100	1,24 €
	transparent-black		500	1,20 €


Material PPS. with 70cm cable Teflon FEP AWG22.
For insert in tubes internal diameter 7,7-7,8mm

High (mm): 17 Diameter (mm): 9 Voltage In (Vdc): 24
Intensidad In (A): 4 Temperature (°C): 180-220
Socket: G4



ELECTRICAL EQUIPMENT > Lampholders > Halogen Lampholders Low Voltage


Subfamily G4 Lampholder to insert in Tube**Image in another color**

Picture	Article	Description	Lot	Price/Unit
	997090B		1	1,81 €
	Halogen lampholder A70 90cm FEP AWG22		100	1,60 €
	blue-brown		500	1,55 €

Material PPS. with 90cm cable Teflon FEP AWG22.
 For insert in tubes internal diameter 7,7-7,8mm

High (mm): 17 Diameter (mm): 9 Voltage In (Vdc): 24
 Intensidad In (A): 4 Temperature (°C): 180-220
 Socket: G4


Image in another color

	997090N		1	1,81 €
	Halogen lampholder A70 90cm FEP AWG22		100	1,60 €
	transparent-black		500	1,55 €

Material PPS. with 90cm cable Teflon FEP AWG22.
 For insert in tubes internal diameter 7,7-7,8mm

High (mm): 17 Diameter (mm): 9 Voltage In (Vdc): 24
 Intensidad In (A): 4 Temperature (°C): 180-220
 Socket: G4

Image in another color

	997099B		1	3,28 €
	Halogen lampholder A70 200cm FEP AWG22		100	2,93 €
	blue-brown		500	2,85 €

Material PPS. with 200cm cable Teflon FEP AWG22.
 For insert in tubes internal diameter 7,7-7,8mm


High (mm): 17 Diameter (mm): 9 Voltage In (Vdc): 24
 Intensidad In (A): 4 Temperature (°C): 180-220
 Socket: G4



ELECTRICAL EQUIPMENT > Lampholders > Halogen Lampholders Low Voltage





Subfamily G4 Lampholder to insert in Tube

Image in another color

Picture	Article	Description	Lot	Price/Unit
	AR3784100		1	1,81 €
		lampholder Low Tension 5431E/TF20/100 cm	100	1,43 €
		G4 connection.	500	1,27 €
		High (mm): 16 Diameter (mm): 9 Section (mm2): 0,61 Colour: Black Voltage In (Vdc/ac): 24 Intensidad In (A): 4 Temperature (°C): 180-220 Socket: G4		






Catalogue **ELECTRICAL EQUIPMENT**
 Line **Lampholders**
 FAmily **Halogen Lampholders Low Voltage**
 Subfamily **G4 Lampholder Screws**

Picture	Article	Description	Lot	Price/Unit
	996040S		1	0,91 €
	Halogen lampholder A60 40cm Silicone T180°		100	0,81 €
	Material PPS, with 40cm cable Silicone 0,75mm2 T180°C . Fixing holes M3		500	0,78 €
		Length (mm): 16 Width (mm): 26 High (mm): 8,7 Section (mm2): 0,75 Voltage In (Vdc): 24 Intensidad In (A): 4 Temperature (°C): 180-250 Socket: G4		
				
	996050S		1	0,91 €
	Halogen lampholder A60 50cm Silicone T180°		100	0,81 €
	Material PPS, with 50cm cable Silicone 0,75mm2 T180°C. Fixing holes M3		500	0,78 €
		Length (mm): 16 Width (mm): 16 High (mm): 8,7 Section (mm2): 0,75 Voltage In (Vdc): 24 Intensidad In (A): 4 Temperature (°C): 180-250 Socket: G4		
				


ELECTRICAL EQUIPMENT > Lampholders > Halogen Lampholders Low Voltage

Subfamily **G4 Lampholder Screws**

Picture	Article	Description	Lot	Price/Unit
	996080S		1	1,07 €
	Halogen lampholder A60 80cm Silicone T180°		100	0,95 €
	Material PPS, with 80cm cable Silicone 0,75mm2 T180°C. Fixing holes M3		500	0,92 €
	Length (mm): 16 Width (mm): 26 High (mm): 8,7 Section (mm2): 0,75 Voltage In (Vdc): 24 Intensidad In (A): 4 Temperature (°C): 180-250 Socket: G4			
				
	AR3701012		1	0,87 €
	Lampholder low voltage 5420/SIL75/12,5cm		50	0,5405 €
	Material PPS with 12,5cm Silicone cable 0.75mm2		500	0,4225 €
	Length (mm): 16 Width (mm): 26 High (mm): 8 Section (mm2): 0,75 Colour: Black Voltage In (Vdc/ac): 24 Intensidad In (A): 4 Temperature (°C): 180-220 Socket: G4		1500	0,3871 €

ELECTRICAL EQUIPMENT > Lampholders > Halogen Lampholders Low Voltage

Subfamily **G4 Lampholder Screws**

Picture	Article	Description	Lot	Price/Unit
	AR3701016		1	0,83 €
		Lampholder low voltage 5420/SIL75/16cm	50	0,5213 €
		Material PPS with 16 cm Silicone cable 0.75mm2	500	0,4073 €
			1500	0,3748 €

Length (mm): 16 Width (mm): 26 High (mm): 8
 Section (mm2): 0,75 Colour: Black
 Voltage In (Vdc/ac): 24 Intensidad In (A): 4
 Temperature (°C): 180-220 Socket: G4

