


Catalogue **LED TECHNOLOGY**
 Line **Electronic Led Power Supplies**
 FAmily **Led Controllers**
 Subfamily **Control led mirrors**


Download [here](#) the **Catalogue of Led Components for Mirrors: Constant voltage cv12-24v led power supplies and dimmers for mirrors.**

Picture	Article	Description	Lot	Price/Unit
	G508TS01A		1	6,08 €
	Dimmer AEK-TS-01A 1 touch sensor for mirrors		5	5,07 €
	Recommended maximum mirror thickness 5mm. Install sensor before power up. 5 year warranty		10	4,68 €
			100	4,29 €
		Length (mm): 56 Width (mm): 67 High (mm): 11 Colour: White Voltage In (Vdc): 12~24 Voltage Out (Vdc): 12~24 Intensidad Out (A): 5 Power (W): 60~120 Room Temperature (°C): +35 Critical Temperature (°C): 45 Life (Hours): 50000 Ingress Protection: IP20		

LETARON




Subfamily **Control led mirrors**

Picture	Article	Description	Lot	Price/Unit
	G508TS02		1	8,58 €
	Dimmer AEK-TS-02 2 touch sensors for mirrors		5	7,15 €
	Recommended maximum mirror thickness 5mm. Install sensor before power up. 5 year warranty		10	6,50 €
			100	6,24 €
	Length (mm): 76 Width (mm): 40,7 High (mm): 11 Colour: White Voltage In (Vdc): 12~24 Voltage Out (Vdc): 12~24 Intensidad Out (A): 5 Power (W): 60~120 Room Temperature (°C): +35 Critical Temperature (°C): 45 Life (Hours): 50000 Ingress Protection: IP20			

LETARON




	G508TS03A		1	9,83 €
	Dimmer AEK-TS-03A 3 touch sensors for mirrors		5	8,19 €
	Recommended maximum mirror thickness 5mm. Install sensor before power up. 5 year warranty		10	7,41 €
			100	7,02 €
	Length (mm): 93 Width (mm): 67 High (mm): 11 Colour: White Voltage In (Vdc): 12~24 Voltage Out (Vdc): 12~24 Intensidad Out (A): 5 Power (W): 60~120 Room Temperature (°C): +35 Critical Temperature (°C): 45 Life (Hours): 50000 Ingress Protection: IP20			

LETARON





LED TECHNOLOGY > Electronic Led Power Supplies > Led Controllers

Subfamily **Control led mirrors**

Picture	Article	Description	Lot	Price/Unit
	G508HC01		1	3,43 €
	Electronic relay AEK-HC-01 for On / Off anti-fog mirrors		10	2,86 €
			50	2,60 €
	5 year warranty		300	2,47 €
	Length (mm): 39 Width (mm): 22 High (mm): 14 Colour: White Voltage In (Vdc): 12~24 Voltage Out (Vac): 120~240 Intensidad In (A): 0.025 Intensidad Out (A): 1 Power (W): 120~240 Room Temperature (°C): +35 Critical Temperature (°C): 80 Life (Hours): 50000 Ingress Protection: IP20			

LETARON




	G5030015C		1	9,57 €
	Led Power Supply CV AED15-12VLSTB-IP44 12V 15W		5	7,94 €
			10	7,22 €
	ECO ERP design Constant voltage output 12Vdc		100	6,72 €
	Length (mm): 145 Width (mm): 41 High (mm): 13,5 Colour: White Voltage In (Vac): 220~240 Voltage Out (Vdc): 12 Intensidad Out (A): 1,25 Frecuency (Hz): 50~60 Power (W): 15 Room Temperature (°C): -20~+40 Critical Temperature (°C): 80 Life (Hours): 30000 Ingress Protection: IP44 Dimmable: NO			

LETARON




Subfamily **Control led mirrors**

Picture	Article	Description	Lot	Price/Unit
	G5031015C		1	10,27 €
	Led Power Supply CV AED15-24VLSTB-IP44 24V 15W		5	8,52 €
			10	7,74 €
			100	7,22 €
	ECO Design ERP. 24Vdc constant voltage output			
	Length (mm): 145 Width (mm): 41 High (mm): 13,5 Colour: White Voltage In (Vac): 220~240 Voltage Out (Vdc): 24 Intensidad Out (A): 0,625 Frecuency (Hz): 50~60 Power (W): 15 Room Temperature (°C): -20~+40 Critical Temperature (°C): 80 Life (Hours): 30000 Ingress Protection: IP44 Dimmable: NO			

LETARON




	G5030020A		1	12,68 €
	Led Power Supply CV AED20-12VLSTB-IP44 12V 20W		5	10,56 €
			10	9,61 €
			100	8,97 €
	ECO Design ERP. 12Vdc constant voltage output			
	Length (mm): 145 Width (mm): 41 High (mm): 13,5 Colour: White Voltage In (Vac): 220~240 Voltage Out (Vdc): 12 Intensidad Out (A): 1,67 Frecuency (Hz): 50~60 Power (W): 0~20 Room Temperature (°C): -20~+40 Critical Temperature (°C): 80 Life (Hours): 30000 Ingress Protection: IP44 Dimmable: NO Power factor: 0.9			

LETARON



Subfamily **Control led mirrors**

Picture	Article	Description	Lot	Price/Unit
	G5030020B		1	22,02 €
	Led Power Supply CV AED20-12VIP44-3A-Q3 12V 20W		5	18,36 €
			10	16,69 €
			100	15,60 €
		Integrated relais. Includes anti-fog, dimmer and CTT sensors for mirrors. Primary and secondary wiring.		
		Length (mm): 228,2 Width (mm): 126,2 High (mm): 18 Colour: White Voltage In (Vac): 220~240 Voltage Out (Vdc): 12 Intensidad Out (A): 1.67 Frecuency (Hz): 50~60 Power (W): 20 Room Temperature (°C): -20~+40 Critical Temperature (°C): 85 Life (Hours): 30000 Ingress Protection: IP44 Dimmable: SI Power factor: 0.85		

LETARON




	G5031020A		1	22,02 €
	Led Power Supply CV AED20-24VIP44-3A-Q3 24V 20W		5	18,36 €
			10	16,69 €
			100	15,60 €
		Integrated relais. Includes anti-fog, dimmer and CTT sensors for mirrors. Primary and secondary wiring.		
		Length (mm): 228,2 Width (mm): 126,2 High (mm): 18 Colour: White Voltage In (Vac): 220~240 Voltage Out (Vdc): 24 Intensidad Out (A): 0.83 Frecuency (Hz): 50~60 Power (W): 20 Room Temperature (°C): -20~+40 Critical Temperature (°C): 85 Life (Hours): 30000 Ingress Protection: IP44 Dimmable: SI Power factor: 0.85		


LETARON



Subfamily **Control led mirrors**

Picture	Article	Description	Lot	Price/Unit
	G5030030E		1	13,56 €
	Led Power Supply CV AED30-12VLSTB-IP44 12V 30W		5	11,30 €
			10	10,27 €
			100	9,59 €
	ECO Design ERP. 12Vdc constant voltage output			
	Length (mm): 171 Width (mm): 54 High (mm): 16 Colour: White Voltage In (Vac): 220~240 Voltage Out (Vdc): 12 Intensidad Out (A): 2.5 Frequency (Hz): 50~60 Power (W): 0~30 Room Temperature (°C): +40 Critical Temperature (°C): 80 Ingress Protection: IP44 Dimmable: NO Power factor: 0.9			




	G5030030G		1	15,57 €
	Led power supply CV AED30-12VIP44-3A 12V 30W cable and relay		5	12,97 €
			10	11,79 €
			100	11,02 €
	ECO ERP Design. Constant voltage output 12Vdc. Cabling. Built-in relay			
	Length (mm): 145 Width (mm): 55 High (mm): 16,5 Colour: White Voltage In (Vac): 220~240 Voltage Out (Vdc): 12 Intensidad Out (A): 2.5 Frequency (Hz): 50~60 Power (W): 0~30 Room Temperature (°C): -20~+40 Critical Temperature (°C): 80 Life (Hours): 30000 Ingress Protection: IP44 Power factor: 0,9			




LED TECHNOLOGY > Electronic Led Power Supplies > Led Controllers

Subfamily **Control led mirrors**

Picture	Article	Description	Lot	Price/Unit
	G5030030H		1	14,11 €
	Led power supply CV AED30-12VIP44-3B 12V 30W		5	11,75 €
	wired		10	10,69 €
	ECO ERP Design. Constant voltage output 12Vdc.		100	9,98 €
	Cabling.			
	Length (mm): 145 Width (mm): 55 High (mm): 16,5			
	Colour: White Voltage In (Vac): 220~240			
	Voltage Out (Vdc): 12 Intensidad Out (A): 2.5			
	Frecuency (Hz): 50~60 Power (W): 0~30			
	Room Temperature (°C): -20~+40			
	Critical Temperature (°C): 80 Life (Hours): 30000			
	Ingress Protection: IP44 Power factor: 0.9			

LETARON




	G5031030E		1	13,56 €
	Led Power Supply CV AED30-24VLSTB-IP44 24V		5	11,30 €
	30W		10	10,27 €
	ECO Design ERP.24Vdc constant voltage output		100	9,59 €
	Length (mm): 171 Width (mm): 54 High (mm): 16			
	Colour: White Voltage In (Vac): 220~240			
	Voltage Out (Vdc): 24 Intensidad Out (A): 1.25			
	Frecuency (Hz): 50~60 Power (W): 0~30			
	Room Temperature (°C): -20~+40			
	Critical Temperature (°C): 80 Ingress Protection: IP44			
	Dimmable: NO Power factor: 0.9			

LETARON




LED TECHNOLOGY > Electronic Led Power Supplies > Led Controllers

Subfamily **Control led mirrors**

Picture	Article	Description	Lot	Price/Unit
	G5031030G		1	15,57 €
	Led power supply CV AED30-24VIP44-3A 24V 30W cable and relay		5	12,97 €
			10	11,79 €
			100	11,02 €
	ECO ERP design. Constant voltage output 24Vdc. Cabling. Built-in relay.			
	Length (mm): 145 Width (mm): 55 High (mm): 16,5 Colour: White Voltage In (Vac): 220~240 Voltage Out (Vdc): 24 Intensidad Out (A): 1.25 Frecuency (Hz): 50~60 Power (W): 0~30 Room Temperature (°C): -20~+40 Critical Temperature (°C): 80 Life (Hours): 30000 Ingress Protection: IP44 Power factor: 0,9			

LETARON




	G5031030H		1	14,11 €
	Led power supply CV AED30-24V IP44-3B 24V 30W wired		5	11,75 €
			10	10,69 €
			100	9,98 €
	ECO ERP design. Constant voltage output 24Vdc. Cabling			
	Length (mm): 145 Width (mm): 55 High (mm): 16,5 Colour: White Voltage In (Vac): 220~240 Voltage Out (Vdc): 24 Intensidad Out (A): 1.25 Frecuency (Hz): 50~60 Power (W): 0~30 Room Temperature (°C): -20~+40 Critical Temperature (°C): 80 Life (Hours): 30000 Ingress Protection: IP44 Power factor: 0.9			

LETARON



Subfamily **Control led mirrors**

Picture	Article	Description	Lot	Price/Unit
	G5031036		1	16,93 €
	Led Power Supply CV AED36-24VLSTB-UL 24V 36W		5	15,39 €
			10	13,99 €
	24Vdc constant voltage output		50	13,08 €
	Length (mm): 220 Width (mm): 55 High (mm): 16,5 Colour: White Voltage In (Vac): 108~132 Voltage Out (Vdc): 24 Intensidad Out (A): 1.5 Frecuency (Hz): 57~63 Power (W): 0~36 Room Temperature (°C): -20~+40 Critical Temperature (°C): 80 Life (Hours): 30000 Dimmable: NO			

LETARON




	G5030040A		1	18,17 €
	Led Power Supply AED40-12VLSTB-IP44 12V 40W		5	15,15 €
			10	13,77 €
	ECO Design ERP Compliant. 12Vdc constant voltage output		100	12,87 €
	Length (mm): 220 Width (mm): 55 High (mm): 16,5 Colour: White Voltage In (Vac): 220~240 Voltage Out (Vdc): 12 Frecuency (Hz): 50~60 Power (W): 0~40 Room Temperature (°C): -20~+40 Critical Temperature (°C): 80 Life (Hours): 30000 Ingress Protection: IP44 Dimmable: NO Power factor: 0.9			

LETARON



Subfamily **Control led mirrors**

Picture	Article	Description	Lot	Price/Unit
	G5030040B		1	25,71 €
	Led Power Supply CV AED40-12VIP44-3A-Q3 12V 40W		5	21,42 €
			10	19,47 €
			100	18,20 €
	Integrated relais. Includes anti-fog, dimmer and CTT sensors for mirrors. Primary and secondary wiring.			
	Length (mm): 228,2 Width (mm): 126,2 High (mm): 18 Colour: White Voltage In (Vac): 220~240 Voltage Out (Vdc): 12 Intensidad Out (A): 3.33 Frecuency (Hz): 50~60 Power (W): 40 Room Temperature (°C): -20~+40 Critical Temperature (°C): 85 Life (Hours): 30000 Ingress Protection: IP44 Dimmable: SI Power factor: 0.90			

LETARON




	G5031040B		1	25,71 €
	Led Power Supply CV AED40-24VIP44-3A-Q3 24V 40W		5	21,42 €
			10	19,47 €
			100	18,20 €
	Integrated relais. Includes anti-fog, dimmer and CTT sensors for mirrors. Primary and secondary wiring.			
	Length (mm): 228,2 Width (mm): 126,2 High (mm): 18 Colour: White Voltage In (Vac): 220~240 Voltage Out (Vdc): 24 Intensidad Out (A): 1.67 Frecuency (Hz): 50~60 Power (W): 40 Room Temperature (°C): -20~+40 Critical Temperature (°C): 85 Life (Hours): 30000 Ingress Protection: IP44 Dimmable: SI Power factor: 0.90			

LETARON




LED TECHNOLOGY > Electronic Led Power Supplies > Led Controllers

Subfamily **Control led mirrors**

Picture	Article	Description	Lot	Price/Unit
	G5030060C		1	20,71 €
	Led Power Supply CV AED60-12VLSTB-IP44 12V 60W		5	18,82 €
			10	17,12 €
			50	16,00 €
	ECO Design ERP Compliant. 12Vdc constant voltage output			
	Length (mm): 238 Width (mm): 55 High (mm): 16,5 Colour: White Voltage In (Vac): 220~240 Voltage Out (Vdc): 12 Intensidad Out (A): 0~5 Frecuency (Hz): 50~60 Power (W): 0~60 Room Temperature (°C): +40 Critical Temperature (°C): 80 Ingress Protection: IP44 Dimmable: NO Power factor: 0.9			

LETARON




	G5030060E		1	21,18 €
	Led Power Supply CV AED60-12VLSTB-UL 120Vac 12Vdc 60W		5	19,25 €
			10	17,50 €
			50	16,35 €
	Constant voltage output 12Vdc			
	Length (mm): 238 Width (mm): 55 High (mm): 16,5 Colour: White Voltage In (Vac): 108~135 Voltage Out (Vdc): 12 Intensidad Out (A): 5 Frecuency (Hz): 57~63 Power (W): 0~60 Room Temperature (°C): +40 Critical Temperature (°C): 80 Life (Hours): 30000 Dimmable: NO			

LETARON




Subfamily **Control led mirrors**

Picture	Article	Description	Lot	Price/Unit
	G5030060F		1	33,49 €
	Led Power Supply CV AED60-12VIP44-3A-Q3 12V 60W		5	27,91 €
			10	25,38 €
			100	23,71 €
		Integrated relais. Includes anti-fog, dimmer and CTT sensors for mirrors. Primary and secondary wiring.		
		Length (mm): 228,2 Width (mm): 126,2 High (mm): 18 Colour: White Voltage In (Vac): 220~240 Voltage Out (Vdc): 12 Intensidad Out (A): 5 Frecuency (Hz): 50~60 Power (W): 60 Room Temperature (°C): -20~+40 Critical Temperature (°C): 90 Life (Hours): 30000 Ingress Protection: IP44 Dimmable: SI Power factor: 0.90		

LETARON




	G5030060G		1	22,62 €
	Led power supply CV AED60-12VIP44-3A 12V 60W cable and relay		5	18,85 €
			10	17,13 €
			100	16,02 €
		ECO ERP Design. Constant voltage output 12Vdc. Cabling. Built-in relay		
		Length (mm): 184 Width (mm): 55 High (mm): 16,5 Colour: White Voltage In (Vac): 220~240 Voltage Out (Vdc): 12 Intensidad Out (A): 5 Frecuency (Hz): 50~60 Power (W): 0~60 Room Temperature (°C): -20~+40 Critical Temperature (°C): 80 Life (Hours): 30000 Ingress Protection: IP44 Power factor: 0.90		

LETARON




Subfamily **Control led mirrors**

Picture	Article	Description	Lot	Price/Unit
	G5030060H		1	21,15 €
	Led power supply CV AED60-12V IP44-3B 12V 60W		5	17,63 €
	wired		10	16,03 €
	ECO ERP Design. Constant voltage output 12Vdc.		100	14,98 €
	Cabling.			
	Length (mm): 184 Width (mm): 55 High (mm): 16,5			
	Colour: White Voltage In (Vac): 220~240			
	Voltage Out (Vdc): 12 Intensidad Out (A): 5			
	Frecuency (Hz): 50~60 Power (W): 0~60			
	Room Temperature (°C): -20~+40			
	Critical Temperature (°C): 90 Life (Hours): 30000			
	Ingress Protection: IP44 Power factor: 0.90			

LETARON




	G5031060D		1	20,71 €
	Led Power Supply CV AED60-24VLSTB-IP44 24V		5	18,82 €
	60W		10	17,12 €
	24Vdc constant voltage output		50	16,00 €
		Length (mm): 238 Width (mm): 55 High (mm): 16,5		
	Colour: White Voltage In (Vac): 220~240			
	Voltage Out (Vdc): 24 Intensidad Out (A): 2.5			
	Frecuency (Hz): 50~60 Power (W): 0~60			
	Room Temperature (°C): -20~+40			
	Critical Temperature (°C): 80 Life (Hours): 30000			
	Ingress Protection: IP44 Dimmable: NO			
	Power factor: 0.9			

LETARON



Subfamily **Control led mirrors**

Picture	Article	Description	Lot	Price/Unit
	G5031060E		1	21,44 €
	Led Power Supply CV AED60-24VLSTB-UL 24V 60W		5	19,49 €
			10	17,71 €
	24Vdc constant voltage output		50	16,55 €
	Length (mm): 238 Width (mm): 55 High (mm): 16,5 Colour: White Voltage In (Vac): 108~132 Voltage Out (Vdc): 24 Intensidad Out (A): 2.5 Frecuency (Hz): 57~63 Power (W): 0~60 Room Temperature (°C): -20~+40 Critical Temperature (°C): 80 Life (Hours): 30000 Dimmable: NO			

LETARON




	G5031060H		1	33,49 €
	Led Power Supply CV AED60-24VIP44-3A-Q3 24V 60W		5	27,91 €
			10	25,38 €
	Integrated relais. Includes anti-fog, dimmer and CTT sensors for mirrors. Primary and secondary wiring.		100	23,71 €
	Length (mm): 228,2 Width (mm): 126,2 High (mm): 18 Colour: White Voltage In (Vac): 220~240 Voltage Out (Vdc): 24 Intensidad Out (A): 2.5 Frecuency (Hz): 50~60 Power (W): 60 Room Temperature (°C): -20~+40 Critical Temperature (°C): 85 Life (Hours): 30000 Ingress Protection: IP44 Dimmable: SI Power factor: 0.90			

LETARON




Subfamily **Control led mirrors**

Picture	Article	Description	Lot	Price/Unit
	G5031060J		1	22,62 €
	Led power supply CV AED60-24VIP44-3A 24V 60W cable and relay		5	18,85 €
			10	17,13 €
			100	16,02 €
	ECO ERP design. Constant voltage output 24Vdc. Cabling. Built-in relay.			
	Length (mm): 184 Width (mm): 55 High (mm): 16,5 Colour: White Voltage In (Vac): 220~240 Voltage Out (Vdc): 24 Intensidad Out (A): 2.5 Frecuency (Hz): 50~60 Power (W): 0~60 Room Temperature (°C): -20~+40 Critical Temperature (°C): 85 Life (Hours): 30000 Ingress Protection: IP44 Power factor: 0.90			

LETARON








	G5031060K		1	21,15 €
	Led power supply CV AED60-24V IP44-3B 24V 60W wired		5	17,63 €
			10	16,03 €
			100	14,98 €
	ECO ERP design. Constant voltage output 24Vdc. Cabling.			
	Length (mm): 184 Width (mm): 55 High (mm): 16,5 Colour: White Voltage In (Vac): 220~240 Voltage Out (Vdc): 24 Intensidad Out (A): 2.5 Frecuency (Hz): 50~60 Power (W): 0~60 Room Temperature (°C): -20~+40 Critical Temperature (°C): 80 Life (Hours): 30000 Ingress Protection: IP44 Power factor: 0.90			

LETARON




Subfamily **Control led mirrors**

Picture	Article	Description	Lot	Price/Unit
	G505609		1	22,45 €
	Tactile Sensor Mirror CM-BC KZQ-low voltage class III		5	20,41 €
			10	18,59 €
			50	17,88 €
	Use behind mirrors. Recommended thickness of the mirror less than 5mm. Memory function DC12V 2x30W. DC24V 2x60W. Optional use TS-002 in 12 or 24V to synchronize the On / Off of an anti-fog heater. Length (mm): 98 Width (mm): 40 High (mm): 11 Voltage In (Vdc): 12~24 Power (W): 60~120 Room Temperature (°C): -20~+35 Critical Temperature (°C): 45 Ingress Protection: IP20			
	  			

	G505614		1	7,22 €
	Accessory TS-002 for KZQ-CM-BC 24VDC		5	6,02 €
	Used with G505609 touch sensor for KZQ-CM-BC mirrors to synchronize the anti-fog On / Off		10	5,47 €
			50	5,20 €
	Voltage In (Vdc): 24 Ingress Protection: IP20			
	 			


LED TECHNOLOGY > Electronic Led Power Supplies > Led Controllers

Subfamily **Control led mirrors**

Picture	Article	Description	Lot	Price/Unit
	G505616		1	1,22 €
		0.325m cable with 3 pins Mini Plug for KZQ-CM-BC	10	1,01 €
		0.325 meter cable with 3 pins for Dimmer with Touch	20	0,94 €
		Sensor for mirrors KZQ-CM-BC	100	0,88 €




Catalogue **LED TECHNOLOGY**
 Line **Electronic Led Power Supplies**
 FAmily **Led Controllers**
 Subfamily **Dimmer Led Constant Tension CV**

Picture	Article	Description	Lot	Price/Unit
	G505602		1	11,70 €
	Dimmer LED CV HZK221-1 12/24V 15-30W		5	9,75 €
			10	8,32 €
			30	7,93 €
	Constant voltage 12VDC (15W) or 24VDC (30W). ON-OFF function passing the hand over the detector. Once turned on, the dimmer function kept the hand in front of the detector for more than 2 seconds. Length (mm): 63 Width (mm): 10,8 High (mm): 11,8 Colour: White Voltage In (Vdc): 12~24 Power (W): 15~30			




LED TECHNOLOGY > Electronic Led Power Supplies > Led Controllers

Subfamily **Dimmer Led Constant Tension CV**

Picture	Article	Description	Lot	Price/Unit
	G505610		1	17,04 €
	Dimmer Led CV 1002 12-24V 24-48W transparent		5	15,50 €
	PWM led dimmer with constant voltage pushbutton 12VDC (24W) or 24VDC (48W). Short press ON / OFF. Long press regulation. With memory		10	14,01 €
			30	13,42 €
	Length (mm): 70 Width (mm): 28,8 High (mm): 16,5 Colour: Transparent Voltage In (Vdc): 12~24 Intensidad In (A): 2 Power (W): 24~48 Temperature (°C): 0-40 Room Temperature (°C): +40 Critical Temperature (°C): 60 Ingress Protection: IP20			
	Reference: 030258			




	G505611		1	17,04 €
	Dimmer Led CV 1002 12-24V 24-48W black		5	15,50 €
	PWM led dimmer with constant voltage pushbutton 12VDC (24W) or 24VDC (48W). Short press ON / OFF. Long press regulation. With memory		10	14,01 €
			30	13,42 €
	Length (mm): 70 Width (mm): 28,8 High (mm): 16,5 Colour: Black Voltage In (Vdc): 12~24 Intensidad In (A): 2 Power (W): 24~48 Temperature (°C): 35 Room Temperature (°C): +40 Critical Temperature (°C): 60 Ingress Protection: IP20			
	Reference: 033038			




LED TECHNOLOGY > Electronic Led Power Supplies > Led Controllers

Subfamily **Dimmer Led Constant Tension CV**

Picture	Article	Description	Lot	Price/Unit
	G505612		1	28,85 €
	Dimmer Led CV 350VP 12-24V 24-48W black		5	26,22 €
	PWM led dimmer with constant voltage pushbutton		10	23,74 €
	12VDC (24W) or 24VDC (48W). Short press ON / OFF. Long press regulation. With memory		30	22,65 €
	High (mm): 32,1 Diameter (mm): 65 Colour: Black Voltage In (Vdc): 12~24 Intensidad In (A): 2 Power (W): 24~48 Room Temperature (°C): +35 Critical Temperature (°C): 60 Ingress Protection: IP20 Reference: 035550			




	G505661		1	18,71 €
	Dimmer Led 1003 CV 12-24V 24-48W		5	17,00 €
	Dimmer PWM for LED modules constant voltage		10	14,17 €
	12/24VDC or 24VDC (48W)		30	13,49 €
	Length (mm): 71 Width (mm): 44,6 High (mm): 23,7 Colour: Transparent Voltage In (Vdc): 12~24 Intensidad In (A): 2 Power (W): 24~48 Temperature (°C): 0-40 Room Temperature (°C): +40 Critical Temperature (°C): 60 Ingress Protection: IP20 Reference: 031585			




LED TECHNOLOGY > Electronic Led Power Supplies > Led Controllers

Subfamily **Dimmer Led Constant Tension CV**

Picture	Article	Description	Lot	Price/Unit
	G5056001		1	10,54 €
	Dimmer Led CV KZQ-5B 40-80W for potentiometer		5	8,80 €
	Constant voltage 12VDC (40W) or 24VDC (80W).		10	7,71 €
	Class III. 150Kohm potentiometer regulation or 1-10V signal (not included)		30	7,35 €
	Length (mm): 78 Width (mm): 40 High (mm): 16 Colour: White Voltage In (Vdc): 12~24 Intensidad In (A): 3.33 Power (W): 40~80 Room Temperature (°C): +35 Critical Temperature (°C): 80 Ingress Protection: IP20			




	G505620M		1	31,77 €
	Dimmer Led CV MASTER 12-24V 100-200W		5	28,87 €
	Dimmer PWM for LED modules constant voltage		10	26,12 €
	12/24VDC. Master. IP20		25	25,01 €
	Length (mm): 112 Width (mm): 41 High (mm): 20 Colour: White Voltage In (Vdc): 12~24 Intensidad In (A): 8.5 Power (W): 100~200 Temperature (°C): 0-40 Room Temperature (°C): +40 Critical Temperature (°C): 80 Ingress Protection: IP20 Reference: 032503			




LED TECHNOLOGY > Electronic Led Power Supplies > Led Controllers

Subfamily **Dimmer Led Constant Tension CV**

Picture	Article	Description	Lot	Price/Unit
	G505620S		1	32,41 €
	Dimmer Led CV SLAVE 12-24V 100-200W		5	29,48 €
	Dimmer PWM for LED modules constant voltage 12/24VDC. Slave. IP20		10	26,65 €
			25	25,52 €
	Length (mm): 112 Width (mm): 41 High (mm): 20 Colour: White Voltage In (Vdc): 12~24 Intensidad In (A): 8.5 Power (W): 100~200 Temperature (°C): 0-40 Room Temperature (°C): +40 Critical Temperature (°C): 80 Ingress Protection: IP20 Reference: 032504			




Catalogue **LED TECHNOLOGY**
 Line **Electronic Led Power Supplies**
 FAmily **Led Controllers**
 Subfamily **Dimmer Led Constant Current CC**

Picture	Article	Description	Lot	Price/Unit
	G505534		1	32,50 €
	Dimmer PEDALE 350VP CC 12-24V/350mA		10	27,12 €
	transparent		30	25,86 €
		LED foot dimmer with push button for LED modules at 350mA current. It is powered at 12 V and max 4.2 W or 24 V and max 8.4 W. High (mm): 32 Diameter (mm): 65 Colour: Transparent Voltage In (Vdc): 12~24 Intensidad In (A): 0.35 Power (W): 4.2~8.4 Room Temperature (°C): +40 Critical Temperature (°C): 60 Ingress Protection: IP20 Reference: 033318		




LED TECHNOLOGY > Electronic Led Power Supplies > Led Controllers

Subfamily **Dimmer Led Constant Current CC**

Picture	Article	Description	Lot	Price/Unit
	G505532		1	21,16 €
	Dimmer Led 1002 12-24V/350mA		5	19,24 €
	Dimmer PWM for LED modules constant current		10	17,38 €
	350mA. Alimentation in constant voltage 12 or 24VDC		30	16,59 €
	Length (mm): 70 Width (mm): 28,8 High (mm): 16,5 Colour: Transparent Voltage In (Vdc): 12~24 Intensidad In (A): 0.35 Power (W): 4.2~8.4 Room Temperature (°C): +35 Critical Temperature (°C): 60 Ingress Protection: IP20 Reference: 030239			




	G505533		1	24,57 €
	Dimmer Led 1003 12-24V/350mA		5	22,33 €
	Dimmer PWM for LED modules constant current		10	18,60 €
	350mA. Alimentation in constant voltage 12 or 24VDC		30	17,72 €
	Length (mm): 71 Width (mm): 44,6 High (mm): 23,7 Colour: Transparent Voltage In (Vdc): 12~24 Intensidad In (A): 0.35 Power (W): 4.2~8.4 Room Temperature (°C): -10~+40 Critical Temperature (°C): 60 Ingress Protection: IP20 Reference: 033244			




LED TECHNOLOGY > Electronic Led Power Supplies > Led Controllers

Subfamily **Dimmer Led Constant Current CC**

Picture	Article	Description	Lot	Price/Unit
	G505531		1	29,43 €
	ALED-DIM Dimmer PEDALE MONO-350I- VP black		5	26,75 €
	Standing led dimmer with push button for 350mA current led modules. It is supplied with a voltage of 12 V and a maximum of 4.2 W or 24 V and a maximum 8.4 W		10	24,30 €
			30	23,08 €
	High (mm): 32 Diameter (mm): 65 Colour: Black Voltage In (Vdc): 12~24 Intensidad Out (A): 0.35 Power (W): 4.2~8.4 Room Temperature (°C): -20~+40 Critical Temperature (°C): 60 Ingress Protection: IP20 Reference: 034683			




	G505730		1	21,32 €
	Dimmer ALED-DIM 1002 MONO-700I Black		5	19,37 €
	Dimmer with push button for LED modules with constant current 700mA. It is powered at constant voltage 12 or 24VDC		10	17,50 €
			30	16,71 €
	Length (mm): 70 Width (mm): 28,8 High (mm): 18,1 Colour: Black Voltage In (Vdc): 12~24 Intensidad Out (A): 0.7 Power (W): 8.4~17 Room Temperature (°C): +35 Critical Temperature (°C): 65 Ingress Protection: IP20 Reference: 034330			




LED TECHNOLOGY > Electronic Led Power Supplies > Led Controllers

Subfamily **Dimmer Led Constant Current CC**

Picture	Article	Description	Lot	Price/Unit
	G505731		1	28,08 €
	Dimmer de pie para modulos Led CC 350VP		5	25,52 €
	12-24V/700mA Transparente		10	23,18 €
	LED foot dimmer with push button for LED modules with 700mA current. It is supplied with a voltage of 12 V and a maximum of 8.4 W or 24 V and a maximum of 17 W		30	22,02 €
	High (mm): 32 Diameter (mm): 65 Colour: Transparent Voltage In (Vdc): 12~24 Intensidad Out (A): 0.7 Power (W): 8.4~17 Room Temperature (°C): +40 Critical Temperature (°C): 60 Ingress Protection: IP20 Reference: 033371			




	G505733		1	21,22 €
	Dimmer Led 1002 12-24V/700mA		5	19,29 €
	Push-button dimmer for Led modules at constant current 700mA. It is powered at constant voltage 12 or 24VDC		10	17,43 €
	Length (mm): 70 Width (mm): 28,8 High (mm): 16,5 Colour: Transparent Voltage In (Vdc): 12~24 Intensidad Out (A): 0.7 Power (W): 8.4~17 Room Temperature (°C): -20~+40 Critical Temperature (°C): 60 Ingress Protection: IP20 Reference: 030390		30	16,64 €




LED TECHNOLOGY > Electronic Led Power Supplies > Led Controllers

Subfamily **Dimmer Led Constant Current CC**


Picture	Article	Description	Lot	Price/Unit
	G505732		1	29,43 €
	Led Dimmer 12-24V / 700mA black		5	26,75 €
	LED foot dimmer with push button for LED modules with 700mA current. It is supplied with a voltage of 12 V and a maximum of 8.4 W or 24 V and a maximum of 17 W		10	24,30 €
			30	23,08 €
	High (mm): 32 Diameter (mm): 65 Colour: Black Voltage In (Vdc): 12~24 Intensidad Out (A): 0.7 Power (W): 8.4~17 Room Temperature (°C): +40 Critical Temperature (°C): 60 Ingress Protection: IP20 Reference: 033824			



	A471374N		1	21,79 €
	Dimmer Led SNELLO RN1374 Black 2-18W		5	16,76 €
	For Led modules with 350-500-700mA current or voltage 12-24Vdc selectable with jumper. It is feed at 12 / 24V		10	16,02 €
			20	15,60 €
	Length (mm): 83 Width (mm): 22 High (mm): 22,5 Colour: Black Voltage In (Vac): 24 Power (W): 2~18 Room Temperature (°C): +35 Critical Temperature (°C): 65			




Catalogue **LED TECHNOLOGY**
 Line **Electronic Led Power Supplies**
 Family **Led Controllers**
 Subfamily **Dimmer Led 230V**

Picture	Article	Description	Lot	Price/Unit
	G50541500		1	21,65 €
	Dimmer Led with pushbutton for bulbs 1004P LFP		5	19,68 €
	SW1 100-240V Black		10	17,85 €
			100	17,06 €
	Type of charge: 4-100W @ 120V INC			
	Length (mm): 96,5 Width (mm): 30,5 High (mm): 28 Colour: Black Voltage In (Vac): 100~240 Frecuency (Hz): 50~60 Power (W): 4~25 Room Temperature (°C): +35 Reference: 038305			

arditi




	G50541510		1	21,65 €
	Dimmer Led with pushbutton for bulbs 1004P LFP		5	19,68 €
	SW1 100-240V White		10	17,85 €
			100	17,06 €
	Type of charge: 4-100W @ 120V INC			
	Length (mm): 96,5 Width (mm): 30,5 High (mm): 28 Colour: White Voltage In (Vac): 100~240 Frecuency (Hz): 50~60 Power (W): 4~25 Room Temperature (°C): +35 Reference: 039133			


arditi



Subfamily **Dimmer Led 230V**

Picture	Article	Description	Lot	Price/Unit
	G50541520		1	21,65 €
	Dimmer Led with pushbutton for bulbs 1004P LFP		5	19,68 €
	SW1 100-240V transparen		10	17,85 €
			100	17,06 €
	Type of charge: 4-100W @ 120V INC			
	Length (mm): 96,5 Width (mm): 30,5 High (mm): 28 Colour: Transparent Voltage In (Vac): 100~240 Frecuency (Hz): 50~60 Power (W): 4~25 Room Temperature (°C): +35 Reference: 039134			



	G5054150		1	19,10 €
	Universal push button Led dimmer 1004/P 230V		5	15,90 €
	150W Black		10	14,39 €
			100	13,75 €
	Type of charge: Incandescence 10-150W			
	Length (mm): 97 Width (mm): 30,5 High (mm): 28,5 Colour: Black Voltage In (Vac): 220~240 Frecuency (Hz): 50~60 Power (W): 4~25 Room Temperature (°C): +35 Connection: Screw Ingress Protection: IP20 Reference: 036827			




Subfamily **Dimmer Led 230V**

Picture	Article	Description	Lot	Price/Unit
	G5054151		1	19,10 €
	Universal push button Led dimmer 1004/P 230V		5	15,90 €
	150W White		10	14,39 €
			100	13,75 €
	Type of load: Incandescence 4-150W			
	Length (mm): 97 Width (mm): 30,5 High (mm): 28,5 Colour: White Voltage In (Vac): 220~240 Frecuency (Hz): 50~60 Power (W): 4~25 Room Temperature (°C): +35 Connection: Screw Ingress Protection: IP20 Reference: 037536			
				
   				


	G5054152		1	19,10 €
	Universal push button Led dimmer 1004/P 230V		5	15,90 €
	150W Transparent		10	14,39 €
			100	13,75 €
	Type of charge: Incandescence 10-150W			
	Length (mm): 97 Width (mm): 30,5 High (mm): 28,5 Colour: Transparent Voltage In (Vac): 220~240 Frecuency (Hz): 50~60 Power (W): 4~25 Room Temperature (°C): +35 Connection: Screw Ingress Protection: IP20 Reference: 037399			
				
  				

Subfamily **Dimmer Led 230V**

Picture	Article	Description	Lot	Price/Unit
	G5054251		1	25,35 €
	Universal table/foot dimmer 1012/S 230V 250W		5	23,01 €
	transparent		10	20,93 €
	Type of load: Incandescence 4-250W (230V), 4-200W (110V)			
	High (mm): 29 Diameter (mm): 100			
	Colour: Transparent Voltage In (Vac): 230			
	Frecuency (Hz): 50~60 Room Temperature (°C): +35			
	Life (Hours): 40000			
	Reference: 037971			




arditi
LIGHTING INNOVATION






	A47150L		1	22,04 €
	Dimmer Led SNELLO RL7150/LED led bulbs 4-25W		5	16,95 €
	black		20	15,96 €
	For dimmable LED lamps of 4-25W or halogen lamps 25-160W (230V). Short ON / OFF pulse. Long press regulation. With memory. Not wired.		60	15,22 €
	Length (mm): 83 Width (mm): 22 High (mm): 22			
	Colour: Black Voltage In (Vac): 100~240			
	Frecuency (Hz): 50~60 Power (W): 4~100			
	Room Temperature (°C): +35 Ingress Protection: IP20			




Subfamily **Dimmer Led 230V**

Picture	Article	Description	Lot	Price/Unit
	A47155L		1	24,32 €
	Dimmer Led SNELLO RL7155/LED led bulbs 4-25W		5	18,71 €
	White		20	17,60 €
			60	16,80 €
	For dimmable LED lamps of 4-25W or halogen lamps 25-160W (230V). Short ON / OFF pulse. Long press regulation. With memory. Not wired.			
	Length (mm): 76 Width (mm): 18 High (mm): 20 Colour: White Voltage In (Vac): 100~240 Frecuency (Hz): 50~60 Power (W): 4~25 Room Temperature (°C): +35			
				


	A47160L		1	24,32 €
	Dimmer Led SNELLO RL7160/LED led bulbs 4-25W		5	18,71 €
	golden		20	17,60 €
			60	16,80 €
	For dimmable LED lamps of 4-25W or halogen lamps 25-160W (230V). Short ON / OFF pulse. Long press regulation. With memory. Not wired.			
	Length (mm): 83 Width (mm): 22 High (mm): 22 Colour: Gold Voltage In (Vac): 100~240 Frecuency (Hz): 50~60 Power (W): 4~25 Room Temperature (°C): +35			
				

LED TECHNOLOGY > Electronic Led Power Supplies > Led Controllers

Subfamily Dimmer Led 230V


Picture	Article	Description	Lot	Price/Unit
	A47165L		1	22,37 €
	Dimmer Led SNELLO RL7165/LED bulbs 4-25W transparent		5	17,21 €
			20	16,20 €
			60	15,46 €
	For dimmable LED lamps of 4-25W or halogen lamps 25-160W (230V). Short ON / OFF pulse. Long press regulation. With memory. Not wired. Length (mm): 83 Width (mm): 22 High (mm): 22 Colour: Transparent Voltage In (Vac): 100-240 Frecuency (Hz): 50-60 Power (W): 4-25 Room Temperature (°C): +35			




	G50540253		1	55,56 €
	Lampholder Smart TOUCH A800 LFP-NIP 230V 25W Black		5	50,52 €
			20	45,89 €
			60	43,71 €
	Charge type: Incandescent / Halogen / LED Retrofit High (mm): 98,2 Diameter (mm): 38,3 Colour: Black Voltage In (Vac): 220-240 Frecuency (Hz): 50-60 Power (W): 4-25 Room Temperature (°C): +35 Reference: 039158			



Subfamily **Dimmer Led 230V**

Picture	Article	Description	Lot	Price/Unit
	G50540255		1	55,32 €
	Lampholder Smart TOUCH A802 LFP-NIP 230V 25W		5	50,28 €
	Black		20	45,68 €
	Charge type: Incandescent / Halogen / LED Retrofit		60	43,51 €
	High (mm): 98,2 Diameter (mm): 38,3 Colour: Black Voltage In (Vac): 220~240 Frecuency (Hz): 50~60 Power (W): 4~25 Room Temperature (°C): +35 Reference: 040050			










	A409770		1	40,13 €
	Dimmer DIMLED 65 DAK RP0977		4	30,86 €
	Control up to max. 5un. (4-100W) dimmable LED lamps or modules Acrich 2.		8	28,82 €
	Diameter (mm): 65 Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 4~100 Ingress Protection: IP20		24	27,31 €



LED TECHNOLOGY > Electronic Led Power Supplies > Led Controllers










Subfamily **Dimmer Led 230V**








Picture	Article	Description	Lot	Price/Unit
	A405400		1	36,04 €
	Led Dimmer for dimmable bulbs and modules LT1 UN		5	27,72 €
	RM0540 230V 100W		10	25,90 €
	Regulates up to max. 5un. (4-100W) dimmable LED lamps or modules Acrich 2 and 3 i Cobi Citizen at 230V.		30	24,57 €
	Length (mm): 42 Width (mm): 40 High (mm): 21 Colour: White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 100 Ingress Protection: IP20			
		    		

	A405450		1	45,94 €
	Led Dimmer for dimmable bulbs LT2 UN RM0545		5	35,35 €
	230V 100W		10	32,73 €
	Regulates up to max. 10un. (4-100W) Dimmable LED lamps. Also regulates 4-250W halogen lamps. Master and Slave function.		30	31,20 €
	Length (mm): 42 Width (mm): 40 High (mm): 21 Colour: White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 100			
		    		


LED TECHNOLOGY > Electronic Led Power Supplies > Led Controllers

Subfamily **Dimmer Led 230V**


Picture	Article	Description	Lot	Price/Unit
	A45600L		1	26,55 €
	Dimmer RONDO RS 5600/LED 4-100W black		5	20,41 €
	For Dimmable Led bulbs from 4 to 100W of power. With switch. Selectable via Jumper for the management of 1 or 2 light sources.		10	19,46 €
			30	18,95 €
	High (mm): 37 Diameter (mm): 94 Colour: Black Voltage In (Vac): 100~240 Frecuency (Hz): 50~60 Power (W): 4~100 Ingress Protection: IP20			
		      		

	A41104L		1	24,75 €
	Dimmer Led RT81 RL1104/LED 4-100W HALO 40-250W Black		5	19,05 €
	For Dimmable Led bulbs from 4 to 100W. Maximum 10 Led lamps.		15	18,16 €
			45	17,68 €
	Length (mm): 115 Width (mm): 71 High (mm): 39 Colour: Black Voltage In (Vac): 100~240 Frecuency (Hz): 50~60 Power (W): 4~250			
		    		

Subfamily **Dimmer Led 230V**


Picture	Article	Description	Lot	Price/Unit
	A41618NL		1	23,70 €
	Dimmer RTS1- RL1618/LED Black		5	18,20 €
	Regulation with rotary knob. not wired		20	17,20 €
			60	16,38 €
	Length (mm): 150 Width (mm): 45 High (mm): 29 Colour: Black Voltage In (Vac): 100~240 Frecuency (Hz): 50~60 Power (W): 4~100 Ingress Protection: IP20			




	A45618L		1	29,47 €
	Dimmer Led RONDO RL 5618/LED 4-100W white		5	22,67 €
	For Dimmable Led bulbs from 4 to 100W of power. With switch. Selectable via Jumper for the management of 1 or 2 light sources.		10	21,62 €
			30	21,05 €
	High (mm): 37 Diameter (mm): 94 Colour: White Voltage In (Vac): 230~240 Frecuency (Hz): 50~60 Power (W): 4~100 Ingress Protection: IP20			




Subfamily **Dimmer Led 230V**


Picture	Article	Description	Lot	Price/Unit
	A456400L		1	26,59 €
	Dimmer RONDO RS 5640/LED 100W Transparent		5	20,45 €
	For Dimmable Led bulbs from 4 to 100W of power. With switch. Selectable via Jumper for the management of 1 or 2 light sources.		10	19,50 €
			30	18,97 €
	High (mm): 37 Diameter (mm): 94 Colour: Transparent Voltage In (Vac): 100~240 Frecuency (Hz): 50~60 Power (W): 4~100 Room Temperature (°C): +35 Ingress Protection: IP20			




	A471010L		1	24,79 €
	Dimmer 5000 RS 7101 LED 4-100W Black		5	19,07 €
	For Dimmable Led bulbs from 4 to 100W of power.		10	18,20 €
			30	17,71 €
	Length (mm): 109 Width (mm): 61 High (mm): 33 Colour: Black Voltage In (Vac): 100~240 Frecuency (Hz): 50~60 Power (W): 4~100 Room Temperature (°C): +35			



Subfamily **Dimmer Led 230V**




Picture	Article	Description	Lot	Price/Unit
	A471010T		1	24,79 €
	Dimmer Led 5000 RS7118/LED 4-100W Transparent		5	19,07 €
	For Dimmable Led bulbs from 4 to 100W of power.		10	18,20 €
			30	17,71 €
	Length (mm): 150 Width (mm): 29 High (mm): 45 Colour: Transparent Voltage In (Vac): 100-240 Frecuency (Hz): 50-60 Power (W): 4-100 Ingress Protection: IP20			






	A47200L		1	23,50 €
	Dimmer Led 101 RL7200/LED 4-100W HALO 25-160W black		5	18,07 €
	For Dimmable Led bulbs from 4 to 100W power.		10	17,19 €
			20	16,65 €
	Length (mm): 89 Width (mm): 40 High (mm): 27 Colour: Black Voltage In (Vac): 100-220 Frecuency (Hz): 50-60 Power (W): 4-100 Ingress Protection: IP20			






Subfamily **Dimmer Led 230V**

Picture	Article	Description	Lot	Price/Unit
	A47218L		1	23,50 €
	Dimmer Led 101 RL7218/LED 4-100W HALO		5	18,07 €
	25-160W white		10	17,19 €
			20	16,65 €
	For Dimmable Led bulbs from 4 to 100W of power.			
	Length (mm): 89 Width (mm): 40 High (mm): 27 Colour: White Voltage In (Vac): 220~2240 Frecuency (Hz): 50~60 Power (W): 4~100 Ingress Protection: IP20			
				

	A47226L		1	23,50 €
	Dimmer Led 101 RL7226/LED 4-100W HALO		5	18,07 €
	25-160W golden		10	17,19 €
			20	16,65 €
	For Dimmable Led bulbs from 4 to 100W of power.			
	Length (mm): 89 Width (mm): 40 High (mm): 27 Colour: Gold Voltage In (Vac): 220~2240 Frecuency (Hz): 50~60 Power (W): 4~100 Ingress Protection: IP20			
				


LED TECHNOLOGY > Electronic Led Power Supplies > Led Controllers

Subfamily **Dimmer Led 230V**


Picture	Article	Description	Lot	Price/Unit
	A47234L		1	23,50 €
	Dimmer Led 101 RL7234/LED 4-100W HALO		5	18,07 €
	25-160W Transparent		10	17,19 €
	For Dimmable Led bulbs from 4 to 100W of power.		20	16,65 €
	Length (mm): 89 Width (mm): 40 High (mm): 27 Colour: Transparent Voltage In (Vac): 220~2240 Frecuency (Hz): 50~60 Power (W): 4~100 Ingress Protection: IP20			
				

	G505425020		1	27,78 €
	Dimmer Led push-button 1012S-2L LAMP LFP SW1A		5	25,26 €
	100-240V 250W Black		20	22,97 €
	For 2 lamps. ON / OFF switch for one lamp and cursor for another dimmable. Incandescent		40	21,85 €
	High (mm): 29 Diameter (mm): 100 Colour: Black Voltage In (Vac): 100~240 Frecuency (Hz): 50~60 Power (W): 2~25 Room Temperature (°C): +35 Connection: Screw Reference: 040335			
				

Subfamily **Dimmer Led 230V**


Picture	Article	Description	Lot	Price/Unit
	G50542502N		1	26,17 €
	Dimmer Led pushbutton and cursor 1012 / S LFP		5	23,79 €
	SW1A 100-240V 250W black		10	21,65 €
			40	20,64 €
	Type de charge: Incandescence 4-250W (220-240V), 4-200W (120V)			
	High (mm): 29 Diameter (mm): 100 Colour: Black Voltage In (Vac): 100~240 Frecuency (Hz): 50~60 Power (W): 4~25 Room Temperature (°C): +35			
	Reference: 039982			




	G50542511		1	25,32 €
	Dimmer Led push and slider 1012 / S LAMP LFP SW1		5	23,02 €
	100-240V 250W transp		10	20,96 €
			40	19,98 €
	Type of load: Incandescence 4-250W (220-240V), 4-200W (120V)			
	High (mm): 29 Diameter (mm): 100 Colour: Transparent Voltage In (Vac): 100~240 Frecuency (Hz): 50~60 Power (W): 4~25 Room Temperature (°C): +35			
	Reference: 039981			



Subfamily **Dimmer Led 230V**

Picture	Article	Description	Lot	Price/Unit
	G5054252B		1	25,38 €
	Dimmer Led push button and cursor 1012 /S LAMP		5	23,08 €
	LFP SW1A 100-240V 250W		10	21,00 €
			40	20,01 €
	Type of load: Incandescent / Halogen 4-200W (120V) and 4-250W (220-240V), 4-200W (110V)			
		High (mm): 29 Diameter (mm): 100 Colour: White Voltage In (Vac): 100~240 Frecuency (Hz): 50~60 Power (W): 4~25 Room Temperature (°C): +35		
		Reference: 039983		




	G5054351		1	33,05 €
	Touch dimmer for installation in 1101 LFP SW1		5	30,04 €
	100-240V Black		10	27,31 €
			50	25,96 €
	Type of load: Incandescent / Halogen 4-200W (120V) and 4-250W (220-240V), 4-200W (110V)			
		Length (mm): 90 Width (mm): 55 High (mm): 11 Colour: Black Voltage In (Vac): 100~240 Frecuency (Hz): 50~60 Power (W): 4~25 Room Temperature (°C): +35 Connection: Screw		
		Reference: 038306		




LED TECHNOLOGY > Electronic Led Power Supplies > Led Controllers

Subfamily **Dimmer Led 230V**


Picture	Article	Description	Lot	Price/Unit
	G503925		1	22,97 €
	Rotating Led dimmer with on / off button D350H 230V		5	20,89 €
	2-350W		10	18,99 €
	Rotary button to regulate and On / Off with push. Power from 2 to 350W. Max 1.5A.		50	17,76 €
	Length (mm): 53,3 Width (mm): 23 High (mm): 23 Colour: White Voltage In (Vac): 220~240 Intensidad Out (A): 1.5 Frecuency (Hz): 50~60 Power (W): 2~350 Room Temperature (°C): 0~+40 Ingress Protection: IP20			



Catalogue **LED TECHNOLOGY**
 Line **Electronic Led Power Supplies**
 FAmily **Led Controllers**
 Subfamily **Dimmers for modules Led 230V**


Picture	Article	Description	Lot	Price/Unit
	G50541501		1	21,65 €
	Led Dimmer with pushbutton modules ML 1004P		5	19,68 €
	100-240V SW1 LFP Black		10	17,85 €
			100	17,06 €
	For dimmable LED modules with network voltage. Maximum 4 modules connected. Power 4 to 25W			
	Length (mm): 96,5 Width (mm): 30,5 High (mm): 28 Colour: Black Voltage In (Vac): 100~240 Frecuency (Hz): 50~60 Power (W): 4~25 Room Temperature (°C): +35 Reference: 039135			




	G50541511		1	21,65 €
	Led Dimmer with pushbutton modules SW1 LFP ML		5	19,68 €
	1004P 100-240V White		10	17,85 €
			100	17,06 €
	For dimmable LED modules with network voltage. Maximum 4 modules connected. Power 4 to 25W			
	Length (mm): 96,5 Width (mm): 30,5 High (mm): 28 Colour: White Voltage In (Vac): 100~240 Frecuency (Hz): 50~60 Power (W): 4~25 Room Temperature (°C): +35 Reference: 039136			



Subfamily **Dimmers for modules Led 230V**


Picture	Article	Description	Lot	Price/Unit
	G50541521		1	21,65 €
	Led Dimmer with pushbutton modules ML 1004P		5	19,68 €
	100-240V Trans LFP SW1		10	17,85 €
	For dimmable LED modules with network voltage. Maximum 4 modules connected. Power 4 to 25W		100	17,06 €
	Length (mm): 96,5 Width (mm): 30,5 High (mm): 28 Colour: Transparent Voltage In (Vac): 100~240 Frecuency (Hz): 50~60 Power (W): 4~25 Room Temperature (°C): +35 Reference: 039137			




	G505421		1	20,37 €
	Switch dimmable LED strip 230V ALED- DIM ART		5	18,51 €
	1002 Black		10	16,85 €
	For 230V Acriche led modules. 1 to 20W of power. Modules can be connected in parallel.		30	16,03 €
	Length (mm): 70 Width (mm): 28,8 High (mm): 16,5 Colour: Black Voltage In (Vac): 230 Intensidad In (A): 0.1 Frecuency (Hz): 50 Power (W): 1~20 Room Temperature (°C): +40 Critical Temperature (°C): 60 Ingress Protection: IP20 Reference: 035967			



Subfamily **Dimmers for modules Led 230V**

Picture	Article	Description	Lot	Price/Unit
	G505422		1	20,19 €
	Switch dimmable LED strip 230V ALED- DIM ART		5	18,36 €
	1002 White		10	16,76 €
			30	15,95 €
	For 230V Acriche led modules. 1 to 20W of power. Modules can be connected in parallel.			
		Length (mm): 70 Width (mm): 28,8 High (mm): 16,5 Colour: White Voltage In (Vac): 230 Intensidad In (A): 0.1 Frecuency (Hz): 50 Power (W): 1~20 Room Temperature (°C): +40 Critical Temperature (°C): 60 Ingress Protection: IP20		
		Reference: 037771		




	G50542504A		1	25,23 €
	Dimmer Led for modules 1012/AS ML LFP SW1		5	22,92 €
	100-240V Black		10	20,84 €
			40	19,86 €
	For dimmable LED modules with network voltage. Maximum 4 modules connected. Power 4 to 25W			
		High (mm): 29 Diameter (mm): 100 Colour: Black Voltage In (Vac): 100~240 Frecuency (Hz): 50~60 Power (W): 4~25 Room Temperature (°C): +35 Life (Hours): 40000		
		Reference: 040406		



LED TECHNOLOGY > Electronic Led Power Supplies > Led Controllers

Subfamily **Dimmers for modules Led 230V**

Picture	Article	Description	Lot	Price/Unit
	G50542512		1	25,27 €
	Dimmer Led for modules 1012/AS ML LFP SW1		5	22,97 €
	100-240V Transparent		10	20,90 €
	For dimmable LED modules with network voltage. Maximum 4 modules connected. Power 4 to 25W		40	19,93 €
	High (mm): 29 Diameter (mm): 100 Colour: White Voltage In (Vac): 100~240 Frecuency (Hz): 50~60 Power (W): 4~25 Room Temperature (°C): +35 Life (Hours): 40000 Reference: 040408			









arditi
LIGHTING INNOVATION



	A471800		1	26,10 €
	Dimmer Led SNELLO/ACR RL7180 230V 100W black		5	20,07 €
	Maximum 5 Led modules at 230V Power range 4-100W. Not wired.		10	17,98 €
	Length (mm): 83 Width (mm): 22,5 High (mm): 22 Colour: Black Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 4~100 Ingress Protection: IP20 Dimmable: Corte fin de fase (IGBT)		20	17,16 €




Subfamily **Dimmers for modules Led 230V**


Picture	Article	Description	Lot	Price/Unit
	A471850		1	16,58 €
	Dimmer Led SNELLO/ACR RL7185 230V 100W white		10	14,48 €
	Maximum 5 Led modules at 230V Power range 4-100W. Not wired.		20	13,79 €
	Length (mm): 83 Width (mm): 22,5 High (mm): 22 Colour: White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 4~100 Ingress Protection: IP20			
		     		

	G505420		1	20,25 €
	Switch dimmable LED strip 230V ALED- DIM ART 1002		5	18,42 €
	For Acriche 230V LED modules. 1 to 20W of power. The modules can be connected in parallel.		10	16,81 €
	Length (mm): 70 Width (mm): 28,8 High (mm): 16,5 Colour: Transparent Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 1~20 Room Temperature (°C): +40 Critical Temperature (°C): 60 Ingress Protection: IP20 Reference: 034936		30	16,00 €
				

Subfamily **Dimmers for modules Led 230V**

Picture	Article	Description	Lot	Price/Unit
	G505485		1	29,47 €
	ALED PEDALE DIM dimmable switch 230V ART 350VP		5	26,78 €
			10	22,32 €
			30	21,06 €
	Led dimmer for modules with mains voltage 230V 1-25W. The modules can be connected in parallel.			
	High (mm): 32 Diameter (mm): 65 Colour: Black Voltage In (Vac): 230 Intensidad In (A): 0.11 Frecuency (Hz): 50~60 Power (W): 1~25 Room Temperature (°C): +35 Critical Temperature (°C): 60 Ingress Protection: IP20 Reference: 035335			




	G505486		1	23,27 €
	Led Dimmer standing transparent 1-85W 230V 350VP		5	21,16 €
			10	19,14 €
			30	18,12 €
	Led dimmer for LED modules with network voltage from 1W to 25W. The modules can be connected in parallel.			
	High (mm): 32 Diameter (mm): 65 Colour: Transparent Voltage In (Vac): 230 Intensidad In (A): 0.11 Frecuency (Hz): 50~60 Power (W): 1~25 Room Temperature (°C): +35 Critical Temperature (°C): 60 Ingress Protection: IP20 Reference: 034937			




LED TECHNOLOGY > Electronic Led Power Supplies > Led Controllers

Subfamily **Dimmers for modules Led 230V**

Picture	Article	Description	Lot	Price/Unit
	G5054105		1	38,05 €
		Recessed dimmer AC Led Acrich 230V 105W	5	34,59 €
		Type of load: Modules led to 230V - 1-25W. Use with section cable 0.5-2.50mm	10	31,33 €
			50	29,98 €
		Length (mm): 42,5 Width (mm): 40,5 High (mm): 21 Colour: White Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 1~25 Room Temperature (°C): +35 Critical Temperature (°C): 85 Connection: Screw Life (Hours): 40000 Ingress Protection: IP20 Reference: 036530		




	A409770		1	40,13 €
		Dimmer DIMLED 65 DAK RP0977	4	30,86 €
		Control up to max. 5un. (4-100W) dimmable LED lamps or modules Acrich 2.	8	28,82 €
			24	27,31 €
		Diameter (mm): 65 Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 4~100 Ingress Protection: IP20		




LED TECHNOLOGY > Electronic Led Power Supplies > Led Controllers

Subfamily **Dimmers for modules Led 230V**

Picture	Article	Description	Lot	Price/Unit
	A405400		1	36,04 €
	Led Dimmer for dimmable bulbs and modules LT1 UN		5	27,72 €
	RM0540 230V 100W		10	25,90 €
	Regulates up to max. 5un. (4-100W) dimmable LED lamps or modules Acrich 2 and 3 i Cobi Citizen at 230V.		30	24,57 €
	Length (mm): 42 Width (mm): 40 High (mm): 21 Colour: White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 100 Ingress Protection: IP20			




	A47181L		1	38,16 €
	Led Dimmer RONDO RL 7181 4-100W Black		5	29,35 €
	Electronic dimmer with cursor control for LED Modules Acrich2, LED Acrich3, LED Citizen.COB 230V.		10	26,21 €
	High (mm): 37 Diameter (mm): 94 Colour: Black Voltage In (Vac): 220~240 Frecuency (Hz): 50~60 Power (W): 4~100 Ingress Protection: IP20		20	24,96 €







LED TECHNOLOGY > Electronic Led Power Supplies > Led Controllers

Subfamily **Dimmers for modules Led 230V**

Picture	Article	Description	Lot	Price/Unit
	A47191L		1	38,16 €
	Led Dimmer RONDO RL 7191 4-100W Transparent		5	29,35 €
	Electronic dimmer with cursor control for LED		10	26,21 €
	Modules Acrich2, LED Acrich3, LED Citizen.COB 230V.		20	24,96 €
	High (mm): 37 Diameter (mm): 94 Colour: Transparent Voltage In (Vac): 220~240 Frecuency (Hz): 50~60 Power (W): 4~100 Ingress Protection: IP20			




Catalogue **LED TECHNOLOGY**
 Line **Electronic Led Power Supplies**
 FAmily **Led Controllers**
 Subfamily **RGB Led Dimmers**


Picture	Article	Description	Lot	Price/Unit
	G505001		1	14,09 €
	Dimmer LED RGB KZQ30-12E		5	12,81 €
	Controller Led RGB in constant voltage.10W by channel. Cabled 20cm double insulation in both sides		10	11,64 €
			100	11,17 €
		Length (mm): 75 Width (mm): 48 High (mm): 18 Colour: White Voltage In (Vdc): 12 Power (W): 30 Room Temperature (°C): +35		
		   		

	G505670		1	25,26 €
	Dimmer LED RGB-2P-V		10	22,96 €
	RGB LED driver 2 position 75W (12V) 150W (24V) maximum load, IP20		30	22,36 €
		Length (mm): 151 Width (mm): 40 High (mm): 30 Colour: White Voltage In (Vdc): 12~24 Intensidad In (A): 6 Power (W): 75~150 Reference: 031355		
		    		

Subfamily **RGB Led Dimmers**

Picture	Article	Description	Lot	Price/Unit
	G505681M		1	59,96 €
	Dimmer LED RGB IR-I Master		5	54,52 €
	RGB LED controller at high intensity Master 12.6W (12VDC) 25.2W (24VDC) IP20		10	49,57 €
			30	48,02 €
	Length (mm): 151 Width (mm): 40 High (mm): 30 Colour: White Voltage In (Vdc): 12~24 Intensidad In (A): 1.05 Power (W): 12.6~25.1 Room Temperature (°C): +50 Critical Temperature (°C): 75			




	G505681S		1	59,09 €
	Dimmer LED RGB IR-I Slave		5	53,72 €
	RGB LED controller at high intensity Master 12.6W (12VDC) 25.2W (24VDC) IP20		10	48,84 €
			30	47,01 €
	Length (mm): 151 Width (mm): 40 High (mm): 30 Colour: White Voltage In (Vdc): 12~24 Intensidad In (A): 1.05 Power (W): 12.6~25.1 Room Temperature (°C): +50 Critical Temperature (°C): 75			




LED TECHNOLOGY > Electronic Led Power Supplies > Led Controllers

Subfamily **RGB Led Dimmers**

Picture	Article	Description	Lot	Price/Unit
	G505682		1	17,08 €
	Remote Control emitter IR RGB BY IR		5	14,22 €
	For use with G505680M master controllers and G505683 receiver. Range 10 meters		10	13,05 €
			30	12,43 €
	Length (mm): 95 Width (mm): 50 High (mm): 5 Ingress Protection: IP20 Reference: 400104			




	G505683		1	15,18 €
	Led sensor receiver IR RGB		5	12,65 €
	For use with G505680M master controllers and G505682 remote control. with 50cm cable		10	11,43 €
			30	10,89 €
	High (mm): 15 Diameter (mm): 30 Colour: White Ingress Protection: IP20 Reference: 031251			




LED TECHNOLOGY > Electronic Led Power Supplies > Led Controllers

Subfamily **RGB Led Dimmers**

Picture	Article	Description	Lot	Price/Unit
	G505650		1	21,52 €
	Controller Led CV 1002 RGB 12-24V 24W		5	19,55 €
	Constant voltage 24Vdc. I max per channel 0.3A. Maximum power 21.6W		10	18,04 €
			30	17,13 €
	Length (mm): 70 Width (mm): 28,8 High (mm): 16,5 Colour: Transparent Voltage In (Vdc): 24 Intensidad In (A): 0.3 Power (W): 21.6 Temperature (°C): 0-75 Room Temperature (°C): +75 Ingress Protection: IP20			




	G505690		1	59,89 €
	Controller Led CV ICLED DMX VER. RGBW Master		5	49,89 €
	DMX controller .512 directions for data cable. Compatible with G505680S slaves		10	47,48 €
	Length (mm): 121 Width (mm): 45 High (mm): 20 Colour: White Voltage In (Vdc): 12~24 Intensidad In (A): 0.03 Power (W): 0.75 Temperature (°C): 50 Room Temperature (°C): +50 Ingress Protection: IP20			




LED TECHNOLOGY > Electronic Led Power Supplies > Led Controllers

Subfamily **RGB Led Dimmers**

Picture	Article	Description	Lot	Price/Unit
	G505680		1	22,62 €
	Controller LED RGB CV 12-24V 75-150W		5	20,57 €
	Controller LED RGB constant voltage 12/24VDC.		10	17,16 €
	75W (12V) 150W (24V) max load .IP20		30	16,33 €

Length (mm): 151 Width (mm): 40 High (mm): 30
 Colour: White Voltage In (Vdc): 12~24
 Intensidad In (A): 6 Power (W): 75~150
 Ingress Protection: IP20







	G505680M		1	27,03 €
	Controller IR LED RGB CV 12-24V 75-150W Master		5	24,56 €
	RGB master LED controller by infrared voltage cte.		10	22,26 €
	75W (12V) 150W (24V). with output for slave.I max 2A per channel. total 6A.		30	21,26 €

Length (mm): 151 Width (mm): 40 High (mm): 30
 Colour: White Voltage In (Vdc): 12~24
 Intensidad In (A): 6 Power (W): 75~150
 Room Temperature (°C): +50
 Critical Temperature (°C): 80 Ingress Protection: IP20
 Power factor: 0.90

Reference: 031524




Catalogue **LED TECHNOLOGY**
 Line **Electronic Led Power Supplies**
 Family **Led Controllers**
 Subfamily **Interface Controller DALI**


Picture	Article	Description	Lot	Price/Unit
	15DIMDALI100		1	50,22 €
	Dimmer control DALI 100-240Vac		10	46,07 €
	Trailing edge dimmer with DALI and PUSH control.		50	44,72 €
	Length (mm): 45,5 Width (mm): 45 High (mm): 20,3 Voltage In (Vac): 100~240 Voltage Out (Vac): 100~240 Intensidad Out (A): 1.8 Ingress Protection: IP20			
				

	AD800650		1	70,72 €
	Dimmer led CV 12-24V 4 channels DALI control 4x60W(12V) 4x120W(24V)		5	64,30 €
	Led regulator at constant voltage 12-24Vdc 4 channels controllable by DALI. 4x60W (12Vdc) 4x120W (24Vdc). Adapted for control by CASAMBI interfaces		10	61,24 €
	Length (mm): 178 Width (mm): 46 High (mm): 20 Colour: White Voltage In (Vdc): 12~24 Frecuency (Hz): 50~60 Power (W): 240~480 Critical Temperature (°C): 75			
				


LED TECHNOLOGY > Electronic Led Power Supplies > Led Controllers

Subfamily **Interface Controller DALI**

Picture	Article	Description	Lot	Price/Unit
	AD800651		1	84,73 €
		Dimmer led CV 12-24V 4 channels DALI control	5	73,65 €
		4x96W(12V) 4x192W(24V)	10	70,21 €
		Regulador Led constant voltage 12-24Vdc 4 channels controllable by DALI. 4x96W (12Vdc) 4x192W (24Vdc). Adapted for the control of CASAMBI interfaces		
		Length (mm): 170 Width (mm): 59 High (mm): 29 Colour: White Voltage In (Vdc): 12~24 Frecuency (Hz): 50~60 Power (W): 384~768 Critical Temperature (°C): 75		




Catalogue **LED TECHNOLOGY**
 Line **Electronic Led Power Supplies**
 FAmily **Led Controllers**
 Subfamily **Led Switches and push buttons**

Picture	Article	Description	Lot	Price/Unit
	AD810560		1	34,24 €
	2 channel CCT led dimmer at constant voltage 24V 60W		5	31,14 €
			10	29,67 €

Control of CCT led strips by hand movement and push buttons.

Length (mm): 52 Width (mm): 8 High (mm): 4
 Voltage In (Vdc): 24 Power (W): 60



	AR4910021		1	17,10 €
	1002 black electric push button		10	10,69 €
			100	8,36 €
			500	7,97 €


Unipolar open hand push button to control led feeders (PUSH) Short press for ON / OFF and long press for regulation. For 2x0.75mm2 bipolar flat or round hose cables. with screws

Length (mm): 70 Width (mm): 28,8 High (mm): 18,1
 Colour: Black Voltage In (Vac): 250
 Intensidad In (A): 2 Connection: Screw


Reference: 037216



Subfamily **Led Switches and push buttons**

Picture	Article	Description	Lot	Price/Unit
	AR4935091		1	4,60 €
	350VP / B / T black electric push button		10	2,89 €
	Unipolar foot switch with ground connection for 2x075mm2 bipolar flat and round hose cables and for 3G0.75mm2 round hose. Screw connection		100	2,31 €
			250	2,20 €
	High (mm): 32 Diameter (mm): 65 Colour: Black Voltage In (Vac): 250 Intensidad In (A): 2 Connection: Screw Ingress Protection: IP20 Reference: 036796			




	G5056A4		1	15,18 €
	actile Switch On / Off Blue LED w / LED strip with 20cmTF and memory		5	12,65 €
			10	11,52 €
			50	11,04 €
	For constant voltage led strips at 12v or 24V. It can work with constant current drivers with 30VDC maximum output. Wired with 20cm of Teflon cable. ON / OFF with proxi spring, saves memory Length (mm): 50 Width (mm): 10 High (mm): 6 Voltage In (Vdc): 12~24 Intensidad In (A): 6 Power (W): 72~144 Ingress Protection: IP20			



LED TECHNOLOGY > Electronic Led Power Supplies > Led Controllers

Subfamily **Led Switches and push buttons**

Picture	Article	Description	Lot	Price/Unit
	G5056A00		1	18,06 €
	Switch dimmable LED strip TOUCH-V-TF with 25cm		5	15,05 €
	Cable-V2		10	13,70 €
			30	13,20 €
	For 12 or 24V constant voltage led strips. Wired with 25cm AWG22 Teflon cable. Regulation with cable. Save memory.			
	Length (mm): 50 Width (mm): 10 High (mm): 6 Colour: Black Voltage In (Vdc): 12~24 Intensidad In (A): 3 Power (W): 36~72 Room Temperature (°C): +40 Critical Temperature (°C): 60 Ingress Protection: IP20			
	Reference: 038031			



SELV