


Catalogue **LED TECHNOLOGY**
 Line **Electronic Led Power Supplies**
 FAmily **Led Controllers**
 Subfamily **Control led mirrors**


Download [here](#) the **Catalogue of Led Components for Mirrors: Constant voltage cv12-24v led power supplies and dimmers for mirrors.**

Picture	Article	Description	Lot	Price/Unit
	G508TS01A		1	6,08 €
	Dimmer AEK-TS-01A 1 touch sensor for mirrors		5	5,07 €
	Recommended maximum mirror thickness 5mm. Install sensor before power up. 5 year warranty		10	4,68 €
			100	4,29 €
		Length (mm): 56 Width (mm): 67 High (mm): 11 Colour: White Voltage In (Vdc): 12~24 Voltage Out (Vdc): 12~24 Intensidad Out (A): 5 Power (W): 60~120 Room Temperature (°C): +35 Critical Temperature (°C): 45 Life (Hours): 50000 Ingress Protection: IP20		

LETARON




Subfamily **Control led mirrors**

Picture	Article	Description	Lot	Price/Unit
	G508TS02		1	8,58 €
	Dimmer AEK-TS-02 2 touch sensors for mirrors		5	7,15 €
	Recommended maximum mirror thickness 5mm. Install sensor before power up. 5 year warranty		10	6,50 €
			70	6,50 €
			100	6,24 €
		Length (mm): 76 Width (mm): 40,7 High (mm): 11 Colour: White Voltage In (Vdc): 12~24 Voltage Out (Vdc): 12~24 Intensidad Out (A): 5 Power (W): 60~120 Room Temperature (°C): +35 Critical Temperature (°C): 45 Life (Hours): 50000 Ingress Protection: IP20		

LETARON




	G508HC01		1	3,43 €
	Electronic relay AEK-HC-01 for On / Off anti-fog mirrors		10	2,86 €
			50	2,60 €
			70	2,60 €
	5 year warranty		300	2,47 €
		Length (mm): 39 Width (mm): 22 High (mm): 14 Colour: White Voltage In (Vdc): 12~24 Voltage Out (Vac): 120~240 Intensidad In (A): 0.025 Intensidad Out (A): 1 Power (W): 120~240 Room Temperature (°C): +35 Critical Temperature (°C): 80 Life (Hours): 50000 Ingress Protection: IP20		

LETARON



Subfamily **Control led mirrors**

Picture	Article	Description	Lot	Price/Unit
	G5031015C		1	10,27 €
	Led Power Supply CV AED15-24VLSTB-IP44 24V 15W		5	8,52 €
			10	7,74 €
			100	7,22 €
	ECO Design ERP. 24Vdc constant voltage output			
	Length (mm): 145 Width (mm): 41 High (mm): 13,5 Colour: White Voltage In (Vac): 220~240 Voltage Out (Vdc): 24 Intensidad Out (A): 0.625 Frecuency (Hz): 50~60 Power (W): 0~15 Room Temperature (°C): -20~+40 Critical Temperature (°C): 80 Life (Hours): 30000 Ingress Protection: IP44 Dimmable: NO			

LETARON




	G5031020A		1	22,02 €
	Led Power Supply CV AED20-24VIP44-3A-Q3 24V 20W		5	18,36 €
			10	16,69 €
			100	15,60 €
	Integrated relais. Includes anti-fog, dimmer and CTT sensors for mirrors. Primary and secondary wiring.			
	Length (mm): 228,2 Width (mm): 126,2 High (mm): 18 Colour: White Voltage In (Vac): 220~240 Voltage Out (Vdc): 24 Intensidad Out (A): 0.83 Frecuency (Hz): 50~60 Power (W): 0~20 Room Temperature (°C): -20~+40 Critical Temperature (°C): 85 Life (Hours): 30000 Ingress Protection: IP44 Dimmable: SI Power factor: 0.85			


LETARON



Subfamily **Control led mirrors**


Picture	Article	Description	Lot	Price/Unit
	G5030030E		1	13,56 €
	Led Power Supply CV AED30-12VLSTB-IP44 12V 30W		5	11,30 €
			10	10,27 €
			100	9,59 €
	ECO Design ERP. 12Vdc constant voltage output			
	Length (mm): 171 Width (mm): 54 High (mm): 16 Colour: White Voltage In (Vac): 220~240 Voltage Out (Vdc): 12 Intensidad Out (A): 2.5 Frequency (Hz): 50~60 Power (W): 0~30 Room Temperature (°C): +40 Critical Temperature (°C): 80 Ingress Protection: IP44 Dimmable: NO Power factor: 0.9			



	G5030030G		1	15,57 €
	Led power supply CV AED30-12VIP44-3A 12V 30W cable and relay		5	12,97 €
			10	11,79 €
			100	11,02 €
	ECO ERP Design. Constant voltage output 12Vdc. Cabling. Built-in relay			
	Length (mm): 145 Width (mm): 55 High (mm): 16,5 Colour: White Voltage In (Vac): 220~240 Voltage Out (Vdc): 12 Intensidad Out (A): 2.5 Frequency (Hz): 50~60 Power (W): 0~30 Room Temperature (°C): -20~+40 Critical Temperature (°C): 80 Life (Hours): 30000 Ingress Protection: IP44 Power factor: 0.9			




Subfamily **Control led mirrors**

Picture	Article	Description	Lot	Price/Unit
	G5030030H		1	14,11 €
	Led power supply CV AED30-12VIP44-3B 12V 30W		5	11,75 €
	wired		10	10,69 €
	ECO ERP Design. Constant voltage output 12Vdc.		100	9,98 €
	Cabling.			
	Length (mm): 145 Width (mm): 55 High (mm): 16,5			
	Colour: White Voltage In (Vac): 220~240			
	Voltage Out (Vdc): 12 Intensidad Out (A): 2.5			
	Frecuency (Hz): 50~60 Power (W): 0~30			
	Room Temperature (°C): -20~+40			
	Critical Temperature (°C): 80 Life (Hours): 30000			
	Ingress Protection: IP44 Power factor: 0.9			

LETARON




	G5031030E		1	13,56 €
	Led Power Supply CV AED30-24VLSTB-IP44 24V		5	11,30 €
	30W		10	10,27 €
	ECO Design ERP.24Vdc constant voltage output		100	9,59 €
	Length (mm): 171 Width (mm): 54 High (mm): 16			
	Colour: White Voltage In (Vac): 220~240			
	Voltage Out (Vdc): 24 Intensidad Out (A): 1.25			
	Frecuency (Hz): 50~60 Power (W): 0~30			
	Room Temperature (°C): -20~+40			
	Critical Temperature (°C): 80 Ingress Protection: IP44			
	Dimmable: NO Power factor: 0.9			

LETARON




Subfamily **Control led mirrors**

Picture	Article	Description	Lot	Price/Unit
	G5031030G		1	15,57 €
	Led power supply CV AED30-24VIP44-3A 24V 30W cable and relay		5	12,97 €
			10	11,79 €
			100	11,02 €
	ECO ERP design. Constant voltage output 24Vdc. Cabling. Built-in relay.			
	Length (mm): 145 Width (mm): 55 High (mm): 16,5 Colour: White Voltage In (Vac): 220~240 Voltage Out (Vdc): 24 Intensidad Out (A): 1.25 Frecuency (Hz): 50~60 Power (W): 0~30 Room Temperature (°C): -20~+40 Critical Temperature (°C): 80 Life (Hours): 30000 Ingress Protection: IP44 Power factor: 0.9			

LETARON




	G5031030H		1	14,11 €
	Led power supply CV AED30-24V IP44-3B 24V 30W wired		5	11,75 €
			10	10,69 €
			100	9,98 €
	ECO ERP design. Constant voltage output 24Vdc. Cabling			
	Length (mm): 145 Width (mm): 55 High (mm): 16,5 Colour: White Voltage In (Vac): 220~240 Voltage Out (Vdc): 24 Intensidad Out (A): 1.25 Frecuency (Hz): 50~60 Power (W): 0~30 Room Temperature (°C): -20~+40 Critical Temperature (°C): 80 Life (Hours): 30000 Ingress Protection: IP44 Power factor: 0.9			

LETARON



Subfamily **Control led mirrors**

Picture	Article	Description	Lot	Price/Unit
	G5031036		1	16,93 €
	Led Power Supply CV AED36-24VLSTB-UL 24V 36W		5	15,39 €
			10	13,99 €
	24Vdc constant voltage output		50	13,08 €
	Length (mm): 220 Width (mm): 55 High (mm): 16,5 Colour: White Voltage In (Vac): 108~132 Voltage Out (Vdc): 24 Intensidad Out (A): 1.5 Frecuency (Hz): 57~63 Power (W): 0~36 Room Temperature (°C): -20~+40 Critical Temperature (°C): 80 Life (Hours): 30000 Dimmable: NO			

LETARON




	G5030040B		1	25,71 €
	Led Power Supply CV AED40-12VIP44-3A-Q3 12V 40W		5	21,42 €
			10	19,47 €
	Integrated relais. Includes anti-fog, dimmer and CTT sensors for mirrors. Primary and secondary wiring.		100	18,20 €
	Length (mm): 228,2 Width (mm): 126,2 High (mm): 18 Colour: White Voltage In (Vac): 220~240 Voltage Out (Vdc): 12 Intensidad Out (A): 3.33 Frecuency (Hz): 50~60 Power (W): 0~40 Room Temperature (°C): -20~+40 Critical Temperature (°C): 85 Life (Hours): 30000 Ingress Protection: IP44 Dimmable: SI Power factor: 0.90			

LETARON



Subfamily **Control led mirrors**

Picture	Article	Description	Lot	Price/Unit
	G5030060C		1	20,71 €
	Led Power Supply CV AED60-12VLSTB-IP44 12V 60W		5	18,82 €
			10	17,12 €
			50	16,00 €
	ECO Design ERP Compliant. 12Vdc constant voltage output			
	Length (mm): 238 Width (mm): 55 High (mm): 16,5 Colour: White Voltage In (Vac): 220~240 Voltage Out (Vdc): 12 Intensidad Out (A): 0~5 Frecuency (Hz): 50~60 Power (W): 0~60 Room Temperature (°C): +40 Critical Temperature (°C): 80 Ingress Protection: IP44 Dimmable: NO Power factor: 0.9			

LETARON




	G5030060F		1	33,49 €
	Led Power Supply CV AED60-12VIP44-3A-Q3 12V 60W		5	27,91 €
			10	25,38 €
			100	23,71 €
	Integrated relais. Includes anti-fog, dimmer and CTT sensors for mirrors. Primary and secondary wiring.			
	Length (mm): 228,2 Width (mm): 126,2 High (mm): 18 Colour: White Voltage In (Vac): 220~240 Voltage Out (Vdc): 12 Intensidad Out (A): 5 Frecuency (Hz): 50~60 Power (W): 0~60 Room Temperature (°C): -20~+40 Critical Temperature (°C): 90 Life (Hours): 30000 Ingress Protection: IP44 Dimmable: SI Power factor: 0.90			

LETARON




Subfamily **Control led mirrors**

Picture	Article	Description	Lot	Price/Unit
	G5030060G		1	22,62 €
	Led power supply CV AED60-12VIP44-3A 12V 60W cable and relay		5	18,85 €
			10	17,13 €
			100	16,02 €
	ECO ERP Design. Constant voltage output 12Vdc. Cabling. Built-in relay			
	Length (mm): 184 Width (mm): 55 High (mm): 16,5 Colour: White Voltage In (Vac): 220~240 Voltage Out (Vdc): 12 Intensidad Out (A): 5 Frecuency (Hz): 50~60 Power (W): 0~60 Room Temperature (°C): -20~+40 Critical Temperature (°C): 80 Life (Hours): 30000 Ingress Protection: IP44 Power factor: 0.90			

LETARON




	G5030060H		1	21,15 €
	Led power supply CV AED60-12V IP44-3B 12V 60W wired		5	17,63 €
			10	16,03 €
			100	14,98 €
	ECO ERP Design. Constant voltage output 12Vdc. Cabling.			
	Length (mm): 184 Width (mm): 55 High (mm): 16,5 Colour: White Voltage In (Vac): 220~240 Voltage Out (Vdc): 12 Intensidad Out (A): 5 Frecuency (Hz): 50~60 Power (W): 0~60 Room Temperature (°C): -20~+40 Critical Temperature (°C): 90 Life (Hours): 30000 Ingress Protection: IP44 Power factor: 0.90			

LETARON




Subfamily **Control led mirrors**

Picture	Article	Description	Lot	Price/Unit
	G5031060D		1	20,71 €
	Led Power Supply CV AED60-24VLSTB-IP44 24V 60W		5	18,82 €
			10	17,12 €
			50	16,00 €
	24Vdc constant voltage output			
	Length (mm): 238 Width (mm): 55 High (mm): 16,5 Colour: White Voltage In (Vac): 220~240 Voltage Out (Vdc): 24 Intensidad Out (A): 2.5 Frecuency (Hz): 50~60 Power (W): 0~60 Room Temperature (°C): -20~+40 Critical Temperature (°C): 80 Life (Hours): 30000 Ingress Protection: IP44 Dimmable: NO Power factor: 0.9			

LETARON




	G5031060E		1	21,44 €
	Led Power Supply CV AED60-24VLSTB-UL 24V 60W		5	19,49 €
			10	17,71 €
			50	16,55 €
	24Vdc constant voltage output			
	Length (mm): 238 Width (mm): 55 High (mm): 16,5 Colour: White Voltage In (Vac): 108~132 Voltage Out (Vdc): 24 Intensidad Out (A): 2.5 Frecuency (Hz): 57~63 Power (W): 0~60 Room Temperature (°C): -20~+40 Critical Temperature (°C): 80 Life (Hours): 30000 Dimmable: NO			

LETARON




Subfamily **Control led mirrors**

Picture	Article	Description	Lot	Price/Unit
	G5031060H		1	33,49 €
	Led Power Supply CV AED60-24VIP44-3A-Q3 24V 60W		5	27,91 €
			10	25,38 €
			100	23,71 €
	Integrated relais. Includes anti-fog, dimmer and CTT sensors for mirrors. Primary and secondary wiring.			
		Length (mm): 228,2 Width (mm): 126,2 High (mm): 18 Colour: White Voltage In (Vac): 220~240 Voltage Out (Vdc): 24 Intensidad Out (A): 2.5 Frecuency (Hz): 50~60 Power (W): 0~60 Room Temperature (°C): -20~+40 Critical Temperature (°C): 85 Life (Hours): 30000 Ingress Protection: IP44 Dimmable: SI Power factor: 0.90		

LETARON




	G5031060J		1	22,62 €
	Led power supply CV AED60-24VIP44-3A 24V 60W cable and relay		5	18,85 €
			10	17,13 €
			100	16,02 €
	ECO ERP design. Constant voltage output 24Vdc. Cabling. Built-in relay.			
		Length (mm): 184 Width (mm): 55 High (mm): 16,5 Colour: White Voltage In (Vac): 220~240 Voltage Out (Vdc): 24 Intensidad Out (A): 2.5 Frecuency (Hz): 50~60 Power (W): 0~60 Room Temperature (°C): -20~+40 Critical Temperature (°C): 85 Life (Hours): 30000 Ingress Protection: IP44 Power factor: 0.90		

LETARON



LED TECHNOLOGY > Electronic Led Power Supplies > Led Controllers


Subfamily **Control led mirrors**

Picture	Article	Description	Lot	Price/Unit
	G5031060K		1	21,15 €
	Led power supply CV AED60-24V IP44-3B 24V 60W wired		5	17,63 €
			10	16,03 €
			100	14,98 €
	ECO ERP design. Constant voltage output 24Vdc. Cabling.			
	Length (mm): 184 Width (mm): 55 High (mm): 16,5 Colour: White Voltage In (Vac): 220~240 Voltage Out (Vdc): 24 Intensidad Out (A): 2.5 Frecuency (Hz): 50~60 Power (W): 0~60 Room Temperature (°C): -20~+40 Critical Temperature (°C): 80 Life (Hours): 30000 Ingress Protection: IP44 Power factor: 0.90			

LETARON




Catalogue **LED TECHNOLOGY**
 Line **Electronic Led Power Supplies**
 FAmily **Led Controllers**
 Subfamily **Dimmer Led Constant Tension CV**


Picture	Article	Description	Lot	Price/Unit
	G505610		1	17,04 €
	Dimmer Led CV 1002 12-24V 24-48W transparent		5	15,50 €
	PWM led dimmer with constant voltage pushbutton 12VDC (24W) or 24VDC (48W). Short press ON / OFF. Long press regulation. With memory		10	14,01 €
			30	13,42 €
	Length (mm): 70 Width (mm): 28,8 High (mm): 16,5 Colour: Transparent Voltage In (Vdc): 12~24 Intensidad In (A): 2 Power (W): 24~48 Temperature (°C): 0-40 Room Temperature (°C): +40 Critical Temperature (°C): 60 Ingress Protection: IP20 Reference: 030258			



Subfamily **Dimmer Led Constant Tension CV**


Picture	Article	Description	Lot	Price/Unit
	G505611		1	17,04 €
	Dimmer Led CV 1002 12-24V 24-48W black		5	15,50 €
	PWM led dimmer with constant voltage pushbutton		10	14,01 €
	12VDC (24W) or 24VDC (48W). Short press ON / OFF. Long press regulation. With memory		30	13,42 €
	Length (mm): 70 Width (mm): 28,8 High (mm): 16,5 Colour: Black Voltage In (Vdc): 12~24 Intensidad In (A): 2 Power (W): 24~48 Temperature (°C): 35 Room Temperature (°C): +40 Critical Temperature (°C): 60 Ingress Protection: IP20			
	Reference: 033038			



	G505612		1	28,85 €
	Dimmer Led CV 350VP 12-24V 24-48W black		5	26,22 €
	PWM led dimmer with constant voltage pushbutton		10	23,74 €
	12VDC (24W) or 24VDC (48W). Short press ON / OFF. Long press regulation. With memory		30	22,65 €
	High (mm): 32,1 Diameter (mm): 65 Colour: Black Voltage In (Vdc): 12~24 Intensidad In (A): 2 Power (W): 24~48 Room Temperature (°C): +35 Critical Temperature (°C): 60 Ingress Protection: IP20			
	Reference: 035550			




Catalogue **LED TECHNOLOGY**
 Line **Electronic Led Power Supplies**
 FAmily **Led Controllers**
 Subfamily **Dimmer Led Constant Current CC**

Picture	Article	Description	Lot	Price/Unit
	G505532		1	21,16 €
	Dimmer Led 1002 12-24V/350mA		5	19,24 €
	Dimmer PWM for LED modules constant current		10	17,38 €
	350mA. Alimentation in constant voltage 12 or 24VDC		30	16,59 €
	Length (mm): 70 Width (mm): 28,8 High (mm): 16,5 Colour: Transparent Voltage In (Vdc): 12~24 Intensidad In (A): 0.35 Power (W): 4.2~8.4 Room Temperature (°C): +35 Critical Temperature (°C): 60 Ingress Protection: IP20			
	Reference: 030239			




LED TECHNOLOGY > Electronic Led Power Supplies > Led Controllers

Subfamily Dimmer Led Constant Current CC

Picture	Article	Description	Lot	Price/Unit
	G505533		1	24,57 €
	Dimmer Led 1003 12-24V/350mA		5	22,33 €
	Dimmer PWM for LED modules constant current		10	18,60 €
	350mA. Alimentation in constant voltage 12 or 24VDC		30	17,72 €
	Length (mm): 71 Width (mm): 44,6 High (mm): 23,7 Colour: Transparent Voltage In (Vdc): 12~24 Intensidad In (A): 0.35 Power (W): 4.2~8.4 Room Temperature (°C): -10~+40 Critical Temperature (°C): 60 Ingress Protection: IP20 Reference: 033244			




	G505531		1	29,43 €
	ALED-DIM Dimmer PEDALE MONO-350I- VP black		5	26,75 €
	Standing led dimmer with push button for 350mA		10	24,30 €
	current led modules. It is supplied with a voltage of 12		30	23,08 €
	V and a maximum of 4.2 W or 24 V and a maximum 8.4 W High (mm): 32 Diameter (mm): 65 Colour: Black Voltage In (Vdc): 12~24 Intensidad Out (A): 0.35 Power (W): 4.2~8.4 Room Temperature (°C): -20~+40 Critical Temperature (°C): 60 Ingress Protection: IP20 Reference: 034683			




LED TECHNOLOGY > Electronic Led Power Supplies > Led Controllers

Subfamily **Dimmer Led Constant Current CC**

Picture	Article	Description	Lot	Price/Unit
	G505730		1	21,32 €
	Dimmer ALED-DIM 1002 MONO-700I Black		5	19,37 €
			10	17,50 €
	Dimmer with push button for LED modules with constant current 700mA. It is powered at constant voltage 12 or 24VDC		30	16,71 €
	Length (mm): 70 Width (mm): 28,8 High (mm): 18,1 Colour: Black Voltage In (Vdc): 12~24 Intensidad Out (A): 0.7 Power (W): 8.4~17 Room Temperature (°C): +35 Critical Temperature (°C): 65 Ingress Protection: IP20 Reference: 034330			




	G505731		1	28,08 €
	Dimmer de pie para modulos Led CC 350VP		5	25,52 €
	12-24V/700mA Transparente		10	23,18 €
			30	22,02 €
	LED foot dimmer with push button for LED modules with 700mA current. It is supplied with a voltage of 12 V and a maximum of 8.4 W or 24 V and a maximum of 17 W High (mm): 32 Diameter (mm): 65 Colour: Transparent Voltage In (Vdc): 12~24 Intensidad Out (A): 0.7 Power (W): 8.4~17 Room Temperature (°C): +40 Critical Temperature (°C): 60 Ingress Protection: IP20 Reference: 033371			




LED TECHNOLOGY > Electronic Led Power Supplies > Led Controllers

Subfamily Dimmer Led Constant Current CC

Picture	Article	Description	Lot	Price/Unit
	G505733		1	21,22 €
	Dimmer Led 1002 12-24V/700mA		5	19,29 €
			10	17,43 €
	Push-button dimmer for Led modules at constant current 700mA. It is powered at constant voltage 12 or 24VDC		30	16,64 €
	Length (mm): 70 Width (mm): 28,8 High (mm): 16,5 Colour: Transparent Voltage In (Vdc): 12~24 Intensidad Out (A): 0.7 Power (W): 8.4~17 Room Temperature (°C): -20~+40 Critical Temperature (°C): 60 Ingress Protection: IP20 Reference: 030390			







	G505732		1	29,43 €
	Led Dimmer 12-24V / 700mA black		5	26,75 €
			10	24,30 €
	LED foot dimmer with push button for LED modules with 700mA current. It is supplied with a voltage of 12 V and a maximum of 8.4 W or 24 V and a maximum of 17 W		30	23,08 €
	High (mm): 32 Diameter (mm): 65 Colour: Black Voltage In (Vdc): 12~24 Intensidad Out (A): 0.7 Power (W): 8.4~17 Room Temperature (°C): +40 Critical Temperature (°C): 60 Ingress Protection: IP20 Reference: 033824			




LED TECHNOLOGY > Electronic Led Power Supplies > Led Controllers

Subfamily **Dimmer Led Constant Current CC**

Picture	Article	Description	Lot	Price/Unit
	A471374N		1	22,37 €
	Dimmer Led SNELLO RN1374 Black 2-18W		5	17,20 €
	For Led modules with 350-500-700mA current or voltage 12-24Vdc selectable with jumper. It is feed at 12 / 24V		10	16,45 €
			20	16,02 €
	Length (mm): 83 Width (mm): 22 High (mm): 22,5 Colour: Black Voltage In (Vac): 24 Power (W): 2~18 Room Temperature (°C): +35 Critical Temperature (°C): 65			
				


Catalogue **LED TECHNOLOGY**
 Line **Electronic Led Power Supplies**
 FAmily **Led Controllers**
 Subfamily **Dimmer Led 230V**


Picture	Article	Description	Lot	Price/Unit
	G50541500		1	21,65 €
	Dimmer Led with pushbutton for bulbs 1004P LFP		5	19,68 €
	SW1 100-240V Black		10	17,85 €
	Type of charge: 4-100W @ 120V INC; 4-150W @ 220-240V INC; CFL 11-25W; LED Ret 4-25W. Use with 0.75mm2 section cable. Maximum dimmable 4 CFL or LED lamps		100	17,06 €
	Length (mm): 96,5 Width (mm): 30,5 High (mm): 28 Colour: Black Voltage In (Vac): 100~240 Frecuency (Hz): 50~60 Power (W): 4~25 Room Temperature (°C): +35			


Reference: 038305




Subfamily **Dimmer Led 230V**


Picture	Article	Description	Lot	Price/Unit
	G50541510		1	21,65 €
	Dimmer Led with pushbutton for bulbs 1004P LFP		5	19,68 €
	SW1 100-240V White		10	17,85 €
			100	17,06 €
	Type of charge: 4-100W @ 120V INC; 4-150W @ 220-240V INC; CFL 11-25W; LED Ret 4-25W. Use with 0.75mm2 section cable. Maximum dimmable 4 CFL or LED lamps			
	Length (mm): 96,5 Width (mm): 30,5 High (mm): 28 Colour: White Voltage In (Vac): 100~240 Frecuency (Hz): 50~60 Power (W): 4~25 Room Temperature (°C): +35			
	Reference: 039133			




	G50541520		1	21,65 €
	Dimmer Led with pushbutton for bulbs 1004P LFP		5	19,68 €
	SW1 100-240V transparen		10	17,85 €
			100	17,06 €
	Type of charge: 4-100W @ 120V INC; 4-150W @ 220-240V INC; CFL 11-25W; LED Ret 4-25W. Use with 0.75mm2 section cable. Maximum dimmable 4 CFL or LED lamps			
	Length (mm): 96,5 Width (mm): 30,5 High (mm): 28 Colour: Transparent Voltage In (Vac): 100~240 Frecuency (Hz): 50~60 Power (W): 4~25 Room Temperature (°C): +35			
	Reference: 039134			



Subfamily **Dimmer Led 230V**


Picture	Article	Description	Lot	Price/Unit
	G5054150		1	19,10 €
	Universal push button Led dimmer 1004/P 230V		5	15,90 €
	150W Black		10	14,39 €
	Type of charge: Incandescence 10-150W; CFL 11-75W (dimable); LED 4-60W (dimable). Use with 0.75mm section cable		100	13,75 €
	Length (mm): 97 Width (mm): 30,5 High (mm): 28,5 Colour: Black Voltage In (Vac): 220-240 Frecuency (Hz): 50-60 Power (W): 4-25 Room Temperature (°C): +35 Connection: Screw Ingress Protection: IP20 Reference: 036827			




	G5054151		1	19,10 €
	Universal push button Led dimmer 1004/P 230V		5	15,90 €
	150W White		10	14,39 €
	Type of load: Incandescence 4-150W; CFL 11-25W (dimable); LED 4-25W (dimable). Use with 0.75mm section cable		100	13,75 €
	Length (mm): 97 Width (mm): 30,5 High (mm): 28,5 Colour: White Voltage In (Vac): 220-240 Frecuency (Hz): 50-60 Power (W): 4-25 Room Temperature (°C): +35 Connection: Screw Ingress Protection: IP20 Reference: 037536			



Subfamily **Dimmer Led 230V**







Picture	Article	Description	Lot	Price/Unit
	G5054152		1	19,10 €
	Universal push button Led dimmer 1004/P 230V		5	15,90 €
	150W Transparent		10	14,39 €
			100	13,75 €
	Type of charge: Incandescence 10-150W; CFL 11-75W (dimable); LED 4-60W (dimable). Use with 0.75mm section cable			
	Length (mm): 97 Width (mm): 30,5 High (mm): 28,5 Colour: Transparent Voltage In (Vac): 220-240 Frecuency (Hz): 50-60 Power (W): 4-25 Room Temperature (°C): +35 Connection: Screw Ingress Protection: IP20 Reference: 037399			












	A47150L		1	22,62 €
	Dimmer Led SNELLO RL7150/LED led bulbs 4-25W		5	17,41 €
	black		20	16,39 €
			60	15,63 €
	For dimmable LED lamps of 4-25W or halogen lamps 25-160W (230V). Short ON / OFF pulse. Long press regulation. With memory. Not wired.			
	Length (mm): 83 Width (mm): 22 High (mm): 22 Colour: Black Voltage In (Vac): 100-240 Frecuency (Hz): 50-60 Power (W): 4-100 Room Temperature (°C): +35 Ingress Protection: IP20			







Subfamily **Dimmer Led 230V**

Picture	Article	Description	Lot	Price/Unit
 	A47155L		1	25,06 €
	Dimmer Led SNELLO RL7155/LED led bulbs 4-25W		5	19,28 €
	White		20	18,15 €
			60	17,32 €
	For dimmable LED lamps of 4-25W or halogen lamps 25-160W (230V). Short ON / OFF pulse. Long press regulation. With memory. Not wired.			
	Length (mm): 76 Width (mm): 18 High (mm): 20 Colour: White Voltage In (Vac): 100~240 Frecuency (Hz): 50~60 Power (W): 4~25 Room Temperature (°C): +35			
				
 	A47160L		1	24,97 €
	Dimmer Led SNELLO RL7160/LED led bulbs 4-25W		5	19,20 €
	golden		20	18,07 €
			60	17,24 €
	For dimmable LED lamps of 4-25W or halogen lamps 25-160W (230V). Short ON / OFF pulse. Long press regulation. With memory. Not wired.			
	Length (mm): 83 Width (mm): 22 High (mm): 22 Colour: Gold Voltage In (Vac): 100~240 Frecuency (Hz): 50~60 Power (W): 4~25 Room Temperature (°C): +35			
				







Subfamily **Dimmer Led 230V**

Picture	Article	Description	Lot	Price/Unit
	A47165L		1	23,11 €
	Dimmer Led SNELLO RL7165/LED bulbs 4-25W transparent		5	17,78 €
			20	16,73 €
			60	15,96 €
	For dimmable LED lamps of 4-25W or halogen lamps 25-160W (230V). Short ON / OFF pulse. Long press regulation. With memory. Not wired. Length (mm): 83 Width (mm): 22 High (mm): 22 Colour: Transparent Voltage In (Vac): 100-240 Frecuency (Hz): 50-60 Power (W): 4-25 Room Temperature (°C): +35			
		      		


	G50540253		1	55,56 €
	Lampholder Smart TOUCH A800 LFP-NIP 230V 25W Black		5	50,52 €
			20	45,89 €
			60	43,71 €
	Charge type: Incandescent / Halogen / LED Retrofit High (mm): 98,2 Diameter (mm): 38,3 Colour: Black Voltage In (Vac): 220-240 Frecuency (Hz): 50-60 Power (W): 4-25 Room Temperature (°C): +35 Reference: 039158			
		 		

Subfamily **Dimmer Led 230V**

Picture	Article	Description	Lot	Price/Unit
	A409770		1	40,13 €
	Dimmer DIMLED 65 DAK RP0977		4	30,86 €
	Control up to max. 5un. (4-100W) dimmable LED lamps or modules Acrich 2.		8	28,82 €
			24	27,31 €
	Diameter (mm): 65 Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 4~100 Ingress Protection: IP20			
	    			

	A405400		1	37,00 €
	Led Dimmer for dimmable bulbs and modules LT1 UN RM0540 230V 100W		5	28,46 €
	Regulates up to max. 5un. (4-100W) dimmable LED lamps or modules Acrich 2 and 3 i Cobi Citizen at 230V.		10	26,59 €
			30	25,22 €
	Length (mm): 42 Width (mm): 40 High (mm): 21 Colour: White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 100 Ingress Protection: IP20			
	     			

Subfamily **Dimmer Led 230V**










Picture	Article	Description	Lot	Price/Unit
	A405450		1	47,16 €
	Led Dimmer for dimmable bulbs LT2 UN RM0545		5	36,30 €
	230V 100W		10	33,61 €
	Regulates up to max. 10un. (4-100W) Dimmable LED lamps. Also regulates 4-250W halogen lamps. Master and Slave function.		30	32,03 €
	Length (mm): 42 Width (mm): 40 High (mm): 21 Colour: White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 100			










	A45600L		1	27,25 €
	Dimmer RONDO RS 5600/LED 4-100W black		5	20,96 €
	For Dimmable Led bulbs from 4 to 100W of power. With switch. Selectable via Jumper for the management of 1 or 2 light sources.		10	19,98 €
	High (mm): 37 Diameter (mm): 94 Colour: Black Voltage In (Vac): 100~240 Frecuency (Hz): 50~60 Power (W): 4~100 Ingress Protection: IP20		30	19,46 €




Subfamily **Dimmer Led 230V**


Picture	Article	Description	Lot	Price/Unit
	A45600L1		1	30,41 €
	Dimmer RONDO RL 5600/LED 4-100W black		5	23,39 €
	For dimmable LED bulbs from 4 to 100W of power. With switch. Selectable via Jumper for the management of 1 or 2 light sources.		10	22,28 €
			30	21,62 €
	High (mm): 37 Diameter (mm): 94 Colour: Black Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 4~10 Ingress Protection: IP20			
		      		

	A41104L		1	25,42 €
	Dimmer Led RT81 RL1104/LED 4-100W HALO 40-250W Black		5	19,55 €
	For Dimmable Led bulbs from 4 to 100W. Maximum 10 Led lamps.		15	18,64 €
			45	18,15 €
	Length (mm): 115 Width (mm): 71 High (mm): 39 Colour: Black Voltage In (Vac): 100~240 Frecuency (Hz): 50~60 Power (W): 4~250			
		    		

Subfamily **Dimmer Led 230V**


Picture	Article	Description	Lot	Price/Unit
	A41618NL		1	23,70 €
	Dimmer RTS1- RL1618/LED Black		5	18,20 €
	Regulation with rotary knob. not wired		20	17,20 €
			60	16,38 €
	Length (mm): 150 Width (mm): 45 High (mm): 29 Colour: Black Voltage In (Vac): 100~240 Frecuency (Hz): 50~60 Power (W): 4~100 Ingress Protection: IP20			




	A45618L		1	30,25 €
	Dimmer Led RONDO RL 5618/LED 4-100W white		5	23,28 €
	For Dimmable Led bulbs from 4 to 100W of power. With switch. Selectable via Jumper for the management of 1 or 2 light sources.		10	22,19 €
			30	21,61 €
	High (mm): 37 Diameter (mm): 94 Colour: White Voltage In (Vac): 230~240 Frecuency (Hz): 50~60 Power (W): 4~100 Ingress Protection: IP20			



Subfamily **Dimmer Led 230V**


Picture	Article	Description	Lot	Price/Unit
	A456400L		1	27,30 €
	Dimmer RONDO RS 5640/LED 100W Transparent		5	21,00 €
			10	20,02 €
	For Dimmable Led bulbs from 4 to 100W of power. With switch. Selectable via Jumper for the management of 1 or 2 light sources.		30	19,47 €
	High (mm): 37 Diameter (mm): 94 Colour: Transparent Voltage In (Vac): 100~240 Frecuency (Hz): 50~60 Power (W): 4~100 Room Temperature (°C): +35 Ingress Protection: IP20			




	A471010L		1	25,45 €
	Dimmer 5000 RS 7101 LED 4-100W Black		5	19,58 €
			10	18,68 €
	For Dimmable Led bulbs from 4 to 100W of power.		30	18,17 €
	Length (mm): 109 Width (mm): 61 High (mm): 33 Colour: Black Voltage In (Vac): 100~240 Frecuency (Hz): 50~60 Power (W): 4~100 Room Temperature (°C): +35			



Subfamily **Dimmer Led 230V**




Picture	Article	Description	Lot	Price/Unit
	A471010T		1	25,45 €
	Dimmer Led 5000 RS7118/LED 4-100W Transparent		5	19,58 €
	For Dimmable Led bulbs from 4 to 100W of power.		10	18,68 €
			30	18,17 €
	Length (mm): 150 Width (mm): 29 High (mm): 45 Colour: Transparent Voltage In (Vac): 100-240 Frecuency (Hz): 50-60 Power (W): 4-100 Ingress Protection: IP20			






	A47200L		1	24,13 €
	Dimmer Led 101 RL7200/LED 4-100W HALO 25-160W black		5	18,55 €
	For Dimmable Led bulbs from 4 to 100W power.		10	17,64 €
			20	17,10 €
	Length (mm): 89 Width (mm): 40 High (mm): 27 Colour: Black Voltage In (Vac): 100-220 Frecuency (Hz): 50-60 Power (W): 4-100 Ingress Protection: IP20			






Subfamily **Dimmer Led 230V**

Picture	Article	Description	Lot	Price/Unit
	A47218L		1	24,13 €
	Dimmer Led 101 RL7218/LED 4-100W HALO		5	18,55 €
	25-160W white		10	17,64 €
			20	17,10 €
	For Dimmable Led bulbs from 4 to 100W of power.			
	Length (mm): 89 Width (mm): 40 High (mm): 27 Colour: White Voltage In (Vac): 220~2240 Frecuency (Hz): 50~60 Power (W): 4~100 Ingress Protection: IP20			
				


	A47226L		1	24,13 €
	Dimmer Led 101 RL7226/LED 4-100W HALO		5	18,55 €
	25-160W golden		10	17,64 €
			20	17,10 €
	For Dimmable Led bulbs from 4 to 100W of power.			
	Length (mm): 89 Width (mm): 40 High (mm): 27 Colour: Gold Voltage In (Vac): 220~2240 Frecuency (Hz): 50~60 Power (W): 4~100 Ingress Protection: IP20			
				

Subfamily **Dimmer Led 230V**


Picture	Article	Description	Lot	Price/Unit
	A47234L		1	24,13 €
	Dimmer Led 101 RL7234/LED 4-100W HALO		5	18,55 €
	25-160W Transparent		10	17,64 €
	For Dimmable Led bulbs from 4 to 100W of power.		20	17,10 €
	Length (mm): 89 Width (mm): 40 High (mm): 27 Colour: Transparent Voltage In (Vac): 220~2240 Frecuency (Hz): 50~60 Power (W): 4~100 Ingress Protection: IP20			
				
				

	G505425020		1	27,78 €
	Dimmer Led push-button 1012S-2L LAMP LFP SW1A		5	25,26 €
	100-240V 250W Black		20	22,97 €
	For 2 lamps. ON / OFF switch for one lamp and cursor for another dimmable. Incandescent; 4-250W (220-240V), 4-180W (120V); LED 2-25W.		40	21,85 €
	High (mm): 29 Diameter (mm): 100 Colour: Black Voltage In (Vac): 100~240 Frecuency (Hz): 50~60 Power (W): 2~25 Room Temperature (°C): +35 Connection: Screw Reference: 040335			
				
				

Subfamily **Dimmer Led 230V**


Picture	Article	Description	Lot	Price/Unit
	G50542502N		1	26,17 €
	Dimmer Led pushbutton and cursor 1012 / S LFP		5	23,79 €
	SW1A 100-240V 250W black		10	21,65 €
			40	20,64 €
	Type de charge: Incandescence 4-250W (220-240V), 4-200W (120V); CFL 11-25W; LED 4-25W Retrofit.			
	High (mm): 29 Diameter (mm): 100 Colour: Black Voltage In (Vac): 100~240 Frecuency (Hz): 50~60 Power (W): 4~25 Room Temperature (°C): +35			
	Reference: 039982			




	G50542511		1	25,32 €
	Dimmer Led push and slider 1012 / S LAMP LFP SW1		5	23,02 €
	100-240V 250W transp		10	20,96 €
			40	19,98 €
	Type of load: Incandescence 4-250W (220-240V), 4-200W (120V); CFL 11-25W; LED 4-25W Retrofit.			
	High (mm): 29 Diameter (mm): 100 Colour: Transparent Voltage In (Vac): 100~240 Frecuency (Hz): 50~60 Power (W): 4~25 Room Temperature (°C): +35			
	Reference: 039981			



Subfamily **Dimmer Led 230V**


Picture	Article	Description	Lot	Price/Unit
	G5054252B		1	25,38 €
	Dimmer Led push button and cursor 1012 /S LAMP		5	23,08 €
	LFP SW1A 100-240V 250W		10	21,00 €
			40	20,01 €
	Type of load: Incandescent / Halogen 4-200W (120V) and 4-250W (220-240V), 4-200W (110V); CFL 11-25W (dimable); LED 4-25W (dimable).			
	High (mm): 29 Diameter (mm): 100 Colour: White Voltage In (Vac): 100~240 Frecuency (Hz): 50~60 Power (W): 4~25 Room Temperature (°C): +35			
	Reference: 039983			




	G5054351		1	33,05 €
	Touch dimmer for installation in 1101 LFP SW1		5	30,04 €
	100-240V Black		10	27,31 €
			50	25,96 €
	Type of load: Incandescent / Halogen 4-200W (120V) and 4-250W (220-240V), 4-200W (110V); CFL 11-25W (dimable); LED 4-25W (dimable).			
	Length (mm): 90 Width (mm): 55 High (mm): 11 Colour: Black Voltage In (Vac): 100~240 Frecuency (Hz): 50~60 Power (W): 4~25 Room Temperature (°C): +35 Connection: Screw			
	Reference: 038306			



Catalogue **LED TECHNOLOGY**
 Line **Electronic Led Power Supplies**
 FAmily **Led Controllers**
 Subfamily **Dimmers for modules Led 230V**


Picture	Article	Description	Lot	Price/Unit
	G50541501		1	21,65 €
	Led Dimmer with pushbutton modules ML 1004P		5	19,68 €
	100-240V SW1 LFP Black		10	17,85 €
			100	17,06 €
	For dimmable LED modules with network voltage. Maximum 4 modules connected. Power 4 to 25W			
	Length (mm): 96,5 Width (mm): 30,5 High (mm): 28 Colour: Black Voltage In (Vac): 100~240 Frecuency (Hz): 50~60 Power (W): 4~25 Room Temperature (°C): +35 Reference: 039135			




	G50541511		1	21,65 €
	Led Dimmer with pushbutton modules SW1 LFP ML		5	19,68 €
	1004P 100-240V White		10	17,85 €
			100	17,06 €
	For dimmable LED modules with network voltage. Maximum 4 modules connected. Power 4 to 25W			
	Length (mm): 96,5 Width (mm): 30,5 High (mm): 28 Colour: White Voltage In (Vac): 100~240 Frecuency (Hz): 50~60 Power (W): 4~25 Room Temperature (°C): +35 Reference: 039136			




Subfamily **Dimmers for modules Led 230V**


Picture	Article	Description	Lot	Price/Unit
	G50541521		1	21,65 €
	Led Dimmer with pushbutton modules ML 1004P		5	19,68 €
	100-240V Trans LFP SW1		10	17,85 €
			100	17,06 €
	For dimmable LED modules with network voltage. Maximum 4 modules connected. Power 4 to 25W			
	Length (mm): 96,5 Width (mm): 30,5 High (mm): 28 Colour: Transparent Voltage In (Vac): 100~240 Frecuency (Hz): 50~60 Power (W): 4~25 Room Temperature (°C): +35 Reference: 039137			




	G505421		1	20,37 €
	Switch dimmable LED strip 230V ALED- DIM ART		5	18,51 €
	1002 Black		10	16,85 €
			30	16,03 €
	For 230V Acriche led modules. 1 to 20W of power. Modules can be connected in parallel.			
	Length (mm): 70 Width (mm): 28,8 High (mm): 16,5 Colour: Black Voltage In (Vac): 230 Intensidad In (A): 0.1 Frecuency (Hz): 50 Power (W): 1~20 Room Temperature (°C): +40 Critical Temperature (°C): 60 Ingress Protection: IP20 Reference: 035967			



Subfamily **Dimmers for modules Led 230V**









Picture	Article	Description	Lot	Price/Unit
	G50542504A		1	25,23 €
	Dimmer Led for modules 1012/AS ML LFP SW1		5	22,92 €
	100-240V Black		10	20,84 €
	For dimmable LED modules with network voltage. Maximum 4 modules connected. Power 4 to 25W		40	19,86 €
	High (mm): 29 Diameter (mm): 100 Colour: Black Voltage In (Vac): 100~240 Frecuency (Hz): 50~60 Power (W): 4~25 Room Temperature (°C): +35 Life (Hours): 40000			
	Reference: 040406			






	G50542512		1	25,27 €
	Dimmer Led for modules 1012/AS ML LFP SW1		5	22,97 €
	100-240V Transparent		10	20,90 €
	For dimmable LED modules with network voltage. Maximum 4 modules connected. Power 4 to 25W		40	19,93 €
	High (mm): 29 Diameter (mm): 100 Colour: White Voltage In (Vac): 100~240 Frecuency (Hz): 50~60 Power (W): 4~25 Room Temperature (°C): +35 Life (Hours): 40000			
	Reference: 040408			




Subfamily **Dimmers for modules Led 230V**


Picture	Article	Description	Lot	Price/Unit
	A471800		1	26,81 €
	Dimmer Led SNELLO/ACR RL7180 230V 100W black		5	20,61 €
	Maximum 5 Led modules at 230V Power range 4-100W. Not wired.		10	18,46 €
			20	17,62 €
	Length (mm): 83 Width (mm): 22,5 High (mm): 22 Colour: Black Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 4~100 Ingress Protection: IP20 Dimmable: Corte fin de fase (IGBT)			
				
		     		

	G505420		1	20,25 €
	Switch dimmable LED strip 230V ALED- DIM ART 1002		5	18,42 €
	For Acriche 230V LED modules. 1 to 20W of power. The modules can be connected in parallel.		10	16,81 €
			30	16,00 €
	Length (mm): 70 Width (mm): 28,8 High (mm): 16,5 Colour: Transparent Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 1~20 Room Temperature (°C): +40 Critical Temperature (°C): 60 Ingress Protection: IP20 Reference: 034936			
				
				

Subfamily **Dimmers for modules Led 230V**


Picture	Article	Description	Lot	Price/Unit
	G505485		1	29,47 €
	ALED PEDALE DIM dimmable switch 230V ART 350VP		5	26,78 €
			10	22,32 €
			30	21,06 €
	Led dimmer for modules with mains voltage 230V 1-25W. The modules can be connected in parallel.			
	High (mm): 32 Diameter (mm): 65 Colour: Black Voltage In (Vac): 230 Intensidad In (A): 0.11 Frecuency (Hz): 50~60 Power (W): 1~25 Room Temperature (°C): +35 Critical Temperature (°C): 60 Ingress Protection: IP20 Reference: 035335			




	G505486		1	23,27 €
	Led Dimmer standing transparent 1-85W 230V 350VP		5	21,16 €
			10	19,14 €
			30	18,12 €
	Led dimmer for LED modules with network voltage from 1W to 25W. The modules can be connected in parallel.			
	High (mm): 32 Diameter (mm): 65 Colour: Transparent Voltage In (Vac): 230 Intensidad In (A): 0.11 Frecuency (Hz): 50~60 Power (W): 1~25 Room Temperature (°C): +35 Critical Temperature (°C): 60 Ingress Protection: IP20 Reference: 034937			



Subfamily **Dimmers for modules Led 230V**

Picture	Article	Description	Lot	Price/Unit
	G5054105		1	38,05 €
		Recessed dimmer AC Led Acrich 230V 105W	5	34,59 €
		Type of load: Modules led to 230V - 1-25W. Use with section cable 0.5-2.50mm	10	31,33 €
			50	29,98 €
		Length (mm): 42,5 Width (mm): 40,5 High (mm): 21 Colour: White Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 1~25 Room Temperature (°C): +35 Critical Temperature (°C): 85 Connection: Screw Life (Hours): 40000 Ingress Protection: IP20 Reference: 036530		




	A409770		1	40,13 €
		Dimmer DIMLED 65 DAK RP0977	4	30,86 €
		Control up to max. 5un. (4-100W) dimmable LED lamps or modules Acrich 2.	8	28,82 €
			24	27,31 €
		Diameter (mm): 65 Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 4~100 Ingress Protection: IP20		




LED TECHNOLOGY > Electronic Led Power Supplies > Led Controllers

Subfamily **Dimmers for modules Led 230V**

Picture	Article	Description	Lot	Price/Unit
	A405400		1	37,00 €
	Led Dimmer for dimmable bulbs and modules LT1 UN		5	28,46 €
	RM0540 230V 100W		10	26,59 €
	Regulates up to max. 5un. (4-100W) dimmable LED lamps or modules Acrich 2 and 3 i Cobi Citizen at 230V.		30	25,22 €
	Length (mm): 42 Width (mm): 40 High (mm): 21 Colour: White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 100 Ingress Protection: IP20			




	A47181L		1	39,17 €
	Led Dimmer RONDO RL 7181 4-100W Black		5	30,13 €
	Electronic dimmer with cursor control for LED		10	26,91 €
	Modules Acrich2, LED Acrich3, LED Citizen.COB 230V.		20	25,62 €
	High (mm): 37 Diameter (mm): 94 Colour: Black Voltage In (Vac): 220~240 Frecuency (Hz): 50~60 Power (W): 4~100 Ingress Protection: IP20			




LED TECHNOLOGY > Electronic Led Power Supplies > Led Controllers

Subfamily **Dimmers for modules Led 230V**

Picture	Article	Description	Lot	Price/Unit
	A47191L		1	39,17 €
	Led Dimmer RONDO RL 7191 4-100W Transparent		5	30,13 €
	Electronic dimmer with cursor control for LED		10	26,91 €
	Modules Acrich2, LED Acrich3, LED Citizen.COB 230V.		20	25,62 €
	High (mm): 37 Diameter (mm): 94 Colour: Transparent Voltage In (Vac): 220~240 Frecuency (Hz): 50~60 Power (W): 4~100 Ingress Protection: IP20			




Catalogue **LED TECHNOLOGY**
 Line **Electronic Led Power Supplies**
 FAmily **Led Controllers**
 Subfamily **RGB Led Dimmers**

Picture	Article	Description	Lot	Price/Unit
	G505001		1	14,09 €
	Dimmer LED RGB KZQ30-12E		5	12,81 €
			10	11,64 €
	Controller Led RGB in constant voltage.10W by channel. Cabled 20cm double insulation in both sides		100	11,17 €
	Length (mm): 75 Width (mm): 48 High (mm): 18 Colour: White Voltage In (Vdc): 12 Power (W): 30 Room Temperature (°C): +35			




Catalogue **LED TECHNOLOGY**
Line **Electronic Led Power Supplies**
Family **Led Controllers**
Subfamily **Interface Controller DALI**


Picture	Article	Description	Lot	Price/Unit
	15DIMDALI100		1	50,22 €
	Dimmer control DALI 100-240Vac		10	46,07 €
	Trailing edge dimmer with DALI and PUSH control.		50	44,72 €

Length (mm): 45,5 Width (mm): 45 High (mm): 20,3
Voltage In (Vac): 100~240
Voltage Out (Vac): 100~240 Intensidad Out (A): 1.8
Ingress Protection: IP20




	AD800650		1	74,05 €
	Dimmer led CV 12-24V 4 channels DALI control 4x60W(12V) 4x120W(24V)		5	67,33 €
	Led regulator at constant voltage 12-24Vdc 4 channels controllable by DALI. 4x60W (12Vdc) 4x120W (24Vdc). Adapted for control by CASAMBI interfaces		10	64,13 €


Length (mm): 178 Width (mm): 46 High (mm): 20
Colour: White Voltage In (Vdc): 12~24
Frecuency (Hz): 50~60 Power (W): 240~480
Critical Temperature (°C): 75




LED TECHNOLOGY > Electronic Led Power Supplies > Led Controllers

Subfamily **Interface Controller DALI**


Picture	Article	Description	Lot	Price/Unit
	AD800651		1	89,06 €
		Dimmer led CV 12-24V 4 channels DALI control	5	77,42 €
		4x96W(12V) 4x192W(24V)	10	73,80 €
		Regulador Led constant voltage 12-24Vdc 4 channels controllable by DALI. 4x96W (12Vdc) 4x192W (24Vdc). Adapted for the control of CASAMBI interfaces		
		Length (mm): 170 Width (mm): 59 High (mm): 29 Colour: White Voltage In (Vdc): 12~24 Frecuency (Hz): 50~60 Power (W): 384~768 Critical Temperature (°C): 75		



Catalogue **LED TECHNOLOGY**
 Line **Electronic Led Power Supplies**
 FAmily **Led Controllers**
 Subfamily **Led Switches and push buttons**

Picture	Article	Description	Lot	Price/Unit
	AR4910021		1	17,10 €
	1002 black electric push button		10	10,69 €
			100	8,36 €
	Unipolar open hand push button to control led feeders (PUSH) Short press for ON / OFF and long press for regulation. For 2x0.75mm2 bipolar flat or round hose cables. with screws		500	7,97 €
	Length (mm): 70 Width (mm): 28,8 High (mm): 18,1 Colour: Black Voltage In (Vac): 250 Intensidad In (A): 2 Connection: Screw Reference: 037216			




	AR4935091		1	4,75 €
	350VP / B / T black electric push button		10	2,98 €
			100	2,39 €
	Unipolar foot switch with ground connection for 2x075mm2 bipolar flat and round hose cables and for 3G0.75mm2 round hose. Screw connection		250	2,26 €
	High (mm): 32 Diameter (mm): 65 Colour: Black Voltage In (Vac): 250 Intensidad In (A): 2 Connection: Screw Ingress Protection: IP20 Reference: 036796			



LED TECHNOLOGY > Electronic Led Power Supplies > Led Controllers

Subfamily **Led Switches and push buttons**

Picture	Article	Description	Lot	Price/Unit
	G5056A00		1	18,06 €
	Switch dimmable LED strip TOUCH-V-TF with 25cm		5	15,05 €
	Cable-V2		10	13,70 €
			30	13,20 €
	For 12 or 24V constant voltage led strips. Wired with 25cm AWG22 Teflon cable. Regulation with cable. Save memory.			
	Length (mm): 50 Width (mm): 10 High (mm): 6 Colour: Black Voltage In (Vdc): 12~24 Intensidad In (A): 3 Power (W): 36~72 Room Temperature (°C): +40 Critical Temperature (°C): 60 Ingress Protection: IP20			
	Reference: 038031			



SELV