


Catalogue **HALOTEC HARDWARE**

Line **Halotec Lamps**


FAMILY **LED Lamps HALOTEC**

Subfamily **Led Lamps E14**

Picture	Article	Description	Lot	Price/Unit
	E2901047		1	1,96 €
	Lamp Candle E14 LED 4W 100-250V 3000K matted		10	1,45 €
	CRI>80 Average life 30.000h. For 230V			
	Length (mm): 107 Diameter (mm): 38			
	Colour: Warm White Voltage In (Vac): 230			
	Frecuency (Hz): 50~60 Power (W): 4			
	Colour Temperature (°K): 3000 Lumen: 320			
	Socket: E14 Energy efficiency: A+ Kwh/1000h: 4			
	Dimmable: NO Power factor: >0,4			
	Switching cycle (≥): 15000			
	Warm-up time up to 60% of the full light output (sec): <0,5			
	Lumen maintenance factor at the end of the nominal life: 0,70 Starting time (seg): <0,5			
	Colour consistency: <6 sdcn			




Subfamily **Led Lamps E14**

Picture	Article	Description	Lot	Price/Unit
	E2901063		1	1,32 €
	Bulb Candle TP E14 LED 6W 230V 4000K matte		10	1,10 €
	Thermoplastic body		50	1,05 €
	Length (mm): 105 Diameter (mm): 37 Colour: Natural White Voltage In (Vac): 220~240 Frecuency (Hz): 50~60 Power (W): 6 Colour Temperature (°K): 4000 Lumen: 480 Angle (°): 145 Socket: E14 Energy efficiency: A+ Kwh/1000h: 6 Incandescence equivalence (W): 40 CRI (?): 80 Life (Hours): 25000 Dimmable: NO Power factor: >0.4 Switching cycle (?): 15000 Warm-up time up to 60% of the full light output (sec): <0.5 Lumen maintenance factor at the end of the nominal li fe: 0.7 Starting time (seg): <0.5 Colour consistency: <6 sdcn			




Subfamily **Led Lamps E14**

Picture	Article	Description	Lot	Price/Unit
	E2910023		100 (Pedido mínimo)	0,96 €
	Mini Led bulb E14 ST264SMD 2w 3000k clear		400	0,88 €
		Mini Led Bulb ST26 E14 socket with 4 SMD LEDs. Refrigerator applications, salt lamps, bedside tables. Industrial packaging 100 units. High (mm): 51 Diameter (mm): 23 Voltage In (Vac): 220~240 Frecuency (Hz): 50~60 Power (W): 2 Colour Temperature (°K): 3000 Lumen: 200 Socket: E14 Energy efficiency: F CRI (?): 80 Life (Hours): 25000 Dimmable: NO Reference: 402007		




Subfamily **Led Lamps E14**

Picture	Article	Description	Lot	Price/Unit
	E2911068		1	1,33 €
	Spherical bulb TP E14 LED 6W 230V 270K matt		10	1,11 €
	Thermoplastic body		50	1,05 €
	Length (mm): 80 Diameter (mm): 45 Colour: Warm White Voltage In (Vac): 220~240 Frecuency (Hz): 50~60 Power (W): 6 Colour Temperature (°K): 2700 Lumen: 480 Angle (°): 145 Socket: E14 Energy efficiency: A+ Kwh/1000h: 6 Incandescence equivalence (W): 40 CRI (?): 80 Life (Hours): 25000 Dimmable: NO Power factor: >0.4 Switching cycle (?): 15000 Warm-up time up to 60% of the full light output (sec): <0.5 Lumen maintenance factor at the end of the nominal life: 0.7 Starting time (seg): <0.5 Colour consistency: <6 sdcn			




Subfamily **Led Lamps E14**

Picture	Article	Description	Lot	Price/Unit
	E2901053D		1	2,46 €
	Pack 2 units	Candle lamp LED TP E14 5W 230V	10	1,99 €
		4000K matt	20	1,90 €
	Thermoplastic body and matt glass			
	Length (mm): 113 Diameter (mm): 37			
	Colour: Natural White Voltage In (Vac): 230			
	Frecuency (Hz): 50~60 Power (W): 5			
	Colour Temperature (°K): 4000 Lumen: 400			
	Socket: E14 Energy efficiency: A+ Kwh/1000h: 5			
	Incandescence equivalence (W): 40 CRI (?): 80			
	Life (Hours): 25000 Dimmable: NO Power factor: >0.4			
	Switching cycle (?): 15000			
	Warm-up time up to 60% of the full light output (sec): <0.5			
	Lumen maintenance factor at the end of the nominal li			
	fe: 0.70 Starting time (seg): <0.5			
	Colour consistency: <6 sdcn			




Subfamily **Led Lamps E14**

Picture	Article	Description	Lot	Price/Unit
	E2901058D		1	2,46 €
	Pack 2 units LED Bulb TP E14 LED 5W 230V 2700K matte		10	1,99 €
			20	1,90 €
	Thermoplastic body and matt glass Length (mm): 113 Diameter (mm): 37 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 5 Colour Temperature (°K): 2700 Lumen: 400 Angle (°): 200 Socket: E14 Energy efficiency: A+ Kwh/1000h: 5 Incandescence equivalence (W): 40 CRI (?): 80 Life (Hours): 25000 Dimmable: NO Power factor: >0.4 Switching cycle (?): 15000 Warm-up time up to 60% of the full light output (sec): <0.5 Lumen maintenance factor at the end of the nominal life: 0.70 Starting time (seg): <0.5 Colour consistency: <6 sdcn			




Subfamily **Led Lamps E14**

Picture	Article	Description	Lot	Price/Unit
	E2901057		1	1,96 €
		Candle lamp LED E14 5W 230V 3000°K matt	10	1,45 €
		CRI>80 Average life 30.000h. Equivalent to 40W incandescence	20	1,40 €
		Length (mm): 107 Diameter (mm): 38 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 5 Colour Temperature (°K): 3000 Lumen: 400 Angle (°): 200 Socket: E14 Energy efficiency: A+ Kwh/1000h: 5 Incandescence equivalence (W): 40 CRI (?): 80 Life (Hours): 30000 Dimmable: NO Power factor: >0.4 Switching cycle (?): 15000 Warm-up time up to 60% of the full light output (sec): <0.5 Lumen maintenance factor at the end of the nominal li fe: 0.70 Starting time (seg): <0.5 Colour consistency: <6 sdcn		



Subfamily **Led Lamps E14**

Picture	Article	Description	Lot	Price/Unit
	E2911057		1	1,96 €
		Spherical lamp LED E14 5W 230V 3000°K matt	10	1,45 €
		CRI>80 Average life 30.000h. Equivalent to 40W incandescence	20	1,40 €
	Length (mm): 78 Diameter (mm): 45 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 5 Colour Temperature (°K): 3000 Lumen: 400 Socket: E14 Energy efficiency: A+ Kwh/1000h: 5 Incandescence equivalence (W): 40 CRI (?): 80 Life (Hours): 30000 Dimmable: NO Power factor: >0,4 Switching cycle (?): 15000 Warm-up time up to 60% of the full light output (sec): <0,5 Lumen maintenance factor at the end of the nominal life: 0,70 Starting time (seg): <0,5 Colour consistency: <6 sdcm			




Catalogue **HALOTEC HARDWARE**

Line **Halotec Lamps**


FAMILY **LED Lamps HALOTEC**

Subfamily **Led Lamps E27**

Picture	Article	Description	Lot	Price/Unit
	E2931077		1	1,74 €
	GLS lamp LED E27 7W 230 3000°K matt		10	1,52 €
	CRI>80 Average life 30.000h. Equivalent to 50W incandescence		20	1,45 €
	Length (mm): 110 Diameter (mm): 60 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 7 Colour Temperature (°K): 3000 Lumen: 500 Socket: E27 Energy efficiency: A+ Kwh/1000h: 7 Incandescence equivalence (W): 50 CRI (≥): 80 Life (Hours): 25000 Dimmable: NO Power factor: >0.5 Switching cycle (≥): 15000 Warm-up time up to 60% of the full light output (sec): <0.5 Lumen maintenance factor at the end of the nominal life: 0.70 Starting time (seg): <0.5 Colour consistency: <6 sdcm			



Subfamily **Led Lamps E27**

Picture	Article	Description	Lot	Price/Unit
	E2931072		1	1,74 €
	GLS lamp LED E27 7W 230 4000°K matt		10	1,52 €
	CRI>80 Average life 30.000h. Equivalent to 50W incandescence		20	1,45 €
	Length (mm): 110 Diameter (mm): 60 Colour: Natural White Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 7 Colour Temperature (°K): 4000 Lumen: 500 Socket: E27 Energy efficiency: A+ Kwh/1000h: 7 Incandescence equivalence (W): 50 CRI (?): 80 Life (Hours): 25000 Dimmable: NO Power factor: >0.5 Switching cycle (?): 15000 Warm-up time up to 60% of the full light output (sec): <0.5 Lumen maintenance factor at the end of the nominal life: 0.70 Starting time (seg): <0.5 Colour consistency: <6 sdcm			




Catalogue **HALOTEC HARDWARE**

Line **Halotec Lamps**

FAMILY **LED Lamps HALOTEC**

Subfamily **Flament Led Lamps E27**

Picture	Article	Description	Lot	Price/Unit
	E295160D		1	5,29 €
	125 LED bulb Globe filament E27 6W 230V 2700K dimmable		10	4,60 €
			20	4,39 €
	Decorative filament with COB LED. Electronics integrated into the metal cap. Adjustable by pressing the switch 100%, 50%, 25% and 0%. When you turn it off and turn it back on, it returns to 100%.			
	Length (mm): 175 Diameter (mm): 125 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 6 Colour Temperature (°K): 2700 Lumen: 600 Angle (°): 360 Socket: E27 Energy efficiency: A++ Kwh/1000h: 6 Incandescence equivalence (W): 80 CRI (≥): 80 Life (Hours): 20000 Dimmable: SI			




Catalogue **HALOTEC HARDWARE**

Line **Halotec Lamps**

FAMILY **LED Lamps HALOTEC**

Subfamily **Led Reflector Lamps**

Picture	Article	Description	Lot	Price/Unit
	E2976087		1	2,70 €
	R63 Reflector LED bulb E27 8W 3000K matt		10	2,02 €
	Thermoplastic body and polycarbonate		20	1,82 €
	Length (mm): 100 Diameter (mm): 63 Colour: Warm White Voltage In (Vac): 170~265 Frecuency (Hz): 50~60 Power (W): 8 Colour Temperature (°K): 3000 Lumen: 700 Angle (°): 120 Socket: E27 Energy efficiency: A+ Kwh/1000h: 8 Incandescence equivalence (W): 70 CRI (≥): 80 Life (Hours): 25000 Dimmable: NO Power factor: >0.5 Switching cycle (≥): 15000 Warm-up time up to 60% of the full light output (sec): <0.5 Lumen maintenance factor at the end of the nominal life: 0.70 Starting time (seg): <0.5 Colour consistency: <6 sdcM			




Catalogue **HALOTEC HARDWARE**

Line **Halotec Lamps**

FAMILY **LED Lamps HALOTEC**


Subfamily **Led Lamps GU10 230V**

Picture	Article	Description	Lot	Price/Unit
	E241006		1	3,96 €
		Dichroic lamp 20 LED MR16 230V GU10 orange	25	3,32 €
		Average life 20.000h	100	3,10 €

Diameter (mm): 50 Colour: Orange
Voltage In (Vac): 230 Frecuency (Hz): 50
Power (W): 2 Candelas: 15 Socket: GU10
Energy efficiency: A Kwh/1000h: 2 Life (Hours): 20000
Dimmable: NO




Subfamily **Led Lamps GU10 230V**

Picture	Article	Description	Lot	Price/Unit
	E279161		1	10,52 €
	Lamp LED COB 6W 230V GU10 6000°K 60°		10	7,82 €
	CRI>80 average life 30.000h. Heatsink dissipator aluminium forged in cold		100	7,44 €
	Length (mm): 57 Diameter (mm): 50 Colour: Cool white Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 6 Colour Temperature (°K): 6000 Lumen: 570 Angle (°): 60 Socket: GU10 Energy efficiency: A+ Kwh/1000h: 6 CRI (?): 80 Life (Hours): 30000 Dimmable: NO Power factor: >0,5 Switching cycle (?): 15000 Warm-up time up to 60% of the full light output (sec): 0,30 Lumen maintenance factor at the end of the nominal life: 0,70 Starting time (seg): 0,10 Colour consistency: <6 sdcm			



Subfamily **Led Lamps GU10 230V**

Picture	Article	Description	Lot	Price/Unit
	E279273		1	4,03 €
		Led bulb dimmable GU10 7W 5000K 230V 55mm	20	3,35 €
		Thermoplastic light gray. Bitensionales.	40	3,20 €
		Length (mm): 55 Diameter (mm): 50 Colour: Cool white Voltage In (Vac): 220~240 Frecuency (Hz): 50~60 Power (W): 7 Colour Temperature (°K): 5000 Lumen: 500 Angle (°): 60 Socket: GU10 Energy efficiency: A+ Kwh/1000h: 7 CRI (?): 80 Life (Hours): 30000 Dimmable: SI Power factor: >0.5 Switching cycle (?): 15000 Warm-up time up to 60% of the full light output (sec): 0.30 Lumen maintenance factor at the end of the nominal life: 0.70 Starting time (seg): 0.10 Colour consistency: <6 sdcn		



Catalogue **HALOTEC HARDWARE**

Line **Halotec Lamps**

FAMILY **LED Lamps HALOTEC**

Subfamily **Led Lamps GU5.3 12V**

Picture	Article	Description	Lot	Price/Unit
	E249002		1	1,80 €
		Lamp dichroic 20 Leds MR16 12V GU5.3 yellow	10	1,51 €
			50	1,40 €
		Not suitable for electronic transformers. Average life 20,000h		
		Diameter (mm): 50 Colour: Yellow Voltage In (Vdc/ac): 12 Frecuency (Hz): 50 Power (W): 1~2 Candelas: 11 Socket: GU5.3 Energy efficiency: A Kwh/1000h: 2 Life (Hours): 20000 Dimmable: NO		



	E249004		1	1,80 €
		Lamp dichroic 20 Leds MR16 12V GU5.3 green	10	1,51 €
			50	1,40 €
		Not suitable for electronic transformers. Average life 20,000h		
		Diameter (mm): 50 Colour: Green Voltage In (Vdc/ac): 12 Frecuency (Hz): 50 Power (W): 1~2 Candelas: 47 Socket: GU5.3 Energy efficiency: A Kwh/1000h: 2 Life (Hours): 20000 Dimmable: NO		




Catalogue **HALOTEC HARDWARE**

Line **Halotec Lamps**

FAMILY **LED Lamps HALOTEC**

Subfamily **Led Lamps G9 230V**

Picture	Article	Description	Lot	Price/Unit
	E2990042		1	3,45 €
	Bulb G9 LED 3.5W 230V 4000k		10	2,60 €
		With high brightness SMD LED. Transparent plastic coating		50
		Length (mm): 49 Diameter (mm): 16 Colour: Natural White Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 3.5 Colour Temperature (°K): 4000 Lumen: 350 Socket: G9 Energy efficiency: A+ Kwh/1000h: 3,5 CRI (≥): 80 Life (Hours): 30000 Dimmable: NO Power factor: >0,4 Switching cycle (≥): 15000 Warm-up time up to 60% of the full light output (sec): <0,5 Lumen maintenance factor at the end of the nominal life: 0,70 Starting time (seg): <0,5 Colour consistency: <6 sdcm		




Catalogue **HALOTEC HARDWARE**

Line **Halotec Lamps**

FAMILY **LED Lamps HALOTEC**

Subfamily **Led Tubes T8**

Led tubes T8

Picture	Article	Description	Lot	Price/Unit
	E282091		1	3,00 €
	T8 LED Tube 60cm 9W 700lm 4000K Neutral white		10	2,45 €
		Integrated electronics. Simple and direct to the phase and neutral connection without any additional element. Its angle of 270 degrees does not require rotary lampholder		30
		Length (mm): 602 Diameter (mm): 30 Colour: Natural White Voltage In (Vac): 180~264 Frecuency (Hz): 50~60 Power (W): 9 Room Temperature (°C): -20~+70 Colour Temperature (°K): 4000 Lumen: 700 Angle (°): 270 Socket: G13 Energy efficiency: A+ Kwh/1000h: 9 CRI (≥): 80 Life (Hours): 25000 Dimmable: NO Power factor: >0.9 Switching cycle (≥): 15000 Warm-up time up to 60% of the full light output (sec): <2.0 Lumen maintenance factor at the end of the nominal life: 0.70 Starting time (seg): <0.5 Colour consistency: <6 sdcn		

