

Catalogue **LED TECHNOLOGY**


Line **Led modules**

FAMILY **Led Lumens Modules**

Subfamily **EggDrop F3-series Flicker Free**















COB Modules mains voltage. ECO desing according to ERP directives. Diameter 38mm. Powers 4, 6, 8W.

Automatic connectors. Dimmable with leading and trailing edge dimmers.


Picture	Article	Description	Lot	Price/Unit
	LUE38049272F3		1	15,11 €
	Led Cob EDC/38C/4W/927/230V/F302		10	12,58 €
			80	11,44 €
	ECO design according to ERP directives. Automatic connectors. Dimmable by cutting start or end of phase.		160	10,89 €
	High (mm): 7,15 Diameter (mm): 38 Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 4 Temperature (°C): -40+85 Room Temperature (°C): -40~+85 Critical Temperature (°C): 85 Colour Temperature (°K): 2700 Lumen: 365 Angle (°): 120 Energy efficiency: F CRI (≥): 90 Life (Hours): 50000 Dimmable: Corte inicio o fin de fase Power factor: >0.95			




Subfamily **EggDrop F3-series Flicker Free**

Picture	Article	Description	Lot	Price/Unit
	LUE38049302F3	Led Cob EDC/38C/4W/930/230V/F302	1	15,11 €
			10	12,58 €
			80	11,44 €
		ECO design according to ERP directives. Automatic connectors. Dimmable by cutting start or end of phase.	160	10,89 €
		High (mm): 7,15 Diameter (mm): 38 Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 4 Temperature (°C): -40+85 Room Temperature (°C): -40~+85 Critical Temperature (°C): 85 Colour Temperature (°K): 3000 Lumen: 370 Angle (°): 120 Energy efficiency: F CRI (?): 90 Life (Hours): 50000 Dimmable: Corte inicio o fin de fase Power factor: >0.95		
     				
	LUE38049402F3	Led Cob EDC/38C/4W/940/230V/F302	1	15,11 €
			10	12,58 €
			80	11,44 €
		ECO design according to ERP directives. Automatic connectors. Dimmable by cutting start or end of phase.	160	10,89 €
		High (mm): 7,15 Diameter (mm): 38 Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 4 Temperature (°C): -40+85 Room Temperature (°C): -40~+85 Critical Temperature (°C): 85 Colour Temperature (°K): 4000 Lumen: 395 Angle (°): 120 Energy efficiency: F CRI (?): 90 Life (Hours): 50000 Dimmable: Corte inicio o fin de fase Power factor: >0.95		
     				

Subfamily **EggDrop F3-series Flicker Free**















Picture	Article	Description	Lot	Price/Unit
	LUE38069272F3	Led Cob EDC/38C/6W/927/230V/F302	1	15,28 €
			10	12,73 €
			100	11,57 €
		ECO design according to ERP directives. Automatic connectors. Dimmable by cutting start or end of phase.	200	11,02 €
		High (mm): 7,15 Diameter (mm): 38 Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 6 Temperature (°C): -40+85 Room Temperature (°C): -40~+85 Critical Temperature (°C): 85 Colour Temperature (°K): 2700 Lumen: 560 Angle (°): 120 Energy efficiency: F CRI (?): 90 Life (Hours): 50000 Dimmable: Corte inicio o fin de fase Power factor: >0.95		



	LUE38069302F3	Led Cob EDC/38C/6W/930/230V/F302	1	15,28 €
			10	12,73 €
			80	11,57 €
		ECO design according to ERP directives. Automatic connectors. Dimmable by cutting start or end of phase.	160	11,02 €
		High (mm): 7,15 Diameter (mm): 38 Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 6 Temperature (°C): -40+85 Room Temperature (°C): -40~+85 Critical Temperature (°C): 85 Colour Temperature (°K): 3000 Lumen: 570 Angle (°): 120 Energy efficiency: F CRI (?): 90 Life (Hours): 50000 Dimmable: Corte inicio o fin de fase Power factor: >0.95		






Subfamily **EggDrop F3-series Flicker Free**

Picture	Article	Description	Lot	Price/Unit
	LUE38069402F3	Led Cob EDC/38C/6W/940/230V/F302	1	15,28 €
			10	12,73 €
			80	11,57 €
		ECO design according to ERP directives. Automatic connectors. Dimmable by cutting start or end of phase.	160	11,02 €
		High (mm): 7,15 Diameter (mm): 38 Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 6 Temperature (°C): -40+85 Room Temperature (°C): -40~+85 Critical Temperature (°C): 85 Colour Temperature (°K): 4000 Lumen: 595 Angle (°): 120 Energy efficiency: F CRI (?): 90 Life (Hours): 50000 Dimmable: Corte inicio o fin de fase Power factor: >0.95		
     				
	LUE38089272F3	Led Cob EDC/38C/8W/927/230V/F302	1	15,42 €
			10	12,84 €
			80	11,67 €
		ECO design according to ERP directives. Automatic connectors. Dimmable by cutting start or end of phase.	160	11,12 €
		High (mm): 7,15 Diameter (mm): 38 Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 8 Temperature (°C): -40+85 Room Temperature (°C): -40~+85 Critical Temperature (°C): 85 Colour Temperature (°K): 2700 Lumen: 745 Angle (°): 120 Energy efficiency: F CRI (?): 90 Life (Hours): 50000 Dimmable: Corte inicio o fin de fase Power factor: >0.95		
     				

LED TECHNOLOGY > Led modules > Led Lumens Modules

Subfamily **EggDrop F3-series Flicker Free**


Picture	Article	Description	Lot	Price/Unit
	LUE38089302F3		1	15,42 €
	Led Cob EDC/38C/8W/930/230V/F302		10	12,84 €
			80	11,67 €
	ECO design according to ERP directives. Automatic connectors. Dimmable by cutting start or end of phase.		160	11,12 €
	High (mm): 7,15 Diameter (mm): 38 Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 8 Temperature (°C): -40+85 Room Temperature (°C): -40~+85 Critical Temperature (°C): 85 Colour Temperature (°K): 3000 Lumen: 760 Angle (°): 120 Energy efficiency: F CRI (?): 90 Life (Hours): 50000 Dimmable: Corte inicio o fin de fase Power factor: >0.95			
				

	LUEHL38F3		1	1,07 €
	Holder for EDC/38C F302		5	0,88 €
			50	0,81 €
	High (mm): 8,3 Diameter (mm): 40,7		100	0,77 €



LED TECHNOLOGY > Led modules > Led Lumens Modules

Subfamily **EggDrop F3-series Flicker Free**

Picture	Article	Description	Lot	Price/Unit
	LUETT38F3		1	0,69 €
	Thermal Tape for EDC/38C F302		50	0,57 €
	Distributes the heat on the surface of the module. It must measure 6mm more in diameter than the module		100	0,52 €
	Diameter (mm): 44 Colour: Black		200	0,49 €



Catalogue **LED TECHNOLOGY**

Line **Led modules**


FAMILY **Led Lumens Modules**

Subfamily **EggDrop G-series**

COB modules mains voltage 120V (UL) and 230V (EC) potencias 4 to 40W. CRI 80 and 90. T Color from 2700K to 600K. With automatic connectors .compatible with most existing TRIAC dimmer in the market .Optionally with LED Holder (Zhaga compliant) and Thermal pad connectors to distribute heat over the entire surface..


see manual application [aquí.](#)

see manual product [aquí.](#)

Picture	Article	Description	Lot	Price/Unit
	LUE47158302		1	14,20 €
	Led Cob EDC/47C/15W/830/230V/A		9	11,83 €
	Automatic connectors. Dimmable with most Triac dimmers. SDCM 3. Mounting holes Zhaga standars.		90	9,88 €
			180	9,36 €
	High (mm): 4,8 Diameter (mm): 47 Voltage In (Vac): 230 Intensidad In (A): 0.065 Frecuency (Hz): 50~60 Power (W): 15 Temperature (°C): -40+85 Room Temperature (°C): -40~+85 Critical Temperature (°C): 85 Colour Temperature (°K): 3000 Lumen: 1500 Angle (°): 120 Energy efficiency: A+ CRI (≥): 80 Life (Hours): 50000 Dimmable: Corte inicio o fin de fase Power factor: >0.99			




Subfamily **EggDrop G-series**


Picture	Article	Description	Lot	Price/Unit
	LUE47159272		1	12,75 €
	Led Cob EDC/47C/15W/927/230V/A		9	10,63 €
	Automatic connectors. Dimmable with most Triac dimmers. SDCM 3. Mounting holes Zhaga standards.		90	8,88 €
	High (mm): 4,8 Diameter (mm): 47 Voltage In (Vac): 230 Intensidad In (A): 0.065 Frecuency (Hz): 50~60 Power (W): 15 Temperature (°C): -40+85 Room Temperature (°C): -40~+85 Critical Temperature (°C): 85 Colour Temperature (°K): 2700 Lumen: 1275 Angle (°): 120 Energy efficiency: A+ CRI (?): 90 Life (Hours): 50000 Dimmable: Corte inicio o fin de fase Power factor: >0.99		180	8,41 €




LED TECHNOLOGY > Led modules > Led Lumens Modules

Subfamily **EggDrop G-series**

Picture	Article	Description	Lot	Price/Unit
	LUE57208302D		1	20,44 €
	Led Cob EDC/57C/20W/830DW/230V/A/FF Dimable to warm and FF		5	17,03 €
			50	14,17 €
			100	13,52 €
	Automatic connectors. Dimmable with most Triac dimmers. SDCM 3. Mounting holes Zhaga standards.			
	High (mm): 4,8 Diameter (mm): 57 Voltage In (Vac): 230 Intensidad In (A): 0.087 Frecuency (Hz): 50~60 Power (W): 20 Temperature (°C): -40+85 Room Temperature (°C): -40~+85 Critical Temperature (°C): 85 Colour Temperature (°K): 1800~3000 Lumen: 2000 Angle (°): 120 Energy efficiency: A+ CRI (?): 80 Life (Hours): 50000 Dimmable: Corte inicio o fin de fase Power factor: >0.99			




	LUEHL38		1	0,75 €
	Holder D41 for EDC/38C white		5	0,62 €
			50	0,52 €
			100	0,49 €
	UNTIL END OF STOCKS. Zhaga standard. 5.5mm diameter fixing holes 35mm apart between centers.			
	High (mm): 6,6 Diameter (mm): 41 Colour: White			




LED TECHNOLOGY > Led modules > Led Lumens Modules

Subfamily **EggDrop G-series**

Picture	Article	Description	Lot	Price/Unit
	LUEHL47		1	0,83 €
	Holder D50 for EDC/47C white		5	0,69 €
	UNTIL END OF STOCKS. Zhaga standard. 5.5mm diameter fixing holes 35mm apart between centers.		50	0,57 €
	High (mm): 6,6 Diameter (mm): 50 Colour: White		100	0,55 €




	LUEHL47T		1	0,83 €
	Holder D50 for EDC/47C transparent		5	0,69 €
	UNTIL STOCK LAST. Zhaga standard. 5.5mm diameter fastening holes spaced 35mm between centers.		50	0,57 €
	High (mm): 6,6 Diameter (mm): 50 Colour: Transparent		100	0,55 €




LED TECHNOLOGY > Led modules > Led Lumens Modules

Subfamily **EggDrop G-series**

Picture	Article	Description	Lot	Price/Unit
	LUEHL57		1	0,87 €
	Holder D60 for EDC/57C white		5	0,73 €
	Zhaga standard. 5.5mm diameter mounting holes separated by 35mm between centers.		50	0,61 €
			100	0,59 €
	High (mm): 6,6 Diameter (mm): 60 Colour: White			




	LUETT47		1	0,75 €
	Thermal Tape for EDC/47C		5	0,62 €
	UNTIL END OF STOCKS. Distributes the heat on the surface of the module. It should measure 6mm more in diameter than the module		50	0,52 €
			100	0,49 €
	Diameter (mm): 53			



LED TECHNOLOGY > Led modules > Led Lumens Modules

Subfamily **EggDrop G-series**

Picture	Article	Description	Lot	Price/Unit
	LUETT57		1	0,72 €
	Thermal Tape for EDC/57C		5	0,60 €
	UNTIL END OF STOCKS. Distributes the heat on the surface of the module. It should measure 6mm more in diameter than the module		50	0,55 €
	Diameter (mm): 63		100	0,52 €

LUMENS
Leading the LED Revolution


Catalogue **LED TECHNOLOGY**

Line **Led modules**

FAMILY **Led Lumens Modules**

Subfamily **EggDrop F2-series Flicker Free**


COB Modules mains voltage. ECO desing according to ERP directives. Powers from 4 to 20W. Automatic connectors. Dimmable with leading and trailing edge dimmers.

Picture	Article	Description	Lot	Price/Unit
	LUE47049272F2		1	14,87 €
	Led Cob EDC/47C/4W/927/230V/F201		9	12,39 €
		ECO design according to ERP directives.. Automatic connectors. Dimmables by leading and trailing edge dimmers.	90	11,26 €
			180	10,73 €
		High (mm): 7,6 Diameter (mm): 47 Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 4 Temperature (°C): -40+85 Room Temperature (°C): -40~+85 Critical Temperature (°C): 85 Colour Temperature (°K): 2700 Lumen: 316 Angle (°): 120 Energy efficiency: G CRI (≥): 90 Life (Hours): 50000 Dimmable: Corte inicio o fin de fase Power factor: >0.95		



LED TECHNOLOGY > Led modules > Led Lumens Modules


Subfamily **EggDrop F2-series Flicker Free**

Picture	Article	Description	Lot	Price/Unit
	LUE47049302F2		1	14,87 €
	Led Cob EDC / 47C / 4W / 930 / 230V / F201		9	12,39 €
			90	11,26 €
	ECO design according to ERP directives.. Automatic connectors. Dimmables by leading and trailing edge dimmers.		180	10,73 €
	High (mm): 7,6 Diameter (mm): 47 Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 4 Temperature (°C): -40+85 Room Temperature (°C): -40~+85 Critical Temperature (°C): 85 Colour Temperature (°K): 3000 Lumen: 344 Angle (°): 120 Energy efficiency: G CRI (?): 90 Life (Hours): 50000 Dimmable: Corte inicio o fin de fase Power factor: >0.95			




LED TECHNOLOGY > Led modules > Led Lumens Modules

Subfamily **EggDrop F2-series Flicker Free**


Picture	Article	Description	Lot	Price/Unit
	LUE47069272F2		1	14,98 €
	Led Cob EDC / 47C / 6W / 927 / 230V / F201		9	12,48 €
	ECO design according to ERP directives.. Automatic connectors. Dimmables by leading and trailing edge dimmers.		90	11,35 €
	High (mm): 7,6 Diameter (mm): 47 Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 6 Temperature (°C): -40+85 Room Temperature (°C): -40~+85 Critical Temperature (°C): 85 Colour Temperature (°K): 2700 Lumen: 475 Angle (°): 120 Energy efficiency: G CRI (?): 90 Life (Hours): 50000 Dimmable: Corte inicio o fin de fase Power factor: >0,95		180	10,80 €




	LUE47069302F2		1	14,98 €
	Led Cob EDC / 47C / 6W / 930 / 230V / F201		9	12,48 €
	ECO design according to ERP directives.. Automatic connectors. Dimmables by leading and trailing edge dimmers.		90	11,35 €
	High (mm): 7,6 Diameter (mm): 47 Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 6 Temperature (°C): -40+85 Room Temperature (°C): -40~+85 Critical Temperature (°C): 85 Colour Temperature (°K): 3000 Lumen: 516 Angle (°): 120 Energy efficiency: G CRI (?): 90 Life (Hours): 50000 Dimmable: Corte inicio o fin de fase Power factor: >0,95		180	10,80 €



Subfamily **EggDrop F2-series Flicker Free**

Picture	Article	Description	Lot	Price/Unit
	LUE47089272F2		1	15,07 €
	Led Cob EDC / 47C / 8W / 927 / 230V / F201		9	12,56 €
			90	11,41 €
	ECO design according to ERP directives.. Automatic connectors. Dimmables by leading and trailing edge dimmers. Zhaga standard		180	10,87 €
	High (mm): 7,6 Diameter (mm): 47 Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 8 Temperature (°C): -40+85 Room Temperature (°C): -40~+85 Critical Temperature (°C): 85 Colour Temperature (°K): 2700 Lumen: 665 Angle (°): 120 Energy efficiency: G CRI (?): 90 Life (Hours): 50000 Dimmable: Corte inicio o fin de fase Power factor: >0,95			




	LUE47089302F2		1	15,07 €
	Led Cob EDC / 47C / 8W / 930 / 230V / F201		9	12,56 €
			90	11,41 €
	ECO design according to ERP directives.. Automatic connectors. Dimmables by leading and trailing edge dimmers. Zhaga standard		180	10,87 €
	High (mm): 7,6 Diameter (mm): 47 Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 8 Temperature (°C): -40+85 Room Temperature (°C): -40~+85 Critical Temperature (°C): 85 Colour Temperature (°K): 3000 Lumen: 722 Angle (°): 120 Energy efficiency: F CRI (?): 90 Life (Hours): 50000 Dimmable: Corte inicio o fin de fase Power factor: >0,95			




LED TECHNOLOGY > Led modules > Led Lumens Modules

Subfamily **EggDrop F2-series Flicker Free**


Picture	Article	Description	Lot	Price/Unit
	LUE47109272F2		1	15,20 €
	Led Cob EDC / 47C / 10W / 927 / 230V / F201		9	12,66 €
			90	11,51 €
	ECO design according to ERP directives.. Automatic connectors. Dimmables by leading and trailing edge dimmers.		180	10,96 €
	High (mm): 7,6 Diameter (mm): 47 Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 10 Temperature (°C): -40+85 Room Temperature (°C): -40~+85 Critical Temperature (°C): 85 Colour Temperature (°K): 2700 Lumen: 831 Angle (°): 120 Energy efficiency: G CRI (?): 90 Life (Hours): 50000 Dimmable: Corte inicio o fin de fase Power factor: >0,95			




	LUE47109302F2		1	15,20 €
	Led Cob EDC / 47C / 10W / 930 / 230V / F201		9	12,66 €
			90	11,51 €
	ECO design according to ERP directives.. Automatic connectors. Dimmables by leading and trailing edge dimmers. Zhaga standard		180	10,96 €
	High (mm): 7,6 Diameter (mm): 47 Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 10 Temperature (°C): -40+85 Room Temperature (°C): -40~+85 Critical Temperature (°C): 85 Colour Temperature (°K): 3000 Lumen: 903 Angle (°): 120 Energy efficiency: F CRI (?): 90 Life (Hours): 50000 Dimmable: Corte inicio o fin de fase Power factor: >0,95			



Subfamily **EggDrop F2-series Flicker Free**


Picture	Article	Description	Lot	Price/Unit
	LUE57089272F2		1	15,44 €
	Led Cob EDC / 57C / 8W / 927 / 230V / F201		5	12,87 €
	ECO design according to ERP directives.. Automatic connectors. Dimmables by leading and trailing edge dimmers. Zhaga standard		50	11,70 €
			100	11,14 €
	High (mm): 7,6 Diameter (mm): 57 Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 8 Temperature (°C): -40+85 Room Temperature (°C): -40~+85 Critical Temperature (°C): 85 Colour Temperature (°K): 2700 Lumen: 696 Angle (°): 120 Energy efficiency: G CRI (?): 90 Life (Hours): 50000 Dimmable: Corte inicio o fin de fase Power factor: >0,95			




	LUE57089302F2		1	15,44 €
	Led Cob EDC / 57C / 8W / 930 / 230V / F201		5	12,87 €
	ECO design according to ERP directives.. Automatic connectors. Dimmables by leading and trailing edge dimmers. Zhaga standard		50	11,70 €
			100	11,14 €
	High (mm): 7,6 Diameter (mm): 57 Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 8 Temperature (°C): -40+85 Room Temperature (°C): -40~+85 Critical Temperature (°C): 85 Colour Temperature (°K): 3000 Lumen: 757 Angle (°): 120 Energy efficiency: F CRI (?): 90 Life (Hours): 50000 Dimmable: Corte inicio o fin de fase Power factor: >0,95			



Subfamily **EggDrop F2-series Flicker Free**


Picture	Article	Description	Lot	Price/Unit
	LUE57109272F2		1	15,56 €
	Led Cob EDC / 57C / 10W / 927 / 230V / F201		5	12,97 €
			50	11,79 €
	ECO design according to ERP directives.. Automatic connectors. Dimmables by leading and trailing edge dimmers. Zhaga standard		100	11,23 €
	High (mm): 7,6 Diameter (mm): 57 Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 10 Temperature (°C): -40+85 Room Temperature (°C): -40~+85 Critical Temperature (°C): 85 Colour Temperature (°K): 2700 Lumen: 870 Angle (°): 120 Energy efficiency: G CRI (?): 90 Life (Hours): 50000 Dimmable: Corte inicio o fin de fase Power factor: >0,95			




	LUE57109302F2		1	15,56 €
	Led Cob EDC / 57C / 10W / 930 / 230V / F201		5	12,97 €
			50	11,79 €
	ECO design according to ERP directives.. Automatic connectors. Dimmables by leading and trailing edge dimmers. Zhaga standard		100	11,23 €
	High (mm): 7,6 Diameter (mm): 57 Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 10 Temperature (°C): -40+85 Room Temperature (°C): -40~+85 Critical Temperature (°C): 85 Colour Temperature (°K): 3000 Lumen: 946 Angle (°): 120 Energy efficiency: F CRI (?): 90 Life (Hours): 50000 Dimmable: Corte inicio o fin de fase Power factor: >0,95			



Subfamily **EggDrop F2-series Flicker Free**


Picture	Article	Description	Lot	Price/Unit
	LUE57129272F2		1	15,68 €
	Led Cob EDC / 57C / 12W / 927 / 230V / F201		5	13,07 €
			50	11,88 €
	ECO design according to ERP directives.. Automatic connectors. Dimmables by leading and trailing edge dimmers. Zhaga standard		100	11,31 €
	High (mm): 7,6 Diameter (mm): 57 Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 12 Temperature (°C): -40+85 Room Temperature (°C): -40~+85 Critical Temperature (°C): 85 Colour Temperature (°K): 2700 Lumen: 997 Angle (°): 120 Energy efficiency: G CRI (?): 90 Life (Hours): 50000 Dimmable: Corte inicio o fin de fase Power factor: >0,95			




	LUE57129302F2		1	15,68 €
	Led Cob EDC / 57C / 12W / 930 / 230V / F201		5	13,07 €
			50	11,88 €
	ECO design according to ERP directives.. Automatic connectors. Dimmables by leading and trailing edge dimmers. Zhaga standard		100	11,31 €
	High (mm): 7,6 Diameter (mm): 57 Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 12 Temperature (°C): -40+85 Room Temperature (°C): -40~+85 Critical Temperature (°C): 85 Colour Temperature (°K): 3000 Lumen: 1084 Angle (°): 120 Energy efficiency: F CRI (?): 90 Life (Hours): 50000 Dimmable: Corte inicio o fin de fase Power factor: >0,95			



Subfamily **EggDrop F2-series Flicker Free**

Picture	Article	Description	Lot	Price/Unit
	LUE57159272F2		1	15,83 €
	Led Cob EDC / 57C / 15W / 927 / 230V / F201		5	13,20 €
			50	12,00 €
	ECO design according to ERP directives.. Automatic connectors. Dimmables by leading and trailing edge dimmers. Zhaga standard		100	11,43 €
	High (mm): 7,6 Diameter (mm): 57 Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 15 Temperature (°C): -40+85 Room Temperature (°C): -40~+85 Critical Temperature (°C): 85 Colour Temperature (°K): 2700 Lumen: 1246 Angle (°): 120 Energy efficiency: G CRI (?): 90 Life (Hours): 50000 Dimmable: Corte inicio o fin de fase Power factor: >0,95			




	LUE57159302F2		1	15,83 €
	Led Cob EDC / 57C / 15W / 930 / 230V / F201		5	13,20 €
			50	12,00 €
	ECO design according to ERP directives.. Automatic connectors. Dimmables by leading and trailing edge dimmers. Zhaga standard		100	11,43 €
	High (mm): 7,6 Diameter (mm): 57 Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 15 Temperature (°C): -40+85 Room Temperature (°C): -40~+85 Critical Temperature (°C): 85 Colour Temperature (°K): 3000 Lumen: 1355 Angle (°): 120 Energy efficiency: F CRI (?): 90 Life (Hours): 50000 Dimmable: Corte inicio o fin de fase Power factor: >0,95			




LED TECHNOLOGY > Led modules > Led Lumens Modules

Subfamily **EggDrop F2-series Flicker Free**

Picture	Article	Description	Lot	Price/Unit
	LUE57159402F2		1	15,83 €
	Led Cob EDC / 57C / 15W / 940 / 230V / F201		5	13,20 €
	ECO design according to ERP directives.. Automatic connectors. Dimmables by leading and trailing edge dimmers. Zhaga standard		50	12,00 €
			100	11,43 €
	High (mm): 7,6 Diameter (mm): 57 Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 15 Temperature (°C): -40+85 Room Temperature (°C): -40~+85 Critical Temperature (°C): 85 Colour Temperature (°K): 4000 Lumen: 1409 Angle (°): 120 Energy efficiency: F CRI (?): 90 Life (Hours): 50000 Dimmable: Corte inicio o fin de fase Power factor: >0,95			






	LUEHL47F2		1	1,01 €
	Holder D47 for EDC/47C F201 white		5	0,85 €
	Holder for EggDrop modules direct to the network of 47 mm in diameter series F201		50	0,77 €
			100	0,73 €
	High (mm): 8,4 Diameter (mm): 47 Colour: White			



LED TECHNOLOGY > Led modules > Led Lumens Modules


Subfamily **EggDrop F2-series Flicker Free**

Picture	Article	Description	Lot	Price/Unit
	LUEHL57F2		1	1,07 €
	Holder D60 for EDG/57C F201 white		5	0,88 €
	Zhaga standard. 5.5mm diameter fixing holes 35mm apart between centers.		50	0,81 €
	High (mm): 9 Diameter (mm): 60 Colour: White		100	0,77 €
 				

	LUETT47F2		1	0,72 €
	Thermal Tape for EDC/47C F201		5	0,60 €
	Distributes the heat on the surface of the module. It should measure 6mm more in diameter than the module		50	0,55 €
	Diameter (mm): 53		100	0,52 €
 				

LED TECHNOLOGY > Led modules > Led Lumens Modules

Subfamily **EggDrop F2-series Flicker Free**

Picture	Article	Description	Lot	Price/Unit
	LUETT57		1	0,72 €
	Thermal Tape for EDC/57C		5	0,60 €
	UNTIL END OF STOCKS. Distributes the heat on the surface of the module. It should measure 6mm more in diameter than the module		50	0,55 €
	Diameter (mm): 63		100	0,52 €




Catalogue **LED TECHNOLOGY**

Line **Led modules**

FAMILY **Led Lumens Modules**

Subfamily **Linearon LNM-series**


linear modules 30 mm wide and lengths of 140, 280 and 560mm. With connectors on both sides for grid connection and serial connection to other modules to 270W. Design according to Zhaga Book 7. Available at 120V and 230V, with CRI 80 and optionally CRI90 and color temperatures from 2700K to 6000K

Picture	Article	Description	Lot	Price/Unit
	LUL14049271		1	10,14 €
	Led Lineal LNM14030/4.5W/927/120/C		20	9,23 €
	Automatic connectors. Dimmable with most Triac dimmers. SDCM 3		200	8,84 €
		Length (mm): 140 Width (mm): 30 High (mm): 6,5 Voltage In (Vac): 120 Intensidad In (A): 0.037 Frecuency (Hz): 50~60 Power (W): 4.5 Temperature (°C): -40+85 Room Temperature (°C): -40~+85 Critical Temperature (°C): 65 Colour Temperature (°K): 2700 Lumen: 368 Angle (°): 120 CRI (≥): 90 Life (Hours): 50000 Dimmable: SI Power factor: >0.99		




LED TECHNOLOGY > Led modules > Led Lumens Modules

Subfamily **Linearon LNM-series**


Picture	Article	Description	Lot	Price/Unit
	LUL14CV		1	0,91 €
	Lineal led cover 140 transparent		20	0,85 €
	Length (mm): 140 Width (mm): 30 High (mm): 6 Colour: Transparent		200	0,78 €

LUMENS
 Leading the LED Revolution


	LUL28CV		1	1,17 €
	Cover for Led Lineal 280 transparent		10	1,11 €
	Length (mm): 280 Width (mm): 30 High (mm): 6 Colour: Transparent		100	1,04 €

LUMENS
 Leading the LED Revolution

Subfamily **Linearon LNM-series**

Picture	Article	Description	Lot	Price/Unit
	LUL28CVP		1	1,17 €
	Cover for Led Lineal 280 opal		10	1,11 €
	Length (mm): 280 Width (mm): 30 High (mm): 6 Colour: Opal		100	1,04 €




	LUL56098402		1	13,26 €
	Lineal LNM Led 56030/9W/840/230/C		10	12,09 €
	Automatic connectors. Dimmable with most Triac dimmers. SDCM 3 Length (mm): 560 Width (mm): 30 High (mm): 6,5 Voltage In (Vac): 230 Intensidad In (A): 0.039 Frecuency (Hz): 50~60 Power (W): 9 Temperature (°C): -40+85 Room Temperature (°C): -40~+85 Critical Temperature (°C): 65 Colour Temperature (°K): 4000 Lumen: 936 Angle (°): 120 CRI (?): 80 Life (Hours): 50000 Dimmable: SI Power factor: >0.99		100	11,57 €



LED TECHNOLOGY > Led modules > Led Lumens Modules

Subfamily **Linearon LNM-series**

Picture	Article	Description	Lot	Price/Unit
	LUL56CVP		1	2,47 €
		Cover for Led Lineal 560 opal	10	2,21 €
		Length (mm): 560 Width (mm): 30 High (mm): 6 Colour: Opal	100	2,08 €

LUMENS
Leading the LED Revolution

Catalogue **LED TECHNOLOGY**


Line **Led modules**

FAMILY **Led Lumens Modules**

Subfamily **LED modules Ergon COB H1 Lumens**

Led modules COB at low voltage with powers. Nominals from 9 to 114W. Efficiencies up to 158lm / W. CRI 80 and optionally CRI90. Long life and robustness thanks to its Flipchip technology with no internal wiring. Dimensions compatible with most accessories on the market. Color temperatures from 2700K to 5000K with MacAdam3.







Ver Manual de producto [aquí.](#)







Picture	Article	Description	Lot	Price/Unit
	LUS1309840		1	2,08 €
	Led Cob ERC13009/S/840/H1		49	1,95 €
	SDCM 3		490	1,89 €

Length (mm): 13,5 Width (mm): 13,5 High (mm): 1,7
Voltage In (Vdc): 34.1 Intensidad In (A): 0.27
Power (W): 9.2 Temperature (°C): -40~+100
Room Temperature (°C): -40~+100
Colour Temperature (°K): 4000 Lumen: 1300
Angle (°): 115 CRI (≥): 80 Life (Hours): 50000
Dimmable: SI















Subfamily **LED modules Ergon COB H1 Lumens**

Picture	Article	Description	Lot	Price/Unit
	LUS1312840		1	3,06 €
	Led Cob ERC13012/S/840/H1		49	2,86 €
	SDCM 3		490	2,73 €
	Length (mm): 13,5 Width (mm): 13,5 High (mm): 1,7 Voltage In (Vdc): 33.8 Intensidad In (A): 0.36 Power (W): 12.2 Temperature (°C): -40+100 Room Temperature (°C): -40~+100 Colour Temperature (°K): 4000 Lumen: 1669 Angle (°): 115 CRI (?): 80 Life (Hours): 50000 Dimmable: SI			
	   			

	LUS2025830		1	6,11 €
	Led Cob ERC20025/S/830/H1		30	5,72 €
	SDCM 3		300	5,46 €
	Length (mm): 19 Width (mm): 19 High (mm): 1,7 Voltage In (Vdc): 33.4 Intensidad In (A): 0.72 Power (W): 24 Temperature (°C): -40+100 Room Temperature (°C): -40~+100 Colour Temperature (°K): 3000 Lumen: 3336 Angle (°): 115 CRI (?): 80 Life (Hours): 50000 Dimmable: SI			
	   			


Subfamily **LED modules Ergon COB H1 Lumens**

Picture	Article	Description	Lot	Price/Unit
	LUS2025927		1	6,11 €
	Led Cob ERC20025/S/927/H1		30	5,72 €
	SDCM 3		300	5,46 €
		Length (mm): 19 Width (mm): 19 High (mm): 1,7 Voltage In (Vdc): 33.4 Intensidad In (A): 0.72 Power (W): 24 Temperature (°C): -40+100 Room Temperature (°C): -40~+100 Colour Temperature (°K): 2700 Lumen: 2631 Angle (°): 120 CRI (?): 90 Life (Hours): 50000 Dimmable: SI		
				

	LUS3035927		1	10,27 €
	Led Cob ERC30035/S/927/H1		16	9,75 €
	SDCM 3		160	9,23 €
		Length (mm): 28 Width (mm): 28 High (mm): 1,7 Voltage In (Vdc): 33.5 Intensidad In (A): 1.08 Power (W): 36 Temperature (°C): -40+100 Room Temperature (°C): -40~+100 Colour Temperature (°K): 2700 Lumen: 4245 Angle (°): 115 CRI (?): 90 Life (Hours): 50000 Dimmable: SI		
				


LED TECHNOLOGY > Led modules > Led Lumens Modules

Subfamily **LED modules Ergon COB H1 Lumens**

Picture	Article	Description	Lot	Price/Unit
	LUS3085830		1	25,74 €
	Led Cob ERC30085/S/830/H1		16	24,44 €
	SDCM 3	Length (mm): 28 Width (mm): 28 High (mm): 1,7 Voltage In (Vdc): 50 Intensidad In (A): 1.62 Power (W): 81 Temperature (°C): -40+100 Room Temperature (°C): -40~+100 Colour Temperature (°K): 3000 Lumen: 10471 Angle (°): 115 CRI (?): 80 Life (Hours): 50000 Dimmable: SI	160	23,27 €




Catalogue **LED TECHNOLOGY**
 Line **Led modules**
 Family **Led Lumens Modules**
 Subfamily **LEDmodules Ergon COB H2 Lumens**

Picture	Article	Description	Lot	Price/Unit
	LUT1309840		1	2,31 €
	Led Cob ERC 1309H2-840 CRI80 4000K		49	2,00 €
	SDCM 3		245	1,91 €
			490	1,82 €

Length (mm): 13,5 Width (mm): 13,5 High (mm): 1,55
 Voltage In (Vdc): 34.8 Intensidad In (A): 0.35
 Power (W): 12.2 Room Temperature (°C): -30~+100
 Colour Temperature (°K): 4000 Lumen: 1885
 Angle (°): 115 CRI (≥): 80 Dimmable: SI




	LUT1309940		490 (Pedido mínimo)	1,99 €
	Led Cob ERC 1309H2-940 CRI90 4000K		980	1,94 €
	SDCM 3		1470	1,87 €

Length (mm): 13,5 Width (mm): 13,5 High (mm): 1,55
 Voltage In (Vdc): 34.8 Intensidad In (A): 0.35
 Power (W): 12.2 Room Temperature (°C): -30~+100
 Colour Temperature (°K): 4000 Lumen: 1556
 Angle (°): 115 CRI (≥): 90 Dimmable: SI




LED TECHNOLOGY > Led modules > Led Lumens Modules

Subfamily **LEDmodules Ergon COB H2 Lumens**

Picture	Article	Description	Lot	Price/Unit
	LUT1318940	Led Cob ERC 1318H2-940 CRI90 4000K	490 (Pedido mínimo)	2,47 €
	SDCM 3		980	2,41 €
			1470	2,33 €
		Length (mm): 13,5 Width (mm): 13,5 High (mm): 1,55 Voltage In (Vdc): 35.5 Intensidad In (A): 0.5 Power (W): 17.8 Room Temperature (°C): -30~+100 Colour Temperature (°K): 4000 Lumen: 2280 Angle (°): 115 CRI (?): 90 Dimmable: SI		




	LUT2032840	Led Cob ERC 2032H2-840 CRI80 4000K	1	5,47 €
	SDCM 3		25	4,76 €
			125	4,54 €
			250	4,32 €
		Length (mm): 19 Width (mm): 19 High (mm): 1,55 Voltage In (Vdc): 35 Intensidad In (A): 0.9 Power (W): 31.5 Room Temperature (°C): -30~+100 Colour Temperature (°K): 4000 Lumen: 4960 Angle (°): 115 CRI (?): 80 Dimmable: SI		




LED TECHNOLOGY > Led modules > Led Lumens Modules

Subfamily **LEDmodules Ergon COB H2 Lumens**

Picture	Article	Description	Lot	Price/Unit
	LUT3040840		1	8,79 €
	Led Cob ERC 3040H2-840 CRI80 4000K		16	7,64 €
	SDCM 3		80	7,28 €
			160	6,93 €

Length (mm): 28 Width (mm): 28 High (mm): 1,55
Voltage In (Vdc): 34.2 Intensidad In (A): 1.05
Power (W): 35.9 Room Temperature (°C): -30~+100
Colour Temperature (°K): 4000 Lumen: 6010
Angle (°): 115 CRI (?): 80 Dimmable: SI



	LUT3040940		160 (Pedido mínimo)	7,37 €
	Led Cob ERC 3040H2-940 CRI90 4000K		320	7,16 €
	SDCM 3		480	6,96 €

Length (mm): 28 Width (mm): 28 High (mm): 1,55
Voltage In (Vdc): 34.2 Intensidad In (A): 1.05
Power (W): 35.9 Room Temperature (°C): -30~+100
Colour Temperature (°K): 4000 Lumen: 5320
Angle (°): 115 CRI (?): 90 Dimmable: SI



Catalogue **LED TECHNOLOGY**


Line **Led modules**

FAMILY **Led Lumens Modules**

Subfamily **Ergon COB HE series**





COB range of low voltage modules with power ratings from 7.5W to 70W with efficiencies of up to 128lm / W. Low heat resistance, long life and better robustness thanks to the absence of internal wiring of chips.





see manual products [aquí.](#)

Picture	Article	Description	Lot	Price/Unit
	LUP1812830		1	2,99 €
	Led Cob ERC1812/S/830/HE		360	2,73 €
	SDCM3		720	2,60 €
	Length (mm): 17,85 Width (mm): 17,85 High (mm): 2 Voltage In (Vdc): 36.9 Intensidad In (A): 0.32 Power (W): 11.8 Temperature (°C): -40+85 Room Temperature (°C): -40~+85 Colour Temperature (°K): 3000 Lumen: 1400 Angle (°): 120 CRI (≥): 80 Life (Hours): 50000 Dimmable: SI			







Subfamily **Ergon COB HE series**





Picture	Article	Description	Lot	Price/Unit
	LUP1820830		1	5,07 €
	Led Cob ERC1820/S/830/HE		360	4,55 €
	SDCM3		720	4,29 €
	Length (mm): 17,85 Width (mm): 17,85 High (mm): 2 Voltage In (Vdc): 37.1 Intensidad In (A): 0.55 Power (W): 20.4 Temperature (°C): -40+85 Room Temperature (°C): -40~+85 Colour Temperature (°K): 3000 Lumen: 2240 Angle (°): 120 CRI (?): 80 Life (Hours): 50000 Dimmable: SI			
			 	

	LUP2530830		1	8,32 €
	Led Cob ERC2530/S/830/HE		250	7,54 €
	SDCM3		500	7,15 €
	Length (mm): 23,85 Width (mm): 23,85 High (mm): 2 Voltage In (Vdc): 37 Intensidad In (A): 0.8 Power (W): 29.6 Temperature (°C): -40+85 Room Temperature (°C): -40~+85 Colour Temperature (°K): 3000 Lumen: 3450 Angle (°): 120 CRI (?): 80 Life (Hours): 50000 Dimmable: SI			
			 	

LED TECHNOLOGY > Led modules > Led Lumens Modules

Subfamily **Ergon COB HE series**

Picture	Article	Description	Lot	Price/Unit
	LUP2540830		1	11,18 €
	Led Cob ERC2540/S/830/HE		250	10,14 €
	SDCM3		500	9,62 €
	Length (mm): 23,85 Width (mm): 23,85 High (mm): 2 Voltage In (Vdc): 37 Intensidad In (A): 1.1 Power (W): 40.7 Temperature (°C): -40+85 Room Temperature (°C): -40~+85 Colour Temperature (°K): 3000 Lumen: 4700 Angle (°): 120 CRI (?): 80 Life (Hours): 50000 Dimmable: SI			
			 	

	LUP3070830		1	19,37 €
	Led Cob ERC3070/S/830/HE		160	17,55 €
	SDCM3		320	16,77 €
	Length (mm): 27,35 Width (mm): 27,35 High (mm): 2 Voltage In (Vdc): 37 Intensidad In (A): 1.9 Power (W): 70.3 Temperature (°C): -40+85 Room Temperature (°C): -40~+85 Colour Temperature (°K): 3000 Lumen: 8000 Angle (°): 120 CRI (?): 80 Life (Hours): 50000 Dimmable: SI			
			 	


Catalogue **LED TECHNOLOGY**

Line **Led modules**

FAMILY **Led Lumens Modules**

Subfamily **Downlight Module Series F**






Led module 100mm Diameter. ECO desing according to ERP directives

Picture	Article	Description	Lot	Price/Unit
	LUD100169272		1	16,95 €
	Led Module DLM100C/16W/927/230V/ F201		12	15,41 €
	ECO design according to ERP directives. Automatic connectors. Dimmables by leading or trailing edge dimmers. No cover. Cover code LUD100CV to be ordered separately		120	14,01 €
			240	13,34 €
	<p>Diameter (mm): 100 Voltage In (Vac): 230 Intensidad In (A): 0.063 Frecuency (Hz): 50~60 Power (W): 16 Temperature (°C): -40~+85 Room Temperature (°C): -40~+85 Colour Temperature (°K): 2700 Lumen: 1520 Angle (°): 120 CRI (≥): 90 Life (Hours): 50000 Dimmable: Corte inicio o fin de fase Power factor: >0.95</p>			



LED TECHNOLOGY > Led modules > Led Lumens Modules

Subfamily **Downlight Module Series F**

Picture	Article	Description	Lot	Price/Unit
	LUD100169302		1	16,95 €
	Led Module DLM100C/16W/930/230V/ F201		12	15,41 €
	ECO design according to ERP directives. Automatic connectors. Dimmables by leading or trailing edge dimmers. No cover. Cover code LUD100CV to be ordered separately		120	14,01 €
			240	13,34 €
	Diameter (mm): 100 Voltage In (Vac): 230 Intensidad In (A): 0.063 Frecuency (Hz): 50~60 Power (W): 16 Temperature (°C): -40+85 Room Temperature (°C): -40~+85 Colour Temperature (°K): 3000 Lumen: 1616 Angle (°): 120 CRI (?): 90 Life (Hours): 50000 Dimmable: Corte inicio o fin de fase Power factor: >0.95			
				
  				
	LUD100CV		1	1,51 €
	DLM100C F201 Led Module Cover		12	1,26 €
	Transparent plastic cover for DLM 100C F201		120	1,20 €
		240	1,16 €	

