





Catalogue **LED TECHNOLOGY**

Line **Led modules**









FAMILY **Battery Led Modules**

Subfamily **LED modules to battery**










Download led module with battery catalogue [here.](#)

Picture	Article	Description	Lot	Price/Unit
	G5K0040M-7		1	36,93 €
	Module led battery 290 Lm 3000K IP65 direct charge Micro-B USB.		10	33,58 €
			48	30,54 €
			96	29,07 €
	Direct charging via micro-B USB socket. 5V-2A charger and USB cable not included, order separately.			
	High (mm): 62 Diameter (mm): 120 Colour: White Voltage In (Vdc): 5 Power (W): 3 Colour Temperature (°K): 3000 Lumen: 290 CRI (≥): 80 Ingress Protection: IP65 Dimmable: SI			
				
	G5K0040M-3C		1	41,35 €
	Module LED battery IP67 290 lm 3000K Charging induction. USB -C		10	37,61 €
			48	34,18 €
			96	32,57 €
	Charging via induction base with USB type C. Recommended charger code G5K0021F with 1 m USB type A cable - USB type C not included. Order separately.			
	High (mm): 62 Diameter (mm): 120 Colour: White Voltage In (Vdc): 5 Power (W): 3 Colour Temperature (°K): 3000 Lumen: 290 CRI (≥): 80 Ingress Protection: IP67 Dimmable: SI			
				

Subfamily **LED modules to battery**









Picture	Article	Description	Lot	Price/Unit
	G5K0021F		1	7,22 €
	EUR 5V-2A charger with rear USB socket with 1m cable		10	6,55 €
			50	5,95 €
			100	5,67 €
	Colour: White Voltage In (Vac): 100~240 Voltage Out (Vdc): 5 Intensidad In (A): 0.5 Intensidad Out (A): 2 Frecuency (Hz): 50~60			
	 			
	G5K0021FC		1	7,70 €
	EUR 5V-2A charger with rear USB socket with 1m USB-USB-C cable		10	6,99 €
			50	6,36 €
			100	6,06 €
	Colour: White Voltage In (Vac): 100~240 Voltage Out (Vdc): 5 Intensidad In (A): 0.5 Intensidad Out (A): 2 Frecuency (Hz): 50~60			
	 			
	G5K0021U		1	0,98 €
	USB cable - Mini USB 1 meter white		10	0,88 €
			50	0,81 €
	Cable 2464 24AWG VW. For low voltage chargers with USB socket		100	0,77 €
	Length (mm): 1000 Colour: White			
				

Subfamily **LED modules to battery**

Picture	Article	Description	Lot	Price/Unit
	G5K0021UC		1	1,42 €
	1 meter white USB-USB TypeC cable		10	1,29 €
	2464 24AWG VW Cable. For low voltage chargers with USB socket		50	1,17 €
			100	1,12 €
	Length (mm): 1000 Colour: White			
				
	G5K0021UCC		1	1,42 €
	1 meter white USB type C cable - USB type C		10	1,29 €
	2464 24AWG VW Cable. For low voltage chargers with USB-C socket		50	1,17 €
			100	1,12 €
	Length (mm): 1000 Colour: White			
				
	G5K0022C		1	4,32 €
	USA charger 5V-1A for TOUCH module		10	3,91 €
	Para cable USB- Mini USB 		50	3,56 €
			100	3,39 €
	Colour: White Voltage In (Vac): 100~240 Voltage Out (Vdc): 5 Intensidad In (A): 0.4 Intensidad Out (A): 1 Frecuency (Hz): 50~60			
				

LED TECHNOLOGY > Led modules > Battery Led Modules

Subfamily **LED modules to battery**

Picture	Article	Description	Lot	Price/Unit
	G5K0040C		1	5,25 €
	EUR Charger 12V-1A with 1m USB-mini USB Cable		10	4,77 €
	USB / MiCRO USB socket with 1 m cable		50	4,34 €
			100	4,13 €
	Colour: White Voltage In (Vac): 100~240 Voltage Out (Vdc): 12 Frecuency (Hz): 50~60 Power (W): 12 Ingress Protection: IP20			
  				
	G5K0041C		1	5,25 €
	USA Charger 12V-1A with USB socket wihtout cable		10	4,77 €
	Colour: White Voltage In (Vac): 100~240		50	4,34 €
	Voltage Out (Vdc): 12 Intensidad Out (A): 1		100	4,13 €
  				







Catalogue **LED TECHNOLOGY**

Line **Led modules**

FAMILY **Battery Led Modules**





Subfamily **Configurable Led battery modules**

Download the technical data sheet of the module and its components [here.](#)

Picture	Article	Description	Lot	Price/Unit
	G5K000P0	Crown control board module led to battery GPC	1	11,84 €
			10	10,78 €
		Jumper that allows you to choose 150lm or 250lm.	40	9,78 €
		Connectors with 1 or 2 batteries, touch and micro USB.	80	9,32 €
	Diameter (mm): 65 Ingress Protection: IP20 Dimmable: SI			
	 			
	G5K000P02	Mini control board D40 module led to battery GPC02	1	11,84 €
			10	10,78 €
		Jumper that allows you to choose 150lm or 250lm.	50	9,79 €
		Connectors with 1 or 2 batteries, touch and micro USB.	150	9,32 €
	High (mm): 10 Diameter (mm): 40 Ingress Protection: IP20 Dimmable: SI			
	 			





LED TECHNOLOGY > Led modules > Battery Led Modules

Subfamily **Configurable Led battery modules**

Picture	Article	Description	Lot	Price/Unit
	G5K000P03		1	11,84 €
	Rectangular control board module led to battery GPC		10	10,78 €
	Jumper that allows you to choose 150lm or 250lm. Connectors to 1 or 2 batteries, touch and micro USB. Note: The compatible battery is G5K000P1 and must be connected after touch control.		50	9,79 €
	Length (mm): 37 Width (mm): 25,1 High (mm): 10,3 Ingress Protection: IP20 Dimmable: SI		200	9,32 €
				
	G5K000P1		1	8,42 €
	Battery 805050 with 10cm AWG22 cable and connector		10	7,67 €
	With AWG22 cable and connector. Battery compatible with the G5K000P0 and G5K000P02 modules. The battery must be connected after connecting the touch control. "		50	6,98 €
	Length (mm): 50 Width (mm): 50 High (mm): 8 Voltage In (Vdc): 3.7 Ingress Protection: IP20		100	6,64 €
				





LED TECHNOLOGY > Led modules > Battery Led Modules

Subfamily **Configurable Led battery modules**

Picture	Article	Description	Lot	Price/Unit
	G5K000P1C		1	6,45 €
	Cylindrical battery Li-Ion 18650 2600mAh 10cm		10	5,86 €
	AWG22 cable and connecto		50	5,33 €
	With AWG22 cable and connector		100	5,07 €
	Length (mm): 65 Diameter (mm): 18 Voltage In (Vdc): 3.7 Ingress Protection: IP20			
				
	G5K000P2		1	3,50 €
	Module GPC D28mm. 6 led SAMSUNG 3000K CRI90		10	3,16 €
	50cm AWG22		50	2,87 €
	Aluminum plate 28mm diameter. According to selection on the control board 150lm or 250lm.		100	2,76 €
	Diameter (mm): 28 Voltage In (Vdc): 3.7 Colour Temperature (°K): 3000 Lumen/Watt: 120 Energy efficiency: G CRI (?): 90 Ingress Protection: IP20 Dimmable: SI			
				












LED TECHNOLOGY > Led modules > Battery Led Modules

Subfamily **Configurable Led battery modules**







Picture	Article	Description	Lot	Price/Unit
	G5K000P2A		1	3,51 €
	Module GPC D28mm. 6 led SAMSUNG 3000K CRI90		10	3,17 €
	25cm AWG22		50	2,89 €
	Aluminum plate 28mm diameter. According to selection on the control board 150lm or 250lm.		200	2,76 €
	Diameter (mm): 28 Voltage In (Vdc): 3.7 Colour Temperature (°K): 3000 Lumen/Watt: 120 Energy efficiency: G CRI (?): 90 Ingress Protection: IP20 Dimmable: SI			
				
	G5K000P2C		1	3,50 €
	Module GPC D28mm. 6 led SAMSUNG 2700K CRI90		10	3,17 €
	50cm AWG22		50	2,89 €
	Aluminum plate 28mm diameter. According to selection on the control board 150lm or 250lm.		100	2,76 €
	Diameter (mm): 28 Voltage In (Vdc): 3.7 Colour Temperature (°K): 2700 Lumen/Watt: 120 Energy efficiency: G CRI (?): 90 Ingress Protection: IP20 Dimmable: SI			
				

LED TECHNOLOGY > Led modules > Battery Led Modules













Subfamily **Configurable Led battery modules**

Picture	Article	Description	Lot	Price/Unit
	G5K000P3		1	10,63 €
	Module Crown GPC D100mm. 20 led Samsung 3000K CRI90 50cm AWG22		10	9,67 €
			50	8,40 €
			100	8,01 €
	Aluminum plate 100mm diameter. According to selection on the control board 170lm or 350 Lm Diameter (mm): 100 Voltage In (Vdc): 3.7 Colour Temperature (°K): 3000 Lumen/Watt: 120 CRI (?): 90 Ingress Protection: IP20 Dimmable: SI			
	  			
	G5K000P4		1	3,93 €
	Module linear GPC 200x8mm 7 led Samsung 3000K CRI90 50cm AW22		10	3,56 €
			50	3,11 €
			100	2,95 €
	With double-sided adhesive for fixing. According to selection on the control board 150Lm or 250Lm Voltage In (Vdc): 3.7 Colour Temperature (°K): 3000 Lumen/Watt: 120 CRI (?): 90 Ingress Protection: IP20 Dimmable: SI			
	  			
	G5K000P5		1	0,71 €
	Micro-B USB 10cm cable AWG22 and connector		10	0,65 €
	Micro-B USB mounted on white round support 12mm in diameter and 7mm high with 10cm AWG22 cable and connector.		50	0,5875 €
			100	0,5594 €
	High (mm): 7 Diameter (mm): 12			
	 			











Subfamily **Configurable Led battery modules**

Picture	Article	Description	Lot	Price/Unit
	G5K000P5C		1	0,96 €
	USB-C with 10cm cable AWG22 and connector		10	0,87 €
			50	0,79 €
	USB-C mounted on white round support 12mm in diameter and 7mm high with 10cm AWG22 cable and connector.		100	0,75 €
	High (mm): 8,89 Diameter (mm): 12,39			
				
	G5K000P5CN		1	0,96 €
	GPC USB-C Black with 10cm AWG22 cable and 2.0 pin connector.		10	0,87 €
			50	0,79 €
	USB-C mounted on black round support 12mm in diameter and 7mm high with 10cm AWG22 cable and connector.		100	0,75 €
	High (mm): 8,89 Diameter (mm): 12,39			
				
	G5K000P6		1	1,73 €
	Micro-B USB with led charging and 10cm cable and connectors		10	1,57 €
			50	1,42 €
	Micro-B USB mounted on board with LED charging indicator. AWG22 cable and connector.		100	1,37 €
	Length (mm): 22 Width (mm): 11 High (mm): 7			
				

Subfamily **Configurable Led battery modules**






Picture	Article	Description	Lot	Price/Unit
	G5K000P8		1	3,47 €
	GPC module RF control board and antenna		10	3,17 €
	Optional board for remote control		50	2,87 €
			100	2,73 €
	Length (mm): 23 Width (mm): 16 High (mm): 4			
	  			
	G5K000P9		1	3,03 €
	RF remote control for GPC module		10	2,74 €
	With functions of on, off and continuous regulation or with buttons 10%, 50% and 100%. Time control for 15min, 30min or 60min. Includes CR2025 3V battery.		50	2,51 €
			100	2,38 €
	Length (mm): 86 Width (mm): 40 High (mm): 7			
	  			
	G5K000X6		1	0,68 €
	Touch with cylinder 10cm cable and micro connector		10	0,61 €
	With cylinder and 10cm of cable and micro-connector. ON / OFF and Dimmer function. No memory. The touch control must be connected before the battery.		50	0,56 €
			100	0,53 €
	High (mm): 9 Diameter (mm): 4			
	  			

Subfamily **Configurable Led battery modules**

Picture	Article	Description	Lot	Price/Unit
	G5K000X7		1	0,5161 €
		Touch with ring 10cm cable and micro connector	10	0,4692 €
		With ring and 10cm of cable and micro-connector. ON / OFF and Dimmer function. Without memory . The touch control has to be connected before the battery.	50	0,4267 €
		Diameter (mm): 6	100	0,4061 €
	 			
	G5K000X7L		1	0,4904 €
		Touch with ring 16cm cable and micro connector	50	0,4220 €
		With ring and 16cm of cable and micro-connector. ON / OFF and Dimmer function. Without memory . The touch control has to be connected before the battery.	100	0,4056 €
		Diameter (mm): 6		
	 			
	G5K0021F		1	7,22 €
		EUR 5V-2A charger with rear USB socket with 1m cable	10	6,55 €
		Colour: White Voltage In (Vac): 100~240 Voltage Out (Vdc): 5 Intensidad In (A): 0.5 Intensidad Out (A): 2 Frecuency (Hz): 50~60	50	5,95 €
			100	5,67 €
	   			

LED TECHNOLOGY > Led modules > Battery Led Modules

Subfamily **Configurable Led battery modules**

Picture	Article	Description	Lot	Price/Unit
	G5K0021FC		1	7,70 €
	EUR 5V-2A charger with rear USB socket with 1m		10	6,99 €
	USB-USB-C cable		50	6,36 €
		Colour: White Voltage In (Vac): 100~240 Voltage Out (Vdc): 5 Intensidad In (A): 0.5 Intensidad Out (A): 2 Frecuency (Hz): 50~60		100
				
	G5K0021U		1	0,98 €
	USB cable - Mini USB 1 meter white		10	0,88 €
	Cable 2464 24AWG VW. For low voltage chargers		50	0,81 €
	with USB socket		100	0,77 €
	Length (mm): 1000 Colour: White			
				
	G5K0021UC		1	1,42 €
	1 meter white USB-USB TypeC cable		10	1,29 €
	2464 24AWG VW Cable. For low voltage chargers		50	1,17 €
	with USB socket		100	1,12 €
	Length (mm): 1000 Colour: White			
	