


Catalogue **LED TECHNOLOGY**  
 Line **Electronic Led Power Supplies**  
 Family **LED power supplies current and voltage constant**  
 Subfamily **Led power supplies current and voltage constant 350mA**


Picture	Article	Description	Lot	Price/Unit
	G503504A		1	6,29 €
	Led Power Supply CV CC AED04-350ILS 12Vdc		10	5,24 €
	350mA 4W		50	4,76 €
	ECO Design ERP Compliant. 12Vdc constant voltage LED power supply or 350mA constant current depending on load		200	4,45 €
		Length (mm): 51,5 Width (mm): 33 High (mm): 17 Colour: White Voltage In (Vac): 100~240 Voltage Out (Vdc): 3~12 Intensidad Out (A): 0.3 Frecuency (Hz): 50~60 Power (W): 1.05~4.2 Room Temperature (°C): -10~+45 Critical Temperature (°C): 80 Life (Hours): 30000 Ingress Protection: IP20 Dimmable: NO Power factor: 0.5		

**LETARON**




LED TECHNOLOGY > Electronic Led Power Supplies > LED power supplies current and voltage constant

**Subfamily Led power supplies current and voltage constant 350mA**

Picture	Article	Description	Lot	Price/Unit
	G503506J		1	11,10 €
	Led power supply CV CC SLT6-350IL-4 350mA (24Vdc) 6W		5	9,26 €
			10	8,41 €
			50	7,80 €
	Constant voltage 24VDC and constant current 350mA as identified by the load. Voltage range 100-240/24VDC. Class II.			
		Length (mm): 68 Width (mm): 35 High (mm): 20 Colour: White Voltage In (Vac): 100~240 Voltage Out (Vdc): 3~22 Intensidad Out (A): 0~0.35 Frecuency (Hz): 50~60 Power (W): 0~6 Room Temperature (°C): -20~+50 Critical Temperature (°C): 75 Life (Hours): 50000 Ingress Protection: IP20 Dimmable: NO Power factor: 0.40		




	G5035081		1	12,81 €
	Led Power Supply CV CC 350mA (24VDC) 8 W		5	10,67 €
			10	9,71 €
			50	9,06 €
	Power supply 24VDC or constant current 350mA depending on load			
		Length (mm): 58 Width (mm): 35 High (mm): 21 Colour: White Voltage In (Vac): 110~240 Voltage Out (Vdc): 3~24 Intensidad Out (A): 0.35 Frecuency (Hz): 50~60 Power (W): 1.1~8.4 Room Temperature (°C): -25~+50 Critical Temperature (°C): 75 Ingress Protection: IP20 Dimmable: NO Power factor: 0.6		
	Reference: 039121			



LED TECHNOLOGY > Electronic Led Power Supplies > LED power supplies current and voltage constant


**Subfamily Led power supplies current and voltage constant 350mA**

Picture	Article	Description	Lot	Price/Unit
	G5035081A		1	8,45 €
	Led Power Supply CV CC AED08-350ILS 24Vdc 350mA 8 W		10	7,05 €
			50	6,40 €
			200	5,98 €
	ECO Design ERP Compliant. 24Vdc constant voltage LED power supply or 350mA constant current depending on load			
	Length (mm): 79,5 Width (mm): 39 High (mm): 19 Colour: White Voltage In (Vac): 100~240 Voltage Out (Vdc): 9~22 Intensidad Out (A): 0.35 Frecuency (Hz): 50~60 Power (W): 3~7.7 Room Temperature (°C): -20~+45 Critical Temperature (°C): 80 Ingress Protection: IP20 Dimmable: NO Power factor: 0.5			

**LETARON**



Catalogue **LED TECHNOLOGY**  
 Line **Electronic Led Power Supplies**  
 Family **LED power supplies current and voltage constant**  
 Subfamily **Led power supplies current and voltage constant 700mA**


Picture	Article	Description	Lot	Price/Unit
	G503504C		1	6,29 €
	Led Power Supply CV CC AED04-700ILS 5Vdc		10	5,24 €
	700mA 3,5W		50	4,76 €
		ECO Design ERP Compliant. LED power supply with constant voltage 5Vdc or constant current 700mA depending on load	200	4,45 €
	Length (mm): 51,5 Width (mm): 32,8 High (mm): 17 Colour: White Voltage In (Vac): 100~240 Voltage Out (Vdc): 3~5 Intensidad Out (A): 0.7 Frecuency (Hz): 50~60 Power (W): 2~3.5 Room Temperature (°C): +45 Critical Temperature (°C): 80 Ingress Protection: IP20 Dimmable: NO Power factor: 0.5			

**LETARON**




LED TECHNOLOGY > Electronic Led Power Supplies > LED power supplies current and voltage constant

**Subfamily Led power supplies current and voltage constant 700mA**

Picture	Article	Description	Lot	Price/Unit
	G503706C		1	17,00 €
	Led Power Supply CV CC 700mA (12Vdc) 6W		5	14,16 €
	Power supply in voltage 12VDC and constant current 700mA according to identified load		10	12,88 €
			50	12,04 €
	Length (mm): 42,5 Width (mm): 41 High (mm): 21 Colour: White Voltage In (Vac): 220~240 Voltage Out (Vdc): 12 Intensidad Out (A): 0.7 Frecuency (Hz): 50~60 Power (W): 0~6 Room Temperature (°C): -20~+50 Critical Temperature (°C): 85 Ingress Protection: IP20 Dimmable: NO Power factor: 0.6  Reference: 401244			




	G503706J		1	11,10 €
	LED power supply CV CC SLT6-700IL-4 700mA (12Vdc) 6W		5	9,26 €
	ECO design according to ERP directives. Led Power supply voltage 12VDC or constant current 700mA depending on load		10	8,41 €
			50	7,80 €
	Length (mm): 68 Width (mm): 35 High (mm): 20 Colour: White Voltage In (Vac): 100~240 Voltage Out (Vdc): 3~8.4 Intensidad Out (A): 0~0.7 Frecuency (Hz): 50~60 Power (W): 0~6 Room Temperature (°C): -20~+40 Critical Temperature (°C): 70 Life (Hours): 50000 Ingress Protection: IP20 Dimmable: NO Power factor: 0.40			



LED TECHNOLOGY > Electronic Led Power Supplies > LED power supplies current and voltage constant

**Subfamily Led power supplies current and voltage constant 700mA**

Picture	Article	Description	Lot	Price/Unit
	G5035081B		1	8,45 €
	Led Power Supply CV CC AED08-700ILS 12Vdc		10	7,05 €
	700mA 8 W		50	6,40 €
	ECO Design ERP Compliant. 12Vdc constant voltage		200	5,98 €
	LED power supply or 700mA constant current depending on load.			
	Length (mm): 79,5 Width (mm): 39 High (mm): 19 Colour: White Voltage In (Vac): 100~240 Voltage Out (Vdc): 6~11 Intensidad Out (A): 0.625 Frecuency (Hz): 50~60 Power (W): 4.2~7.7 Room Temperature (°C): -10~+45 Critical Temperature (°C): 80 Life (Hours): 30000 Ingress Protection: IP20 Dimmable: NO Power factor: 0.5			

**LETARON**

