



Catalogue **ELECTRICAL EQUIPMENT**  
 Line **Installation Couplers Ensto**  
 FAmily **Narrow NAC EnstoNet connectors with screw**  
 Subfamily **NAC narrow 3 Poles Enstonet connectors**


Picture	Article	Description	Lot	Price/Unit
	B3NUH03		1	3,63 €
	Installation Couplers ENSTO connector narrow 3 poles female NAC 32HW		10	2,42 €
			50	2,02 €
			200	1,94 €
	3 female poles connector, marking 1.TT.N separate blocking system supplied with male			
	Length (mm): 31 Width (mm): 28 High (mm): 18 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20			



	B3NVM03		1	4,65 €
	Installation Couplers ENSTO connector narrow 3 poles male NAC 31SHW+bo		10	3,09 €
			50	2,56 €
			200	2,42 €
	3 male poles connector, marking 1.TT.N mounted in box for Class II			
	Length (mm): 57 Width (mm): 28 High (mm): 20 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20			




Catalogue **ELECTRICAL EQUIPMENT**  
 Line **Installation Couplers Ensto**  
 FAmily **Narrow NAC EnstoNet connectors with screw**  
 Subfamily **NAC narrow 4 Poles Enstonet connectors**

Picture	Article	Description	Lot	Price/Unit
	B3NUH04		1	5,68 €
	Installation Couplers ENSTO connector narrow 4 poles female NAC 42HW		10	3,78 €
			50	3,17 €
			100	3,02 €
	4 female poles connector, marking 1.TT.N separate blocking system supplied with male			
	Length (mm): 31 Width (mm): 38 High (mm): 18 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20			



Catalogue **ELECTRICAL EQUIPMENT**  
 Line **Installation Couplers Ensto**  
 FAmily **Narrow NAC EnstoNet connectors with screw**  
 Subfamily **NAC narrow 5 Poles Enstonet connectors**

Picture	Article	Description	Lot	Price/Unit
	B3NUH05		1	5,86 €
	Installation Couplers ENSTO connector narrow 5 poles female NAC 52HW		10	3,93 €
			50	3,26 €
	5 female poles connector, marking 1.TT.N.3 separate blocking system supplied with male		100	3,11 €
	Length (mm): 31 Width (mm): 48 High (mm): 18 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20			

