



Catalogue **ELECTRICAL EQUIPMENT**
 Line **Installation Couplers Ensto**
 FAmily **NAC EnstoNet connectors with screw**
 Subfamily **NAC 2 Poles Enstonet connectors**

| Picture | Article | Description | Lot | Price/Unit |
|---|---|-------------|-----|------------|
|  | B3NAH02 | | 1 | 2,54 € |
| | Installation Couplers ENSTO 2 poles female NAC | | 10 | 1,69 € |
| | 22.W | | 50 | 1,40 € |
| | | | 500 | 1,35 € |
| | 2 female poles connector, marking 1.N double safety tab | | | |
| | Length (mm): 31 Width (mm): 29 High (mm): 18 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20 | | | |



| | | | | |
|---|---|--|-----|--------|
|  | B3NAM02 | | 1 | 2,46 € |
| | Installation Couplers ENSTO 2 poles male NAC 21.W | | 10 | 1,63 € |
| | | | 50 | 1,37 € |
| | | | 500 | 1,27 € |
| | 2 male poles connector, marking 1.N double safety tab | | | |
| | Length (mm): 32 Width (mm): 29 High (mm): 18 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20 | | | |



Subfamily **NAC 2 Poles Enstonet connectors**





| Picture | Article | Description | Lot | Price/Unit |
|--|---|---|-----|------------|
|  | B3NCH02 | | 1 | 3,08 € |
| | Installation Couplers ENSTO 2 poles female NAC | | 10 | 2,07 € |
| | 22SW | | 100 | 1,72 € |
| | 2 female poles connector, marking 1.N double safety tab, assembly in box for Class II | | 200 | 1,61 € |
| | Length (mm): 50 Width (mm): 29 High (mm): 20 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20 | | | |
|  | |    | | |

| | | | | |
|---|---|---|-----|--------|
|  | B3NCM02 | | 1 | 3,00 € |
| | Installation Couplers ENSTO 2 poles male NAC | | 10 | 1,99 € |
| | 21SW | | 100 | 1,66 € |
| | 2 male poles connector, marking 1.N double safety tab, assembly in box for Class II | | 200 | 1,60 € |
| | Length (mm): 51 Width (mm): 29 High (mm): 20 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20 | | | |
|  | |    | | |

Catalogue **ELECTRICAL EQUIPMENT**
 Line **Installation Couplers Ensto**
 FAmily **NAC EnstoNet connectors with screw**
 Subfamily **NAC 3 Poles Enstonet connectors**

| Picture | Article | Description | Lot | Price/Unit |
|---|--|---|-----|------------|
|  | B3NAH03 | | 1 | 3,03 € |
| | Installation Couplers ENSTO 3 poles female NAC | | 10 | 2,02 € |
| | 32.W | | 100 | 1,66 € |
| | 3 female poles connector, marking 1.TT.N double safety tab | | 200 | 1,61 € |
| | | Length (mm): 31 Width (mm): 39 High (mm): 18 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20 | | |
|  | |  | | |
|  | B3NAM03 | | 1 | 3,08 € |
| | Installation Couplers ENSTO 3 poles male NAC 31.W | | 10 | 2,04 € |
| | 3 male poles connector, marking 1.TT.N double safety tab | | 100 | 1,72 € |
| | | | 200 | 1,63 € |
| | | Length (mm): 32 Width (mm): 39 High (mm): 18 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20 | | |
|  | |  | | |

Subfamily **NAC 3 Poles Enstonet connectors**

| Picture | Article | Description | Lot | Price/Unit |
|--|---|---|-----|------------|
|  | B3NCH03 | | 1 | 4,29 € |
| | Installation Couplers ENSTO 3 poles female NAC | | 10 | 2,86 € |
| | 32SW | | 100 | 2,38 € |
| | 3 female poles connector, marking 1.TT.N double safety tab, assembly in box for Class II | | 200 | 2,25 € |
| | Length (mm): 56 Width (mm): 39 High (mm): 20 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20 | | | |
|  | |    | | |







| | | | | |
|---|---|---|-----|--------|
|  | B3NCH03N | | 1 | 4,88 € |
| | Installation Couplers ENSTO 3 poles female NAC | | 10 | 3,25 € |
| | 32SB black | | 200 | 2,72 € |
| | 3 female poles connector, marking 1.TT.N double safety tab, assembly in box for Class II | | 800 | 2,59 € |
| | Length (mm): 56 Width (mm): 39 High (mm): 20 Section (mm2): 2,5 Colour: Black Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw | | | |
|  | |     | | |

Image in another color

Subfamily **NAC 3 Poles Enstonet connectors**

| Picture | Article | Description | Lot | Price/Unit |
|--|--|---|-----|------------|
|  | B3NCM03 | | 1 | 4,21 € |
| | Installation Couplers ENSTO 3 poles male NAC31SW | | 10 | 2,81 € |
| | 3 male poles connector, marking 1.TT.N double safety tab, assembly in box for Class II | | 100 | 2,33 € |
| | | | 200 | 2,22 € |
| | | Length (mm): 57 Width (mm): 39 High (mm): 20 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20 | | |
|  | |    | | |








| | | | | |
|---|--|---|-----|--------|
|  | B3NCM03N | | 1 | 4,17 € |
| | Installation Couplers ENSTO 3 poles male NAC31SB black | | 10 | 2,78 € |
| | 3 male poles connector, marking 1.TT.N double safety tab, assembly in box for Class II | | 200 | 2,31 € |
| | | | 800 | 2,21 € |
| | | Length (mm): 57 Width (mm): 39 High (mm): 20 Section (mm2): 2,5 Colour: Black Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw | | |
|  | |     | | |

Image in another color


ELECTRICAL EQUIPMENT > Installation Couplers Ensto > NAC EnstoNet connectors with screw

Subfamily **NAC 3 Poles Enstonet connectors**


| Picture | Article | Description | Lot | Price/Unit |
|---|---|-------------|-----|------------|
|  | B3ND003 | | 1 | 6,19 € |
| | Installation Couplers ENSTO 3 poles NAD 3 .W | | 100 | 5,62 € |
| | 3 male/female connector, double safety tab | | 400 | 5,36 € |
| | Length (mm): 47 Width (mm): 46 High (mm): 43 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 | | | |



Catalogue **ELECTRICAL EQUIPMENT**
 Line **Installation Couplers Ensto**
 FAmily **NAC EnstoNet connectors with screw**
 Subfamily **NAC 4 Poles Enstonet connectors**


| Picture | Article | Description | Lot | Price/Unit |
|---|---|-------------|-----|------------|
|  | B3NCH04 | | 1 | 5,36 € |
| | Installation Couplers ENSTO 4 poles female NAC | | 10 | 3,56 € |
| | 42SW | | 50 | 2,99 € |
| | | | 100 | 2,82 € |
| | 4 female poles connector, marking 1.TT.N double safety tab, assembly in box for Class II | | | |
| | Length (mm): 60 Width (mm): 49 High (mm): 20 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20 | | | |




| | | | | |
|---|---|--|-----|--------|
|  | B3NCM04 | | 1 | 5,11 € |
| | Installation Couplers ENSTO 4 poles male NAC41SW | | 10 | 3,41 € |
| | | | 50 | 2,83 € |
| | | | 100 | 2,69 € |
| | 4 male poles connector, marking 1.TT.N double safety tab, assembly in box for Class II | | | |
| | Length (mm): 61 Width (mm): 49 High (mm): 20 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20 | | | |



Catalogue **ELECTRICAL EQUIPMENT**
 Line **Installation Couplers Ensto**
 FAmily **NAC EnstoNet connectors with screw**
 Subfamily **NAC 5 Poles Enstonet connectors**

| Picture | Article | Description | Lot | Price/Unit |
|---|---|-------------|-----|------------|
|  | B3NAH05 | | 1 | 3,52 € |
| | Installation Couplers ENSTO 5 poles female | | 10 | 2,35 € |
| | NAC52.W | | 50 | 1,96 € |
| | | | 100 | 1,87 € |
| | 5 female poles connector, marking 1.2.TT.N.3 double safety tab | | | |
| | Length (mm): 31 Width (mm): 59 High (mm): 18 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20 | | | |




| | | | | |
|---|---|--|-----|--------|
|  | B3NCH05 | | 1 | 6,58 € |
| | Installation Couplers ENSTO 5 poles female NAC | | 10 | 4,38 € |
| | 52SW | | 50 | 3,65 € |
| | | | 100 | 3,46 € |
| | 5 female poles connector, marking 1.TT.N.3 double safety tab, assembly in box for Class II | | | |
| | Length (mm): 60 Width (mm): 59 High (mm): 20 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20 | | | |



ELECTRICAL EQUIPMENT > Installation Couplers Ensto > NAC EnstoNet connectors with screw

Subfamily **NAC 5 Poles Enstonet connectors**

| Picture | Article | Description | Lot | Price/Unit |
|---|--|--|-----|------------|
|  | B3NCM05 | | 1 | 5,94 € |
| | Installation Couplers ENSTO 5 poles male NAC | | 10 | 3,97 € |
| | 51SW | | 50 | 3,30 € |
| | 45male poles connector, marking 1.TT.N.3 double safety tab, assembly in box for Class II | | 100 | 3,15 € |
| | | Length (mm): 61 Width (mm): 59 High (mm): 20 Section (mm ²): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20 | | |

