


Catalogue **ELECTRICAL EQUIPMENT**  
 Line **Installation Couplers Ensto**  
 FAmily **NAS EnstoNet connectors automatic**  
 Subfamily **NAS 2 Poles Enstonet connectors**





Picture	Article	Description	Lot	Price/Unit
	B3NSM02		1	3,77 €
	Installation Couplers ENSTO connector 2 poles male		10	2,50 €
	NAS 21.W		100	2,08 €
		2 male poles connector, marking 1.N double safety tab 3 ways in per pole (2 main+1)		200
	Length (mm): 43 Width (mm): 29 High (mm): 14,5 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Automatic Ingress Protection: IP20			




Catalogue **ELECTRICAL EQUIPMENT**  
 Line **Installation Couplers Ensto**  
 FAmily **NAS EnstoNet connectors automatic**  
 Subfamily **NAS 3 Poles Enstonet connectors**

Picture	Article	Description	Lot	Price/Unit
	B3NSH03		1	5,50 €
	Installation Couplers ENSTO connector 3 poles female NAS 32.W		10	3,68 €
			100	3,06 €
			200	2,91 €
	3 female poles connector, marking 1.TT double safety tab 3 ways in per pole (2 main+1)			
	Length (mm): 42 Width (mm): 39 High (mm): 14,5 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Automatic Ingress Protection: IP20			
	  			
	B3NSM03		1	5,45 €
	Installation Couplers ENSTO connector 3 poles male NAS 31.W		10	3,61 €
			100	3,02 €
			200	2,89 €
	3 male poles connector, marking 1.TT double safety tab 3 ways in per pole (2 main+1)			
	Length (mm): 43 Width (mm): 39 High (mm): 14,5 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Automatic Ingress Protection: IP20			
	  			


Catalogue **ELECTRICAL EQUIPMENT**  
 Line **Installation Couplers Ensto**  
 FAmily **NAS EnstoNet connectors automatic**  
 Subfamily **NAS 4 Poles Enstonet connectors**

Picture	Article	Description	Lot	Price/Unit
	B3NSH04		1	8,57 €
	Installation Couplers ENSTO connector 4 poles		10	5,71 €
	female NAS 42.W		50	4,75 €
			100	4,54 €
		4 female poles connector, marking 1.TT.N2 double safety tab 3 ways in per pole (2 main+1)		
	Length (mm): 42 Width (mm): 49 High (mm): 14,5 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Automatic Ingress Protection: IP20			
				
	B3NSM04		1	7,61 €
	Installation Couplers ENSTO connector 3 poles male		10	5,08 €
	NAS 41.W		50	4,24 €
			100	4,02 €
		4 male poles connector, marking 1.TT.N.2 double safety tab 3 ways in per pole (2 main+1)		
	Length (mm): 43 Width (mm): 49 High (mm): 14,5 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Automatic Ingress Protection: IP20			
				

Catalogue **ELECTRICAL EQUIPMENT**  
 Line **Installation Couplers Ensto**  
 Family **NAS EnstoNet connectors automatic**  
 Subfamily **NAS 5 Poles Enstonet connectors**

Picture	Article	Description	Lot	Price/Unit
	B3NSH05		1	9,67 €
	Installation Couplers ENSTO connector 5 poles female NAS 52.W		10	6,47 €
			50	5,37 €
			100	5,15 €
	5 female poles connector, marking 1.TT.N.3 double safety tab 3 ways in per pole (2 main+1)			
	Length (mm): 42 Width (mm): 59 High (mm): 14,5 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Automatic Ingress Protection: IP20			



	B3NSM05		1	8,22 €
	Installation Couplers ENSTO connector 5 poles male NAS 51.W		10	5,49 €
			50	4,55 €
			100	4,36 €
	5 male poles connector, marking 1.TT.N.3 double safety tab 3 ways in per pole (2 main+1)			
	Length (mm): 43 Width (mm): 59 High (mm): 14,5 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Automatic			

