


Catalogue **HALOTEC HARDWARE**

Line **Halotec Lamps**

FAMILY **LED Lamps HALOTEC**

Subfamily **Led Lamps E14**

Picture	Article	Description	Lot	Price/Unit
	E2910023		100 (Pedido mínimo)	0,96 €
	Mini Led bulb E14 ST264SMD 2w 3000k clear	Mini Led Bulb ST26 E14 socket with 4 SMD LEDs. Refrigerator applications, salt lamps, bedside tables. Industrial packaging 100 units.	400	0,88 €
		High (mm): 51 Diameter (mm): 23 Voltage In (Vac): 220~240 Frecuency (Hz): 50~60 Power (W): 2 Colour Temperature (°K): 3000 Lumen: 200 Socket: E14 Energy efficiency: F CRI (≥): 80 Life (Hours): 25000		
		Reference: 402007		




Catalogue **HALOTEC HARDWARE**

Line **Halotec Lamps**

FAMILY **LED Lamps HALOTEC**

Subfamily **Led Tubes T8**

Led tubes T8

Picture	Article	Description	Lot	Price/Unit
	E282091		1	3,00 €
	T8 LED Tube 60cm 9W 700lm 4000K Neutral white		10	2,45 €
		Integrated electronics. Simple and direct to the phase and neutral connection without any additional element. Its angle of 270 degrees does not require rotary lampholder		30
		Length (mm): 602 Diameter (mm): 30 Colour: Natural White Voltage In (Vac): 180~264 Frecuency (Hz): 50~60 Power (W): 9 Room Temperature (°C): -20~+70 Colour Temperature (°K): 4000 Lumen: 700 Angle (°): 270 Socket: G13 Energy efficiency: A+ Kwh/1000h: 9 CRI (≥): 80 Life (Hours): 25000 Dimmable: NO Power factor: >0.9 Switching cycle (≥): 15000 Warm-up time up to 60% of the full light output (sec): <2.0 Lumen maintenance factor at the end of the nominal life: 0.70 Starting time (seg): <0.5 Colour consistency: <6 sdcn		




Catalogue **HALOTEC HARDWARE**
 Line **Halotec Lamps**
 Family **Fluorescent Compact E14**
 Subfamily **Micro Triple Tube E14 Fluorescent lamps**

Picture	Article	Description	Lot	Price/Unit
	E268413		1	1,67 €
	Lamp Micro ELT E14 230V 13W 4200°K		25	1,29 €
		Integrated electronic ballast. No dimmable. Average life 8000h		50
		Length (mm): 116 Diameter (mm): 38 Colour: Natural White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 13 Colour Temperature (°K): 4200 Lumen: 665 Socket: E14 Energy efficiency: A Kwh/1000h: 13 CRI (≥): 80 Life (Hours): 8000 Power factor: 0.55 Switching cycle (≥): 8000 Warm-up time up to 60% of the full light output (sec): <40 Lumen maintenance factor at the end of the nominal life: 0.70 Starting time (seg): <0.3		




Catalogue **HALOTEC HARDWARE**
 Line **Halotec Lamps**
 Family **Fluorescent Compact E14**
 Subfamily **Mini Triple Tube E14 Fluorescent lamps**


Picture	Article	Description	Lot	Price/Unit
	E216413		1	1,79 €
	Mini ELT lamp E14 230V 13W 4200°K		10	1,33 €
	Triple tube. Integrated electronic ballast. No dimmable. Average life 8000h		50	1,23 €
		Length (mm): 130 Diameter (mm): 42 Colour: Natural White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 13 Colour Temperature (°K): 4200 Lumen: 680 Socket: E14 Energy efficiency: A Kwh/1000h: 13 CRI (≥): 80 Life (Hours): 8000 Power factor: 0.55 Switching cycle (≥): 6000 Warm-up time up to 60% of the full light output (sec): <40 Lumen maintenance factor at the end of the nominal life: 0.70 Starting time (seg): <0.3		



Catalogue **HALOTEC HARDWARE**
 Line **Halotec Lamps**
 FAmily **Fluorescent Compact E14**
 Subfamily **Mini spherical E14 Fluorescent lamps**

Picture	Article	Description	Lot	Price/Unit
	E264407		1	1,54 €
	Mini ball lamp EG E14 230V 7W 4200°K		25	1,15 €
		Integrated electronic ballast. No dimmable. Average life 6000h	50	1,06 €
		Length (mm): 95 Diameter (mm): 50 Colour: Natural White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 7 Colour Temperature (°K): 4200 Lumen: 290 Socket: E14 Energy efficiency: A Kwh/1000h: 7 CRI (≥): 80 Life (Hours): 6000 Power factor: 0,55 Starting time (seg): 1,5		



	E264409		1	1,67 €
	Mini ball lamp EG E14 230V 9W 4200°K		25	1,24 €
		Integrated electronic ballast. No dimmable. Average life 6000h	50	1,14 €
		Length (mm): 100 Diameter (mm): 50 Colour: Natural White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 9 Colour Temperature (°K): 4200 Lumen: 405 Socket: E14 Energy efficiency: A Kwh/1000h: 9 CRI (≥): 80 Life (Hours): 6000 Power factor: 0.55 Starting time (seg): 1.5		




Catalogue **HALOTEC HARDWARE**

Line **Halotec Lamps**


FAMILY **Fluorescent Compact E14**

Subfamily **Candle E14 Fluorescent lamps**

Picture	Article	Description	Lot	Price/Unit
	E261407		1	1,62 €
	Candle lamp ECL E14 230V 7W 4200°K		10	1,21 €
	Integrated electronic ballast. No dimmable. Average life 6000h		50	1,11 €
	Length (mm): 126 Diameter (mm): 42 Colour: Natural White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 7 Colour Temperature (°K): 4200 Lumen: 290 Socket: E14 Energy efficiency: A Kwh/1000h: 7 CRI (≥): 80 Life (Hours): 6000 Power factor: 0,55 Starting time (seg): 1,5			




Catalogue **HALOTEC HARDWARE**
 Line **Halotec Lamps**
 FAmily **Fluorescent Compact E14**
 Subfamily **Double Tube E14 Fluorescent Lamps**


Picture	Article	Description	Lot	Price/Unit
	E215404		1	1,22 €
	Mini ELD lamp E14 230V 4W 4200°K		10	0,93 €
	Double tube. Integrated electronic ballast. No dimmable. Average life 8000h		50	0,85 €
	Length (mm): 116 Diameter (mm): 42 Colour: Natural White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 4 Colour Temperature (°K): 4200 Lumen: 160 Socket: E14 Energy efficiency: A Kwh/1000h: 4 CRI (≥): 80 Life (Hours): 8000 Power factor: 0,55 Switching cycle (≥): 6000 Warm-up time up to 60% of the full light output (sec): <40 Lumen maintenance factor at the end of the nominal life: 0,70 Starting time (seg): <0,3			



Catalogue **HALOTEC HARDWARE**
 Line **Halotec Lamps**
 FAmily **Fluorescent Compact E27**
 Subfamily **Mini spherical E27 Fluorescent lamps**

Picture	Article	Description	Lot	Price/Unit
	E265407		1	1,53 €
	Mini ball lamp EG E27 230V 7W 4200°K		10	1,14 €
		Integrated electronic ballast. No dimmable. Average life 6000h	50	1,05 €
		Length (mm): 95 Diameter (mm): 50 Colour: Natural White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 7 Colour Temperature (°K): 4200 Lumen: 290 Socket: E27 Energy efficiency: A Kwh/1000h: 7 CRI (≥): 80 Life (Hours): 6000 Power factor: 0,55 Starting time (seg): 1,5		



	E265409		1	1,67 €
	Mini ball lamp EG E27 230V 9W 4200°K		25	1,24 €
		Integrated electronic ballast. No dimmable. Average life 6000h	50	1,14 €
		Length (mm): 100 Diameter (mm): 50 Colour: Natural White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 9 Colour Temperature (°K): 4200 Lumen: 405 Socket: E27 Energy efficiency: A Kwh/1000h: 9 CRI (≥): 80 Life (Hours): 6000 Power factor: 0,55 Starting time (seg): 1,5		




Catalogue **HALOTEC HARDWARE**


Line **Halotec Lamps**

FAMILY **Fluorescent Compact E27**

Subfamily **Candle E27 Fluorescent lamps**

Picture	Article	Description	Lot	Price/Unit
	E267409		1	1,68 €
	Candle lamp ECL E27 230V 9W 4200°K		10	1,30 €
			50	1,17 €
	Integrated electronic ballast. No dimmable. Average life 6000h			
	Length (mm): 142 Diameter (mm): 42 Colour: Natural White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 9 Colour Temperature (°K): 4200 Lumen: 405 Socket: E27 Energy efficiency: A Kwh/1000h: 9 CRI (≥): 80 Life (Hours): 6000 Power factor: 0,55 Starting time (seg): 1,5			



	E267411		1	1,68 €
	Candle lamp ECL E27 230V 11W 4200°K		10	1,30 €
			50	1,17 €
	Integrated electronic ballast. No dimmable. Average life 6000h			
	Length (mm): 142 Diameter (mm): 42 Colour: Natural White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 11 Colour Temperature (°K): 4200 Lumen: 510 Socket: E27 Energy efficiency: A Kwh/1000h: 11 CRI (≥): 80 Life (Hours): 6000 Power factor: 0,55 Starting time (seg): 1,5			





Catalogue **HALOTEC HARDWARE**
Line **Halotec Lamps**
FAMILY **Fluorescent Comract Wihout Ballast integrated**
Subfamily **Double fluorescent lamps G24d**


Picture	Article	Description	Lot	Price/Unit
---------	---------	-------------	-----	------------

Catalogue **HALOTEC HARDWARE**


Line **Halotec Lamps**

FAMILY **T5 Fluorescent tubes**

Subfamily **BLB Black Light Tubes**

Picture	Article	Description	Lot	Price/Unit
	E224908		1	1,29 €
	Lamp BLB black light T-5 220V 8W		10	0,99 €
	Black Light fluorescent tube		500	0,91 €
	Length (mm): 302 Diameter (mm): 16 Voltage In (Vac): 220 Frecuency (Hz): 50 Power (W): 8 Socket: G5 Kwh/1000h: 8			



	E224913		1	1,59 €
	Lamp BLB black light T-5 220V 13W		10	1,20 €
	Black Light fluorescent tube		200	1,10 €
	Length (mm): 531 Diameter (mm): 16 Voltage In (Vac): 220 Frecuency (Hz): 50 Power (W): 13 Socket: G5 Kwh/1000h: 13			











Catalogue **HALOTEC HARDWARE**

Line **Halotec Lamps**

FAMILY **Luminaires with T5 Tubes**

Subfamily **Luminaires with T5 Tubes**


Picture	Article	Description	Lot	Price/Unit
	E245606		1	3,36 €
	T-5 Lamp with electronic ballast 6W		10	2,52 €
		With switch. Includes cable to plug EUR outlet and adapter to connect other lamp.	30	2,29 €
		Length (mm): 268 Width (mm): 22 High (mm): 43 Colour: Cool white Voltage In (Vac): 230 Frequency (Hz): 50 Power (W): 6 Colour Temperature (°K): 6400 Lumen: 210 Energy efficiency: B Kwh/1000h: 7 CRI (≥): 80 Ingress Protection: IP20 Lumen maintenance factor at the end of the nominal life: 0.80		
				
	E245614		1	4,97 €
	T-5 Lamp with electronic ballast 14W 603mm		10	3,71 €
		With switch. Includes cable to plug EUR outlet and adapter to connect other lamp.	20	3,38 €
		Length (mm): 603 Width (mm): 22 High (mm): 43 Colour: Cool white Voltage In (Vac): 230 Frequency (Hz): 50 Power (W): 14 Colour Temperature (°K): 6400 Lumen: 1085 Energy efficiency: A Kwh/1000h: 15 CRI (≥): 80 Ingress Protection: IP20 Lumen maintenance factor at the end of the nominal life: 0.80		
				

Catalogue **HALOTEC HARDWARE**

Line **Halotec Lamps**

FAMILY **LAMPES HALOGENES**

Subfamily **230V Halogen Dichroic lamps**

Picture	Article	Description	Lot	Price/Unit
	E208150		1	0,3492 €
	Lamp GZ10 230V 50W dichroic reflector		25	0,3044 €
	Dimmable . UV filter. This bulb requires a GZ10 socket. Not compatible with GU10 socket		200	0,2865 €
	Length (mm): 55 Diameter (mm): 50 Colour: Warm White Voltage In (Vac): 230 Intensidad In (A): 0.22 Power (W): 50 Temperature (°C): -20+40 Room Temperature (°C): -20~+40 Colour Temperature (°K): 2900 Lumen: 400 Angle (°): 38 Socket: GZ10 Energy efficiency: D Kwh/1000h: 50 Life (Hours): 1500 Dimmable: SI Power factor: 1.00 Switching cycle (≥): 25000 Lumen maintenance factor at the end of the nominal life: 0.75			




Catalogue **HALOTEC HARDWARE**

Line **Halotec Lamps**

FAMILY **LAMPES HALOGENES**

Subfamily **Bi-Pin Halogen lamp 12V**

Picture	Article	Description	Lot	Price/Unit
	E206035		1	0,36 €
	Halogen Bipin Lamp Supra 35W		100	0,26 €
	UV filter		300	0,24 €
	Length (mm): 32 Width (mm): 8 Colour: Warm White Voltage In (Vdc/ac): 12 Power (W): 35 Colour Temperature (°K): 3000 Lumen: 595 Socket: G4 Energy efficiency: C Kwh/1000h: 37 Life (Hours): 2000 Power factor: 1,00 Switching cycle (≥): 50000 Warm-up time up to 60% of the full light output (sec): 0,0 Lumen maintenance factor at the end of the nominal life: 0,80 Starting time (seg): 0,0			




Catalogue **HALOTEC HARDWARE**

Line **Halotec Lamps**


FAMILY **LAMPES HALOGENES**

Subfamily **Halogen Dichroic lamps 12V**

Picture	Article	Description	Lot	Price/Unit
	E200235		1	0,45 €
		Dichroic halogen lamp MR16 35W	20	0,33 €
		open reflector	200	0,30 €
	Diameter (mm): 50 Colour: Warm White Voltage In (Vdc/ac): 12 Power (W): 35 Colour Temperature (°K): 3000 Candelas: 720 Angle (°): 38 Socket: GU5.3 Energy efficiency: D Kwh/1000h: 37 Life (Hours): 3000 Power factor: 1.00 Switching cycle (≥): 50000 Warm-up time up to 60% of the full light output (sec): 0.0 Lumen maintenance factor at the end of the nominal li fe: 0.75 Starting time (seg): 0.0			




Subfamily **Halogen Dichroic lamps 12V**

Picture	Article	Description	Lot	Price/Unit
	E201235		1	0,55 €
	Dichroic supra lamp MR16 35W		20	0,41 €
	Self protected. Open reflector. UV filter.		200	0,37 €
	Diameter (mm): 50 Colour: Warm White Voltage In (Vdc/ac): 12 Power (W): 35 Colour Temperature (°K): 3000 Candelas: 1300 Angle (°): 38 Socket: GU5.3 Energy efficiency: D Kwh/1000h: 37 Life (Hours): 4000 Power factor: 1,00 Switching cycle (?): 50000 Warm-up time up to 60% of the full light output (sec): 0,0 Lumen maintenance factor at the end of the nominal li fe: 0,75 Starting time (seg): 0,0			



Catalogue **HALOTEC HARDWARE**
 Line **Halotec Lamps**
 FAmily **LAMPES HALOGENES**
 Subfamily **12V Halogen lamp with NDL Dichroic Reflector**

Picture	Article	Description	Lot	Price/Unit
	E235350		1	0,75 €
	Dichroic covered lamp reflector NDL MR16 12V 50W		20	0,55 €
	Average life 3000h.Reflector Neodymium highlights the warm colours		200	0,49 €
	Diameter (mm): 50 Colour: Warm White Voltage In (Vdc/ac): 12 Frecuency (Hz): 50 Power (W): 50 Colour Temperature (°K): 3000 Candelas: 2000 Angle (°): 38 Socket: GU5.3 Energy efficiency: D Kwh/1000h: 53 Life (Hours): 3000 Power factor: 1,00 Warm-up time up to 60% of the full light output (sec): 0,0 Lumen maintenance factor at the end of the nominal life: 0,75 Starting time (seg): 0,0			




Catalogue **HALOTEC HARDWARE**

Line **Halotec Lamps**

FAMILY **E14 Incandescent Lamps**

Subfamily **E14 Spherical lamps**

Picture	Article	Description	Lot	Price/Unit
	E241140		1	0,3493 €
		Ball lamp E14 120V 40W frosted	50	0,2587 €
		Average life 1.000h	100	0,2352 €
		Length (mm): 75 Diameter (mm): 45 Colour: Warm White Voltage In (Vac): 120 Frecuency (Hz): 50 Power (W): 40 Colour Temperature (°K): 2700 Lumen: 400 Socket: E14 Energy efficiency: F Kwh/1000h: 40 CRI (≥): 100 Life (Hours): 1000		




Catalogue **HALOTEC HARDWARE**

Line **Halotec Lamps**

FAMILY **E14 Incandescent Lamps**

Subfamily **E14 Wind lamp**

Picture	Article	Description	Lot	Price/Unit
	E226060		1	0,4010 €
		Bulb "coup de vent" E14 230V 60W clear	100	0,2970 €
		Average life 1000h	1000	0,27 €
	Length (mm): 120 Diameter (mm): 35 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 60 Colour Temperature (°K): 2700 Lumen: 600 Socket: E14 Energy efficiency: E Kwh/1000h: 60 Life (Hours): 1000 Power factor: 1,00 Warm-up time up to 60% of the full light output (sec): 0,0 Starting time (seg): 0,0			




Catalogue **HALOTEC HARDWARE**

Line **Halotec Lamps**


FAMILY **E14 Incandescent Lamps**

Subfamily **Curly E14 lamps**

Picture	Article	Description	Lot	Price/Unit
	E228060		1	0,3366 €
		Twisted bulb E14 230V 60W clear	100	0,2493 €
		half-life 1000h	1000	0,2266 €
		Length (mm): 97 Diameter (mm): 35 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 60 Colour Temperature (°K): 2700 Lumen: 600 Socket: E14 Energy efficiency: E Kwh/1000h: 60 Life (Hours): 1000 Power factor: 1,00 Warm-up time up to 60% of the full light output (sec): 0,0 Starting time (seg): 0,0		



Catalogue **HALOTEC HARDWARE**
 Line **Halotec Lamps**
 Family **E27 Incandescent Lamps**
 Subfamily **Resistance Decorative E27 Lamps**

Picture	Article	Description	Lot	Price/Unit
	E254040D		1	2,20 €
		Conical decorative lamp metallic filament 230V 40W	10	1,73 €
		E27 clear	50	1,57 €
		Average life 1000h		
		Length (mm): 145 Diameter (mm): 64 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 40 Colour Temperature (°K): 2200 Lumen: 180 Socket: E27 Energy efficiency: E Kwh/1000h: 40 Life (Hours): 1000		




Catalogue **HALOTEC HARDWARE**

Line **Halotec Lamps**

FAMILY **E27 Incandescent Lamps**

Subfamily **Standard lamps E27**

Picture	Article	Description	Lot	Price/Unit
	E251040R		100 (Pedido	0,4235 €
	GLS lamp 230V 40W E27 clear with reinforced filament		mínimo)	
			1000	0,3850 €
	Industrial use		5000	0,35 €
	Length (mm): 105 Diameter (mm): 60 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 40 Colour Temperature (°K): 2700 Lumen: 345 Socket: E27 Energy efficiency: F Kwh/1000h: 40 Life (Hours): 1000			




Catalogue **HALOTEC HARDWARE**

Line **Halotec Lamps**

FAMILY **E27 Incandescent Lamps**

Subfamily **E27 Spherical lamps**

Picture	Article	Description	Lot	Price/Unit
	E242140		1	0,3494 €
		Ball lamp E27 120V 40W frosted	50	0,2588 €
		Average life 1.000h	100	0,2353 €
		Length (mm): 72 Diameter (mm): 45 Colour: Warm White Voltage In (Vac): 120 Frecuency (Hz): 50 Power (W): 40 Colour Temperature (°K): 2700 Lumen: 400 Socket: E27 Energy efficiency: F Kwh/1000h: 40 CRI (≥): 100 Life (Hours): 1000		



Catalogue **HALOTEC HARDWARE**
 Line **Halotec Lamps**
 Family **Incandescent Lamps In Blister**
 Subfamily **E27 Standard bulb in Blister**

Picture	Article	Description	Lot	Price/Unit
	E251040B		1	0,89 €
		Blister 2 GLS lamps 40W 230V E27 clair	12	0,66 €
		Average life 1000h	48	0,60 €
		Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 40 Colour Temperature (°K): 2700 Lumen: 360 Socket: E27 Energy efficiency: F Kwh/1000h: 40 Life (Hours): 1000		
				


	E251140B		1	0,89 €
		Blister 2 GLS lamps 40W 230V E27 inside frosted	12	0,66 €
		Average life 1000h	48	0,60 €
		Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 40 Colour Temperature (°K): 2700 Lumen: 360 Socket: E27 Energy efficiency: F Kwh/1000h: 40 Life (Hours): 1000		
				

Catalogue **HALOTEC HARDWARE**

Line **Halotec Lamps**

FAMILY **Reflector Lamps**

Subfamily **R50 Reflector E14 lamp**

Picture	Article	Description	Lot	Price/Unit
	E280160		1	0,70 €
		Reflector lamp R50 E14 60W inside frosted	50	0,5170 €
		Average life 1000h	100	0,47 €
		Diameter (mm): 50 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 60 Colour Temperature (°K): 2700 Candelas: 900 Angle (°): 30 Socket: E14 Energy efficiency: D Kwh/1000h: 60 Life (Hours): 1000 Power factor: 1,00 Warm-up time up to 60% of the full light output (sec): 0,0 Starting time (seg): 0,0		




Catalogue **HALOTEC HARDWARE**

Line **Halotec Lamps**

FAMILY **Reflector Lamps**

Subfamily **R80 Reflector E27 lamp**

Picture	Article	Description	Lot	Price/Unit
	E253099		1	0,88 €
		Reflector lamp R80 E27 100W clear	50	0,65 €
		half-life 1000h	100	0,59 €
		Diameter (mm): 80 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 100 Colour Temperature (°K): 2700 Candelas: 450 Angle (°): 80 Socket: E27 Energy efficiency: D Kwh/1000h: 100 Life (Hours): 1000		

