


Catalogue **HALOTEC HARDWARE**

Line **Halotec Lighting**


FAMILY **Led Luminaires**

Subfamily **LED Projectors**

Picture	Article	Description	Lot	Price/Unit
	SK09401		1	10,79 €
	Spotlight LED 10W 5000K black		10	9,36 €
	20leds SMD 5730		20	8,45 €

Length (mm): 135 Width (mm): 115 High (mm): 40  
 Colour: Black Voltage In (Vac): 85~265 Power (W): 10  
 Colour Temperature (°K): 5000 Lumen: 800  
 Angle (°): 120 Energy efficiency: A - A++ CRI (≥): 80  
 Life (Hours): 50000 Ingress Protection: IP65  
 Power factor: 0.9



	SK09402		1	10,79 €
	Spotlight LED 10W 3000K black		10	9,36 €
	20leds SMD 5730		20	8,45 €








Length (mm): 135 Width (mm): 115 High (mm): 40  
 Colour: Black Voltage In (Vac): 85~265 Power (W): 10  
 Colour Temperature (°K): 3000 Lumen: 800  
 Angle (°): 120 Energy efficiency: A - A++ CRI (≥): 80  
 Life (Hours): 50000 Ingress Protection: IP65  
 Power factor: 0.90

Longitud (mm): 135  
 Ancho (mm): 115  
 Alto (mm): 40  
 Color: Negro  
 Tensión In (Vac): 85-265  
 Potencia (W): 10  
 Temperatura Color (°K): 3000  
 Lúmenes: 800  
 Ángulo (°): 120  
 Eficiencia energética: A - A++  
 CRI (≥): 80  
 Vida útil: 50000  
 Grado de protección: IP65  
 Factor de potencia: 0,9

Longitud (mm): 135  
 Ancho (mm): 115  
 Alto (mm): 40  
 Color: Negro  
 Tensión In (Vac): 85-265  
 Potencia (W): 10  
 Temperatura Color (°K): 3000  
 Lúmenes: 800  
 Ángulo (°): 120  
 Eficiencia energética: A - A++  
 CRI (≥): 80  
 Vida útil: 50000  
 Grado de protección: IP65  
 Factor de potencia: 0,9



Subfamily **LED Projectors**

Picture	Article	Description	Lot	Price/Unit
 <p>Longitud (mm): 183 Ancho (mm): 155 Alto (mm): 47 Código FRAG: 9 Temperatura In (Vac): 85-265 Potencia (W): 20 Temperatura Color (°K): 5000 Lúmenes: 1600 Ángulo (°): 120 Eficiencia energética: A++ CRI (?:) 80 Hoyas: 50000 Grado de protección: IP65</p>	SK09403	Spotlight LED 20W 5000K black	1	17,55 €
		40leds SMD 5730	10	15,21 €
		Length (mm): 183 Width (mm): 155 High (mm): 47 Colour: Black Voltage In (Vac): 85~265 Power (W): 20 Colour Temperature (°K): 5000 Lumen: 1600 Angle (°): 120 Energy efficiency: A - A++ CRI (?:): 80 Life (Hours): 50000 Ingress Protection: IP65 Power factor: 0.90	20	13,78 €
     				

 <p>Longitud (mm): 183 Ancho (mm): 155 Alto (mm): 47 Código FRAG: 9 Temperatura In (Vac): 85-265 Potencia (W): 20 Temperatura Color (°K): 3000 Lúmenes: 1600 Ángulo (°): 120 Eficiencia energética: A++ CRI (?:) 80 Hoyas: 50000 Grado de protección: IP65</p>	SK09404	Spotlight LED 20W 3000K black	1	17,55 €
		40leds SMD 5730	10	15,21 €
		Length (mm): 183 Width (mm): 155 High (mm): 47 Colour: Black Voltage In (Vac): 85~265 Power (W): 20 Colour Temperature (°K): 3000 Lumen: 1600 Angle (°): 120 Energy efficiency: A - A++ CRI (?:): 80 Life (Hours): 50000 Ingress Protection: IP65 Power factor: 0.90	20	13,78 €
     				


Subfamily **LED Projectors**

Picture	Article	Description	Lot	Price/Unit
 <p>Longitud (mm): 230 Anchura (mm): 190 Alto (mm): 54 Cable: Negro Temperatura de color: 5000K Eficiencia energética: A++ Temperatura de color (°K): 5000 Lumen: 2400 Ángulo (°): 120 Eficiencia energética: A++ CRI (?): 80 Horas vida: 50000 Grado de protección: IP65 Factor de potencia: 0.90</p>	SK09405	Spotlight LED 30W 5000K black	1	24,31 €
		60leds SMD 5730	10	21,19 €
			20	18,85 €



Length (mm): 230 Width (mm): 190 High (mm): 54  
Colour: Black Voltage In (Vac): 85~265 Power (W): 30  
Colour Temperature (°K): 5000 Lumen: 2400  
Angle (°): 120 Energy efficiency: A - A++ CRI (?): 80  
Life (Hours): 50000 Ingress Protection: IP65  
Power factor: 0.90











 <p>Longitud (mm): 230 Anchura (mm): 190 Alto (mm): 54 Cable: Negro Temperatura de color: 3000K Eficiencia energética: A++ Temperatura de color (°K): 3000 Lumen: 2400 Ángulo (°): 120 Eficiencia energética: A++ CRI (?): 80 Horas vida: 50000 Grado de protección: IP65 Factor de potencia: 0.90</p>	SK09406	Spotlight LED 30W 3000K black	1	24,31 €
		60leds SMD 5730	10	21,19 €
			20	18,85 €



Length (mm): 230 Width (mm): 190 High (mm): 54  
Colour: Black Voltage In (Vac): 85~265 Power (W): 30  
Colour Temperature (°K): 3000 Lumen: 2400  
Angle (°): 120 Energy efficiency: A - A++ CRI (?): 80  
Life (Hours): 50000 Ingress Protection: IP65  
Power factor: 0.90



Subfamily **LED Projectors**

Picture	Article	Description	Lot	Price/Unit
 <p>                     Anchoring: 2x8                      Allowance: 28.3                      Color: Negro                      Tensión In (Vac): 85-265                      Potencia (W): 50                      Temperatura Color (°K): 5000                      Lumen: 4000                      Ángulo (°): 120                      Eficiencia energética: A - A++                      CRI (v1): 80                      Horas vida: 50000                      Grado de protección: IP65                 </p>	SK09407	Spotlight LED 50W 5000K black	1	37,96 €
		100leds SMD 5730	8	33,15 €
			16	28,73 €
 <p>                     Width (mm): 28.3                      Height (mm): 28.3                      Color: Black                      Voltage In (Vac): 85-265                      Power (W): 50                      Colour Temperature (°K): 5000                      Lumen: 4000                      angle (°): 120                      Energy Efficiency: A - A++                      CRI (v1): 80                      Life hours: 50000                      Degree of protection: IP65                 </p>	Length (mm): 285 Width (mm): 240 High (mm): 70 Colour: Black Voltage In (Vac): 85~265 Power (W): 50 Colour Temperature (°K): 5000 Lumen: 4000 Angle (°): 120 Energy efficiency: A - A++ CRI (?): 80 Life (Hours): 50000 Ingress Protection: IP65			
     				


 <p>                     Anchoring: 2x8                      Allowance: 28.3                      Color: Negro                      Tensión In (Vac): 85-265                      Potencia (W): 50                      Temperatura Color (°K): 3000                      Lumen: 4000                      Ángulo (°): 120                      Eficiencia energética: A - A++                      CRI (v1): 80                      Horas vida: 50000                      Grado de protección: IP65                 </p>	SK09408	Spotlight LED 50W 3000K black	1	37,96 €
		100leds SMD 5730	8	33,15 €
			16	28,73 €
 <p>                     Width (mm): 28.3                      Height (mm): 28.3                      Color: Black                      Voltage In (Vac): 85-265                      Power (W): 50                      Colour Temperature (°K): 3000                      Lumen: 4000                      angle (°): 120                      Energy Efficiency: A - A++                      CRI (v1): 80                      Life hours: 50000                      Degree of protection: IP65                 </p>	Length (mm): 285 Width (mm): 240 High (mm): 70 Colour: Black Voltage In (Vac): 85~265 Power (W): 50 Colour Temperature (°K): 3000 Lumen: 4000 Angle (°): 120 Energy efficiency: A - A++ CRI (?): 80 Life (Hours): 50000 Ingress Protection: IP65 Power factor: 0.9			
     				

Catalogue **HALOTEC HARDWARE**

Line **Halotec Lighting**


FAMILY **Led Luminaires**

Subfamily **Led Projector with detector**


Picture	Article	Description	Lot	Price/Unit
	SK09410		1	17,42 €
	Led projector with presence detector 20W		24	15,83 €
	Detection area: 10m x 120°  Length (mm): 245 Width (mm): 140 High (mm): 60 Colour: Black Voltage In (Vac): 220~240 Frecuency (Hz): 50~60 Power (W): 20 Room Temperature (°C): -25~+40 Critical Temperature (°C): 40 Colour Temperature (°K): 6000 Lumen: 1400 Angle (°): 120 Energy efficiency: A Life (Hours): 30000 Ingress Protection: IP44			



Catalogue **HALOTEC HARDWARE**  
 Line **Halotec Lighting**  
 Family **Outdoor Lights**  
 Subfamily **Aluminum Round Outdoor Light**

Picture	Article	Description	Lot	Price/Unit
	SK09113		1	6,62 €
	Aluminum Wall bracket round with half cover 100W white		10	6,02 €
			20	5,73 €
	Watertight IP44			
		High (mm): 125 Diameter (mm): 244 Colour: White Voltage In (Vac): 240 Socket: E27 Ingress Protection: IP44		



	SK09114		1	6,62 €
	Aluminum Wall bracket round with half cover 100W black		10	6,02 €
			20	5,73 €
	Watertight IP44			
		High (mm): 125 Diameter (mm): 244 Colour: Black Voltage In (Vac): 240 Socket: E27 Ingress Protection: IP44		




Catalogue **HALOTEC HARDWARE**


Line **Halotec Lighting**

FAMILY **Halogen Bulb**

Subfamily **Fixed Halogen Bulb 12V Kit**

Picture	Article	Description	Lot	Price/Unit
	SK09159		1	4,20 €
	Kit Halogen Spotlight 12V fixed white		10	3,81 €
	Includes installation instructions, electronic transformer and all accessories for installation		20	3,64 €
	Colour: White Voltage In (Vdc/ac): 12 Power (W): 50 Socket: GU5.3 Energy efficiency: D Kwh/1000h: 53			




	SK09160		1	4,39 €
	Kit Halogen Spotlight 12V fixed chrome satin		10	3,99 €
	Includes installation instructions, electronic transformer and all accessories for installation		20	3,81 €
	Voltage In (Vdc/ac): 12 Power (W): 50 Socket: GU5.3 Energy efficiency: D Kwh/1000h: 53			



HALOTEC HARDWARE > Halotec Lighting > Halogen Bulb

Subfamily **Fixed Halogen Bulb 12V Kit**

Picture	Article	Description	Lot	Price/Unit
	SK09161		1	4,39 €
		Kit Halogen Spotlight 12V fixed nickel satin	10	3,99 €
		Includes installation instructions and all accessories for installation	20	3,81 €
		Voltage In (Vdc/ac): 12 Power (W): 50 Socket: GU5.3 Energy efficiency: D Kwh/1000h: 53		






Catalogue **HALOTEC HARDWARE**

Line **Halotec Lighting**

FAMILY **Halogen Bulb**

Subfamily **Fixed 230V Halogen Bulb Kit**

Picture	Article	Description	Lot	Price/Unit
	SK09155		1	2,82 €
		Kit Halogen Spotlight GU-10 fixed nickel satin	10	2,56 €
		Includes installation instructions and all accessories for installation	20	2,44 €
		Voltage In (Vac): 230 Power (W): 50 Socket: GU10 Energy efficiency: D Kwh/1000h: 50		




Catalogue **HALOTEC HARDWARE**


Line **Halotec Lighting**

FAMILY **Halogen Bulb**

Subfamily **Kit 230V Halogen Bulb tilt**

Picture	Article	Description	Lot	Price/Unit
	SK09151		1	2,94 €
	Kit Halogen Spotlight GZ-10 adjustable chrome satin		10	2,68 €
	Includes installation instructions and all accessories for installation		20	2,55 €
	Voltage In (Vac): 230 Power (W): 50 Socket: GZ10 Energy efficiency: D Kwh/1000h: 50			



	SK09152		1	2,94 €
	Kit Halogen Spotlight GZ-10 adjustable nickel satin		10	2,68 €
	Includes installation instructions and all accessories for installation		20	2,55 €
	Voltage In (Vac): 230 Power (W): 50 Socket: GZ10 Energy efficiency: D Kwh/1000h: 50			




Catalogue **HALOTEC HARDWARE**

Line **Halotec Lighting**

FAMILY **Directional Spotlights**

Subfamily **Portable Halogene Spotlights**

Picture	Article	Description	Lot	Price/Unit
	SK09104		1	7,02 €
		150W Portable Halogen Projector 1.5 m cable	10	6,38 €
		IP54. Lamp R7s 78mm included. Cable 3G1,00mm2 with Schuko plug	20	6,08 €
		Length (mm): 250 Width (mm): 185 Colour: Black Socket: R7s Energy efficiency: E Kwh/1000h: 150		



Catalogue **HALOTEC HARDWARE**  
 Line **Halotec Lighting**  
 Family **Directional Spotlights**  
 Subfamily **Tilt Halogen Spotlights with sensor**

Picture	Article	Description	Lot	Price/Unit
	SK09100		1	9,32 €
	150W halogen projector with motion sensor		10	8,48 €
	IP44. Detection 180°. Directional and adjustable at time and sensibility, R7s 78mm bulb included		20	8,07 €
		Colour: Black Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 150 Angle (°): 180 Socket: R7s Energy efficiency: E Kwh/1000h: 150		
				
	SK09101		1	10,84 €
	500W halogen projector with motion sensor		10	9,87 €
	IP44. Detection 180°. Directional and adjustable at time and sensibility, R7s 118mm bulb included		20	9,40 €
		Colour: Black Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 150 Angle (°): 180 Socket: R7s Energy efficiency: E Kwh/1000h: 500		
				