


Catalogue **HALOTEC HARDWARE**

Line **Halotec Lighting**

FAMILY **Led Luminaires**

Subfamily **Solar Led Wall Lamp**

Picture	Article	Description	Lot	Price/Unit
	SK09417		1	41,37 €
	Apply Led Black 5W Solar 8521		18	37,61 €

ABS + PC body; Solar Panel: 2,3Wp; Lithium battery: 30000mAh; Maximum installation height 4m.
Beam angle: 90th; Detection angle: 120°; Detection area: <= 6m.

Length (mm): 218 Width (mm): 149 Colour: Black
Voltage In (Vdc): 3.7 Power (W): 5
Colour Temperature (°K): 4000 Lumen: 500
Life (Hours): 35000 Ingress Protection: IP65




Catalogue **HALOTEC HARDWARE**

Line **Halotec Lighting**

FAMILY **Led Luminaires**

Subfamily **Waterproof LED Screens**

Picture	Article	Description	Lot	Price/Unit
	SK09338 ECO Led Compact Screen 18W 220-240V	Opal polycarbonate diffuser. Polycarbonate body. Silicone sealing gasket. Class II. IK08. Length (mm): 670 Width (mm): 85 High (mm): 80 Colour: Grey Voltage In (Vac): 220~240 Frecuency (Hz): 50~60 Power (W): 18 Room Temperature (°C): -20~+40 Colour Temperature (°K): 5000 Lumen: 2358 Energy efficiency: A Life (Hours): 25000 Ingress Protection: IP65	1	27,60 €







Catalogue **HALOTEC HARDWARE**

Line **Halotec Lighting**




Family **Led Luminaires**



Subfamily **LED Projectors**

Picture	Article	Description	Lot	Price/Unit
 <p>Length (mm): 135 Width (mm): 115 Height (mm): 40 Colour: Black Voltage In (Vac): 85-265 Power (W): 10 Colour Temperature (°K): 3000 Lumen: 800 Angle (°): 120 Energy Efficiency: A - A++ CRI (≥): 80 Life (Hours): 50000 Degree of protection: IP65 Power factor: 0.9</p>  <p>Length (mm): 135 Ancho (mm): 115 Alto (mm): 40 Color: Negro Tensión In (Vac): 85-265 Potencia (W): 10 Temperatura Color (°K): 3000 Lúmenes: 800 Ángulo (°): 120 Eficiencia energética: A - A++ CRI (≥): 80 Horas vida: 50000 Grado de protección: IP65 Factor de potencia: 0,9</p>	SK09402	Spotlight LED 10W 3000K black	1	10,79 €
		20leds SMD 5730	10	9,36 €
		Length (mm): 135 Width (mm): 115 High (mm): 40 Colour: Black Voltage In (Vac): 85~265 Power (W): 10 Colour Temperature (°K): 3000 Lumen: 800 Angle (°): 120 Energy efficiency: A - A++ CRI (≥): 80 Life (Hours): 50000 Ingress Protection: IP65 Power factor: 0.90	20	8,45 €
 <p>Length (mm): 183 Ancho (mm): 155 Alto (mm): 47 Color: Negro Tensión In (Vac): 85-265 Potencia (W): 20 Temperatura Color (°K): 5000 Lúmenes: 1600 Ángulo (°): 120 Eficiencia energética: A - A++ CRI (≥): 80 Horas vida: 50000 Grado de protección: IP65</p>  <p>Length (mm): 183 Width (mm): 155 Height (mm): 47 Colour: Black Voltage In (Vac): 85-265 Power (W): 20 Colour Temperature (°K): 5000 Lumen: 1600 Angle (°): 120 Energy Efficiency: A - A++ CRI (≥): 80 Life (Hours): 50000 Degree of protection: IP65</p>	SK09403	Spotlight LED 20W 5000K black	1	17,55 €
		40leds SMD 5730	10	15,21 €
		Length (mm): 183 Width (mm): 155 High (mm): 47 Colour: Black Voltage In (Vac): 85~265 Power (W): 20 Colour Temperature (°K): 5000 Lumen: 1600 Angle (°): 120 Energy efficiency: A - A++ CRI (≥): 80 Life (Hours): 50000 Ingress Protection: IP65 Power factor: 0.90	20	13,78 €





Subfamily **LED Projectors**

Picture	Article	Description	Lot	Price/Unit
 <p>Longitud (mm): 230 Anchura (mm): 190 Altura (mm): 54 Color: Negro Tensión (V) (Vac): 85-265 Potencia (W): 30 Temperatura Color (°K): 5000 Lumen: 2400 Ángulo (°): 120 Eficiencia energética: A - A++ CRI (?): 80 Horas vida: 50000 Grado de protección: IP65 Factor de potencia: 0.90</p>	SK09405	Spotlight LED 30W 5000K black	1	24,31 €
		60leds SMD 5730	10	21,19 €
			20	18,85 €
 <p>Length (mm): 230 Width (mm): 190 Height (mm): 54 Colour: Black Voltage In (Vac): 85-265 Power (W): 30 Colour Temperature (°K): 5000 Lumen: 2400 Angle (°): 120 Energy efficiency: A - A++ CRI (?): 80 Life (Hours): 50000 Ingress Protection: IP65 Power factor: 0.90</p>				
				


 <p>Anchura (mm): 240 Altura (mm): 28,3 Color: Negro Tensión (V) (Vac): 85-265 Potencia (W): 50 Temperatura Color (°K): 5000 Lumen: 4000 Ángulo (°): 120 Eficiencia energética: A - A++ CRI (?): 80 Horas vida: 50000 Grado de protección: IP65</p>	SK09407	Spotlight LED 50W 5000K black	1	37,96 €
		100leds SMD 5730	8	33,15 €
			16	28,73 €
 <p>Width (mm): 240 Height (mm): 28,3 Colour: Black Voltage In (Vac): 85-265 Power (W): 50 Colour Temperature (°K): 5000 Lumen: 4000 Angle (°): 120 Energy Efficiency: A - A++ CRI (?): 80 Life hours: 50000 Degree of protection: IP65</p>				
				

Subfamily **LED Projectors**

Picture	Article	Description	Lot	Price/Unit
 <p>Arbolocoma 22,8 Altura (mm) 28,3 Color Negro Tensión In (Vac) 85-265 Potencia (W) 50 Temperatura Color (°K) 3000 Lúmenes 4000 Ángulo (°) 120 Eficiencia energética A - A++ CRI (L) 80 Horas vida 50000 Grado de protección IP65</p>	SK09408	Spotlight LED 50W 3000K black	1	37,96 €
		100leds SMD 5730	8	33,15 €
	 <p>W88 (mm) 22,8 Height (mm) 28,3 Colour Black Voltage In (Vac) 85-265 Power (W) 50 Colour Temperature (°K) 3000 Lumens 4000 Angle (°) 120 Energy Efficiency A - A++ CRI (L) 80 Life hours 50000 Degree of protection IP65</p>		Length (mm): 285 Width (mm): 240 High (mm): 70 Colour: Black Voltage In (Vac): 85~265 Power (W): 50 Colour Temperature (°K): 3000 Lumen: 4000 Angle (°): 120 Energy efficiency: A - A++ CRI (?): 80 Life (Hours): 50000 Ingress Protection: IP65 Power factor: 0.9	16








Catalogue **HALOTEC HARDWARE**
 Line **Halotec Lighting**
 Family **Outdoor Lights**
 Subfamily **Aluminum Round Outdoor Light**

Picture	Article	Description	Lot	Price/Unit
	SK09113		1	6,62 €
	Aluminum Wall bracket round with half cover 100W white		10	6,02 €
		Watertight IP44		20
	High (mm): 125 Diameter (mm): 244 Colour: White Voltage In (Vac): 240 Socket: E27 Ingress Protection: IP44			




Catalogue **HALOTEC HARDWARE**
 Line **Halotec Lighting**
 Family **Outdoor Lights**
 Subfamily **Polycarbonate Oval Outdoor Light**

Picture	Article	Description	Lot	Price/Unit
	B307010		1	5,42 €
	Apply oval E-27 black base with grid		12	4,93 €
		Thermoplastic body, 3 inlets diameter 16mm. Removable galvanized steel protector, Transparent glass. Class II, Waterproof IP 44. Sold without bulb	24	4,69 €
		Length (mm): 171 Width (mm): 113 High (mm): 94 Colour: Black Voltage In (Vac): 220~240 Frecuency (Hz): 50~60 Power (W): 60 Socket: E27 Ingress Protection: IP44		
		  		

	SK09133		1	6,50 €
	Apply white oval thermoplastic grid		12	6,19 €
		It is sold without bulb.		
		Length (mm): 183 Width (mm): 108 High (mm): 115 Colour: White Voltage In (Vac): 220~240 Frecuency (Hz): 50~60 Power (W): 60 Temperature (°C): -25+40 Room Temperature (°C): -25~+40 Socket: E27 Ingress Protection: IP44		
		   		

Catalogue **HALOTEC HARDWARE**
 Line **Halotec Lighting**
 FAmily **Outdoor Lantern**
 Subfamily **Aluminium Outdoor Lantern Low**

Picture	Article	Description	Lot	Price/Unit
	SK09131		1	11,08 €
	Garden Wall Lantern 100W aluminum white down		10	10,08 €
	Watertight IP33.Max.100W. Sold without bulb		20	9,59 €
	Length (mm): 260 Width (mm): 260 High (mm): 410 Colour: White Voltage In (Vac): 240 Socket: E27 Ingress Protection: IP33			




Catalogue **HALOTEC HARDWARE**


Line **Halotec Lighting**

FAMILY **Halogen Bulb**

Subfamily **Fixed Halogen Bulb 12V Kit**

Picture	Article	Description	Lot	Price/Unit
	SK09159		1	4,20 €
		Kit Halogen Spotlight 12V fixed white	10	3,81 €
		Includes installation instructions, electronic transformer and all accessories for installation	20	3,64 €
		Colour: White Voltage In (Vdc/ac): 12 Power (W): 50 Socket: GU5.3 Energy efficiency: D Kwh/1000h: 53		










	SK09160		1	4,39 €
		Kit Halogen Spotlight 12V fixed chrome satin	10	3,99 €
		Includes installation instructions, electronic transformer and all accessories for installation	20	3,81 €
		Voltage In (Vdc/ac): 12 Power (W): 50 Socket: GU5.3 Energy efficiency: D Kwh/1000h: 53		



HALOTEC HARDWARE > Halotec Lighting > Halogen Bulb

Subfamily **Fixed Halogen Bulb 12V Kit**







Picture	Article	Description	Lot	Price/Unit
	SK09161		1	4,39 €
		Kit Halogen Spotlight 12V fixed nickel satin	10	3,99 €
		Includes installation instructions and all accessories for installation	20	3,81 €
		Voltage In (Vdc/ac): 12 Power (W): 50 Socket: GU5.3 Energy efficiency: D Kwh/1000h: 53		
	 	  		

Catalogue **HALOTEC HARDWARE**

Line **Halotec Lighting**

FAMILY **Halogen Bulb**

Subfamily **Fixed 230V Halogen Bulb Kit**


Picture	Article	Description	Lot	Price/Unit
	SK09155		1	2,82 €
		Kit Halogen Spotlight GU-10 fixed nickel satin	10	2,56 €
		Includes installation instructions and all accessories for installation	20	2,44 €
		Voltage In (Vac): 230 Power (W): 50 Socket: GU10 Energy efficiency: D Kwh/1000h: 50		
				

Catalogue **HALOTEC HARDWARE**


Line **Halotec Lighting**

FAMILY **Halogen Bulb**

Subfamily **Kit 230V Halogen Bulb tilt**

Picture	Article	Description	Lot	Price/Unit
	SK09151		1	2,94 €
		Kit Halogen Spotlight GZ-10 adjustable chrome satin	10	2,68 €
		Includes installation instructions and all accessories for installation	20	2,55 €
		Voltage In (Vac): 230 Power (W): 50 Socket: GZ10 Energy efficiency: D Kwh/1000h: 50		



	SK09152		1	2,94 €
		Kit Halogen Spotlight GZ-10 adjustable nickel satin	10	2,68 €
		Includes installation instructions and all accessories for installation	20	2,55 €
		Voltage In (Vac): 230 Power (W): 50 Socket: GZ10 Energy efficiency: D Kwh/1000h: 50		




Catalogue **HALOTEC HARDWARE**

Line **Halotec Lighting**

FAMILY **Directional Spotlights**

Subfamily **Portable Halogene Spotlights**

Picture	Article	Description	Lot	Price/Unit
	SK09104		1	7,38 €
		150W Portable Halogen Projector 1.5 m cable	10	6,71 €
		IP54. Lamp R7s 78mm included. Cable 3G1,00mm2 with Schuko plug	20	6,40 €
		Length (mm): 250 Width (mm): 185 Colour: Black Socket: R7s Energy efficiency: E Kwh/1000h: 150		



Catalogue **HALOTEC HARDWARE**
 Line **Halotec Lighting**
 Family **Directional Spotlights**
 Subfamily **Tilt Halogen Spotlights with sensor**

Picture	Article	Description	Lot	Price/Unit
	SK09100		1	9,78 €
		150W halogen projector with motion sensor	10	8,88 €
		IP44. Detection 180°. Directional and adjustable at time and sensibility, R7s 78mm bulb included	20	8,46 €
		Colour: Black Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 150 Angle (°): 180 Socket: R7s Energy efficiency: E Kwh/1000h: 150		
		 		


	SK09101		1	11,38 €
		500W halogen projector with motion sensor	10	10,35 €
		IP44. Detection 180°. Directional and adjustable at time and sensibility, R7s 118mm bulb included	20	9,85 €
		Colour: Black Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 150 Angle (°): 180 Socket: R7s Energy efficiency: E Kwh/1000h: 500		
	 	 		

Catalogue **HALOTEC HARDWARE**

Line **Halotec Lighting**

FAMILY **Night Lights**

Subfamily **Night Lights**

Picture	Article	Description	Lot	Price/Unit
	SK08501		1	3,47 €
		Night Light fluorescent 1,5W	10	2,99 €
		Classical fluorescent light 15W plug-in with switch	20	2,65 €

