



Catalogue **HALOTEC HARDWARE**
 Line **Halotec Small Installation Material**
 Family **Multiple Plug and cable Reels**
 Subfamily **Multiple Plug With Cable 3 Sockets**

Picture	Article	Description	Lot	Price/Unit
	SK08002A		1	9,19 €
		Multiple Plug Socket 3 plugs with switch cable 1,5m	10	8,37 €
		Cable H05VV-F 3G. 1.5mm2 PVC double insulation	40	7,97 €
		Length (mm): 185 Width (mm): 54 High (mm): 50 Colour: White Voltage In (Vac): 250 Intensidad In (A): 16		
	CE			

Catalogue **HALOTEC HARDWARE**
 Line **Halotec Small Installation Material**
 FAmily **Multiple Plug and cable Reels**
 Subfamily **Multiple Plug Withcable 4 Sockets**


Picture	Article	Description	Lot	Price/Unit
	SK08004A		1	9,02 €
		Multiple Plug Socket 4 plugs with switch cable 1,5m	10	8,20 €
		Cable H05VV-F 3G. 1.5mm2 PVC double insulation	30	7,80 €
		Length (mm): 230 Width (mm): 54 High (mm): 50 Colour: White Voltage In (Vac): 250 Intensidad In (A): 16		
	CE			




Catalogue **HALOTEC HARDWARE**
Line **Halotec Small Installation Material**
FAMILY **Multiple Plug and cable Reels**
Subfamily **Multiple Plug With Cable 5 Shockets**

Picture	Article	Description	Lot	Price/Unit
---------	---------	-------------	-----	------------

Catalogue **HALOTEC HARDWARE**
 Line **Halotec Small Installation Material**
 Family **Multiple Plug and cable Reels**
 Subfamily **Multiple Plug With Cable 6 Shockets**

Picture	Article	Description	Lot	Price/Unit
	SK08008A		1	10,41 €
		Multiple base 6 sockets with switch 1,5m cable	10	9,48 €
		3G hose cable 1,5mm2. Maximum 3680W. Indoor use	30	9,02 €
		Length (mm): 315 Width (mm): 54 High (mm): 50 Colour: White Voltage In (Vac): 250 Intensidad In (A): 16		
	CE			

Catalogue **HALOTEC HARDWARE**
 Line **Halotec Small Installation Material**
 Family **Plugs and bases**
 Subfamily **Eur Plugs and Sockets**

Picture	Article	Description	Lot	Price/Unit
	CD80005		1	0,88 €
	White European Plug. 10A 250V		10	0,77 €
			100	0,70 €
	Length (mm): 65 Width (mm): 33 High (mm): 15		400	0,66 €
	Colour: White Voltage In (Vac): 250 Intensidad In (A): 10 Ingress Protection: IP20			



	CD80006		1	0,88 €
	Black European Plug. 10A 250V		10	0,77 €
			100	0,70 €
	Length (mm): 65 Width (mm): 33 High (mm): 15		400	0,66 €
	Colour: White Voltage In (Vac): 250 Intensidad In (A): 10 Ingress Protection: IP20			




Subfamily **Eur Plugs and Sockets**


Picture	Article	Description	Lot	Price/Unit
	SK08406		1	1,50 €
		Blister Base adjustable european white.10A 250V	24	1,17 €
	UNE20315		48	1,11 €
		Colour: White Voltage In (Vac): 250 Intensidad In (A): 10		
				

	SK08408		1	1,50 €
		Blister Base adjustable european black.10A 250V	24	1,17 €
	UNE20315		48	1,11 €
		Colour: Black Voltage In (Vac): 250 Intensidad In (A): 10		
				

Catalogue **HALOTEC HARDWARE**
 Line **Halotec Small Installation Material**
 Family **Plugs and bases**
 Subfamily **Schuko Plugs And Sockets**

Picture	Article	Description	Lot	Price/Unit
	SK08409A		25 (Pedido mínimo)	1,70 €
		Straight Plug Schuko. white 16A 250V	50	1,42 €
		SCHUKO PVC bipolar plug with lateral TT and straight cable entry	100	1,34 €
		Length (mm): 86 Width (mm): 32 High (mm): 33 Colour: White Voltage In (Vac): 250 Intensidad In (A): 16		




	SK08411A		25 (Pedido mínimo)	1,79 €
		Schuko mobile base. White 16A 250V	50	1,64 €
		UNE20315	100	1,56 €
		High (mm): 68 Diameter (mm): 48 Colour: White Voltage In (Vac): 250 Intensidad In (A): 16		




HALOTEC HARDWARE > Halotec Small Installation Material > Plugs and bases

Subfamily **Schuko Plugs And Sockets**

Picture	Article	Description	Lot	Price/Unit
	SK08412		1	1,72 €
		Blister Base adjustable Schuko. white 16A 250V	24	1,43 €
	UNE20315		48	1,30 €
		Colour: White Voltage In (Vac): 250 Intensidad In (A): 16		




	SK08414		1	1,76 €
		Blister Angled Plug Schuko.white 16A 250V	24	1,37 €
	UNE20315		48	1,27 €
		Colour: White Voltage In (Vac): 250 Intensidad In (A): 16		




HALOTEC HARDWARE > Halotec Small Installation Material > Plugs and bases

Subfamily **Schuko Plugs And Sockets**

Picture	Article	Description	Lot	Price/Unit
	SK08415		25 (Pedido mínimo)	1,70 €
		Straight Plug Schuko Rubber. 16A 250V FILM+EAN	50	1,40 €
	UNE20315		200	1,35 €

Voltage In (Vac): 250 Intensidad In (A): 16



	SK08416		1	1,95 €
		Blister Straight Plug Schuko Rubber. 16A 250V	24	1,43 €
	UNE20315		48	1,30 €

Voltage In (Vac): 250 Intensidad In (A): 16









Subfamily **Schuko Plugs And Sockets**

Picture	Article	Description	Lot	Price/Unit
	SK08417A	Schuko Rubber mobile base. 16A 250V	10 (Pedido mínimo)	5,59 €
	IP44 with cover. IEC 60884-1		30	5,08 €
	High (mm): 104 Diameter (mm): 50 Colour: Black Voltage In (Vac): 250 Intensidad In (A): 16		90	4,84 €
	CE			
	SK08419A	Schuko waterproof plug. 16A 250V	15 (Pedido mínimo)	3,52 €
	IEC 60884-1		30	3,19 €
	High (mm): 114 Diameter (mm): 45 Colour: Black Voltage In (Vac): 250 Intensidad In (A): 16 Ingress Protection: IP44		90	3,04 €
	CE			

HALOTEC HARDWARE > Halotec Small Installation Material > Plugs and bases


Subfamily **Schuko Plugs And Sockets**

Picture	Article	Description	Lot	Price/Unit
	SK08421	Base adjustable Waterproof Schuko. 16A 250V FILM+EAN	12 (Pedido mínimo)	2,09 €
	UNE20315		24	1,74 €
			48	1,59 €
		Voltage In (Vac): 250 Intensidad In (A): 16		
HALOTEC®				

	SK08422	Blister Base adjustable Waterproof Schuko. 16A 250V	1	2,74 €
	UNE20315		12	2,29 €
			24	2,08 €
		Voltage In (Vac): 250 Intensidad In (A): 16		
HALOTEC®				


HALOTEC HARDWARE > Halotec Small Installation Material > Plugs and bases

Subfamily **Schuko Plugs And Sockets**

Picture	Article	Description	Lot	Price/Unit
	SK08428		1	12,06 €
	bipolar mobile base rubber tirple T.T side exit 16A		10	10,99 €
	250V		20	10,47 €

Length (mm): 170 Width (mm): 108 High (mm): 58
Colour: Black Voltage In (Vac): 250
Intensidad In (A): 16 Ingress Protection: IP44





	SK08429		1	1,63 €
	PP / PA bipolar plug with side TT and side cable input		10	1,47 €
	16A 250V		20	1,40 €

Length (mm): 55 Width (mm): 37 Colour: Black
Voltage In (Vac): 250 Intensidad In (A): 16



Catalogue **HALOTEC HARDWARE**
 Line **Halotec Small Installation Material**
 Family **Adapters**
 Subfamily **Triple Socket Adapters**

Picture	Article	Description	Lot	Price/Unit
	SK08225		1	2,70 €
	Plug Adapter green 3 plugs earth terminal 10A/250V		24	2,46 €
	Child protection. Maximum 3500W		48	2,34 €
	Colour: Green Voltage In (Vac): 250 Intensidad In (A): 10~16			
				



	SK08227		1	2,70 €
	Plug Adapter orange 3 plugs earth terminal 10A/250V		24	2,46 €
	Child protection. Maximum 3500W		48	2,34 €
	Colour: Orange Voltage In (Vac): 250 Intensidad In (A): 10~16			
				





Catalogue **HALOTEC HARDWARE**
Line **Halotec Small Installation Material**
FAMILY **Adapters**
Subfamily **Double sockets Adapters**


Picture	Article	Description	Lot	Price/Unit
---------	---------	-------------	-----	------------



Catalogue **HALOTEC HARDWARE**
Line **Halotec Small Installation Material**
FAMILY **Adapters**
Subfamily **Travel Adapter**


Picture	Article	Description	Lot	Price/Unit
---------	---------	-------------	-----	------------

Catalogue **HALOTEC HARDWARE**
 Line **Halotec Small Installation Material**
 Family **Adapters**
 Subfamily **USB Adapters**


Picture	Article	Description	Lot	Price/Unit
	SK08231		1	7,54 €
	Adapter 3 USB ports FILM + EAN		10	6,57 €
	OUTPUT: 5Vdc, 2.1A (total)		100	6,24 €
	Colour: White Voltage In (Vac): 100~230 Voltage Out (Vdc): 5 Intensidad In (A): 0.3 Intensidad Out (A): 2,1 Frecuency (Hz): 50~60			



Catalogue **HALOTEC HARDWARE**
 Line **Halotec Small Installation Material**
 FAmily **Plug Bases**
 Subfamily **Bases Surface Plug**

Picture	Article	Description	Lot	Price/Unit
	SK08302A		1	1,57 €
	Base de enchufe para canaleta		10	1,43 €
	Voltage In (Vac): 250 Intensidad In (A): 10~16		50	1,37 €




	SK08426		1	5,36 €
	TT bipolar plug with kitchen		10	4,86 €
	Colour: White Voltage In (Vac): 250 Intensidad In (A): 25		20	4,63 €




HALOTEC HARDWARE > Halotec Small Installation Material > Plug Bases

Subfamily **Bases Surface Plug**


Picture	Article	Description	Lot	Price/Unit
	SK08427		1	5,99 €
		TT bipolar base with kitchen	10	5,45 €
		For Ø60mm flush-mount box	20	5,20 €
		Colour: White Voltage In (Vac): 250 Intensidad In (A): 25		



Catalogue **HALOTEC HARDWARE**
 Line **Halotec Small Installation Material**
 Family **Lampholders for Installing**
 Subfamily **Halotec Installation Thermoplastic Lampholders E27**


Picture	Article	Description	Lot	Price/Unit
	AR1412031		1	1,47 €
	Lampholder for instalation 912/CP102 black thermoplastic T210°		50	0,72 €
		Installation lampholder with cap. Connetion by screws for rigid or flexible 0,5-2,5mm2 cables		500
		High (mm): 67 Diameter (mm): 38,5 Colour: Black Voltage In (Vac): 250 Intensidad In (A): 4 Temperature (°C): 210 Connection: Screw Socket: E27		
		Reference: 029582		




	AR1412032		1	1,47 €
	Lampholder for instalation 912/CP102 white thermoplastic T210°		50	0,72 €
		Installation lampholder with cap. Connetion by screws for rigid or flexible 0,5-2,5mm2 cables		500
		High (mm): 67 Diameter (mm): 38,5 Colour: White Voltage In (Vac): 250 Intensidad In (A): 4 Temperature (°C): 210 Connection: Screw Socket: E27		
		Reference: 029957		



Catalogue **HALOTEC HARDWARE**
 Line **Halotec Small Installation Material**
 Family **Lampholders for Installing**
 Subfamily **Halotec thermoplastic Lampholders E27**


Picture	Article	Description	Lot	Price/Unit
	SK01001A		1	0,5730 €
	E27 black thermoplastic Lampholder mounted		250	0,5525 €
	M10x1.Conexión fixing screw			
	Colour: Black Voltage In (Vac): 250			
	Intensidad In (A): 4 Temperature (°C): 190			
	Reference: 039667			




	SK01003A		1	0,5871 €
	E27 White thermoplastic Lampholder mounted		250	0,5526 €
	M10x1.Conexión fixing screw			
	Colour: White Voltage In (Vac): 250			
	Intensidad In (A): 4 Temperature (°C): 190			
	Reference: 039666			



Subfamily **Halotec thermoplastic Lampholders E27**


Picture	Article	Description	Lot	Price/Unit
	SK01009A		1	0,5788 €
		Half Threaded thermoplastic E27 lampholders black mounted no ring	250	0,5589 €
		M10x1.Conexión fixing screw		
		Colour: Black Voltage In (Vac): 250 Intensidad In (A): 4 Temperature (°C): 190 Reference: 040901		




	SK01011A		1	0,61 €
		Half Threaded thermoplastic E27 lampholders white mounted no ring	250	0,5750 €
		M10x1.Conexión fixing screw		
		Colour: White Voltage In (Vac): 250 Intensidad In (A): 4 Temperature (°C): 190 Reference: 040902		



Catalogue **HALOTEC HARDWARE**
 Line **Halotec Small Installation Material**
 FAmily **Lampholders for Installing**
 Subfamily **Halotec Light point thermoplastic lampholders E27**


Picture	Article	Description	Lot	Price/Unit
	SK01054A		1	7,20 €
	E27 copper straight socket lamp holder		10	4,81 €
			50	4,46 €
	Thermoplastic. Automatic connection for rigid or flexible cables from 0.5 to 2.5mm2.		200	4,25 €
	High (mm): 58,2 Diameter (mm): 83 Colour: Copper Voltage In (Vac): 250 Temperature (°C): 180 Connection: Automatic Socket: E27			
	Reference: 041761			




	SK01055A		1	7,22 €
	E27 chrome straight socket lamp holder		10	4,82 €
			50	4,47 €
	Thermoplastic. Automatic connection for rigid or flexible cables from 0.5 to 2.5mm2.		200	4,26 €
	Colour: Chrome Voltage In (Vac): 250 Temperature (°C): 180 Connection: Automatic Socket: E27			
	Reference: 041762			



Subfamily **Halotec Light point thermoplastic lampholders E27**


Picture	Article	Description	Lot	Price/Unit
	SK01056A		1	7,22 €
	E27 Golden straight socket lamp holder		10	4,82 €
			50	4,47 €
	Thermoplastic. Automatic connection for rigid or flexible cables from 0.5 to 2.5mm2.		200	4,26 €
	High (mm): 58,2 Diameter (mm): 83 Colour: Gold Voltage In (Vac): 250 Temperature (°C): 180 Connection: Automatic Socket: E27 Reference: 041763			




	SK01038A		1	2,38 €
	White E27 curved base socket lamp holder		10	1,57 €
			50	1,46 €
	Thermoplastic. Connecting screws for rigid or flexible cables from 0.5 to 2.5mm2.		200	1,40 €
	Colour: White Voltage In (Vac): 250 Intensidad In (A): 4 Temperature (°C): 180 Connection: Automatic Socket: E27 Ingress Protection: IP20 Reference: 033801			



Subfamily **Halotec Light point thermoplastic lampholders E27**


Picture	Article	Description	Lot	Price/Unit
	SK01039A		1	2,35 €
	Black E27 curved base socket lamp holder		10	1,57 €
	Thermoplastic. Automatic connection for rigid or flexible cables from 0.5 to 2.5mm2.		50	1,46 €
			200	1,39 €
	Colour: Black Voltage In (Vac): 250 Intensidad In (A): 4 Temperature (°C): 180 Connection: Automatic Socket: E27 Ingress Protection: IP20 Reference: 033802			



	SK01041A		1	2,04 €
	Lampholder for plinth straight E27 white ARDITI		10	1,37 €
	Thermoplastic. Connecting screws for rigid or flexible cables 0.5 to 2.5mm2		50	1,26 €
			200	1,21 €
	Colour: White Voltage In (Vac): 250 Intensidad In (A): 4 Temperature (°C): 180 Connection: Automatic Socket: E27 Ingress Protection: IP20 Reference: 033804			




Subfamily **Halotec Light point thermoplastic lampholders E27**


Picture	Article	Description	Lot	Price/Unit
	SK01042A		1	2,02 €
	Black E27 straight base socket lamp holder		10	1,35 €
	Thermoplastic. Connecting screws for rigid or flexible cables 0.5 to 2.5mm2		50	1,24 €
			200	1,20 €
	Colour: Black Voltage In (Vac): 250 Intensidad In (A): 4 Temperature (°C): 180 Connection: Automatic Socket: E27 Ingress Protection: IP20 Reference: 033805			



Catalogue **HALOTEC HARDWARE**
 Line **Halotec Small Installation Material**
 Family **Lampholders for Installing**
 Subfamily **Halotec bakelite and thermoplastic Lampholders E14**

Picture	Article	Description	Lot	Price/Unit
	SK02003A		100 (Pedido mínimo)	0,5534 €
		E14 smooth white thermoplastic lampholders mounted anti-giro	500	0,5350 €
		M10x1.Conexión fixing screw		
		Colour: White Voltage In (Vac): 250 Intensidad In (A): 2 Temperature (°C): 190 Socket: E14 Reference: 031648		




	SK02006		1	0,75 €
		Blister Lampholder plane E14 bakelite black antirotation	36	0,57 €
		Fixing M10x1: metal screw with anti-rotation	72	0,52 €
		Colour: Black Voltage In (Vac): 250 Intensidad In (A): 2 Temperature (°C): 190 Connection: Screw Socket: E14		




HALOTEC HARDWARE > Halotec Small Installation Material > Lampholders for Installing

Subfamily Halotec bakelite and thermoplastic Lampholders E14

Picture	Article	Description	Lot	Price/Unit
	SK02013		1	0,88 €
		Lampholder partly threaded E14 bakelite black	100	0,68 €
		antirotation FILM+EAN	500	0,61 €
		Fixing M10x1 : metal screw with anti-rotation		
		Colour: Black Voltage In (Vac): 250 Intensidad In (A): 2 Temperature (°C): 190 Connection: Screw Socket: E14		




Catalogue **HALOTEC HARDWARE**
 Line **Halotec Small Installation Material**
 Family **Lampholders for Installing**
 Subfamily **Halotec Halogen Lampholders GZ10**

Picture	Article	Description	Lot	Price/Unit
	SK02027		1	0,96 €
	Lampholder halogen GZ10 230V		25	0,83 €
	Soapstone. Connection cable 15cm double silicone layer for high temperature		200	0,79 €
		Colour: Porcelain Voltage In (Vac): 250 Intensidad In (A): 4 Temperature (°C): 250-180 Socket: GZ10		



Catalogue **HALOTEC HARDWARE**
 Line **Halotec Small Installation Material**
 Family **Lampholders for Installing**
 Subfamily **Lampholder adapter**

Picture	Article	Description	Lot	Price/Unit
	SK01045		1	1,42 €
	GU10/E27 adapter socket White		25	1,29 €
		Interior material: Ceramic. Outer material: Polyester	50	1,24 €
	High (mm): 57 Diameter (mm): 35 Colour: White Voltage In (Vac): 250 Intensidad In (A): 2 Socket: GU10			



Catalogue **HALOTEC HARDWARE**
 Line **Halotec Small Installation Material**
 Family **Lampholders for Installing**
 Subfamily **Halotec lampholders and wreath accessories E27**



Picture	Article	Description	Lot	Price/Unit
	SK01046		1	1,24 €
	Lamp holder for garlands E27 socket black		10	1,13 €
		Thermostable material body (Polyamide). Connection by perforation, insulator (IP41 with washer ref. SK01050), for rectangular cable 5x11mm or 5.5x13mm, of section 2 x 2.5 mm ² . Indoor use	50	1,08 €
		High (mm): 50 Diameter (mm): 40 Colour: Black Voltage In (Vac): 250 Intensidad In (A): 4 Power (W): 40 Socket: E27		


Image in another color



	SK01047		1	10,09 €
	Fixing bracket for rectangular cable 5x11mm		5	9,18 €
		Material synthetic rubber / Rubber.	10	8,74 €
		Length (mm): 113 Diameter (mm): 43 Colour: Black Ingress Protection: IP44		




Subfamily **Halotec lampholders and wreath accessories E27**

Picture	Article	Description	Lot	Price/Unit
	SK01048		1	10,50 €
		Bipolar plug for rectangular cable 5x11mm	5	9,54 €
		Material synthetic rubber / Rubber.	10	9,10 €

Length (mm): 99 Diameter (mm): 42 Colour: Black
Voltage In (Vac): 250 Intensidad In (A): 16
Ingress Protection: IP44




	SK01049		1	18,14 €
		Bipolar mobile rubber base for garland for rectangular cable 5x11mm	5	16,48 €
		Material synthetic rubber / Rubber.	10	15,70 €

Material synthetic rubber / Rubber.


Length (mm): 118 Diameter (mm): 50 Colour: Black
Voltage In (Vac): 250 Intensidad In (A): 16
Ingress Protection: IP44



Subfamily **Halotec lampholders and wreath accessories E27**

Picture	Article	Description	Lot	Price/Unit
	SK01050		1	0,74 €
		Silicone sealing washer for garland lampholder	10	0,68 €
		Material: Resistant silicone. Internal diameter 28mm. For garland lampholder	40	0,65 €
		High (mm): 9 Diameter (mm): 42 Colour: Black Ingress Protection: IP44		




	SK01051		1	97,64 €
		10m garland with 12 lampholder E27 rectangular cable 5x11mm	2	88,76 €
		5x11mm halogen-free rectangular PVC cable. 10m long wreath with 12 E27 lampholders, 1 plug and 1 support. 1kV insulation	4	84,54 €
		Length (mm): 10000 Colour: Black		



HALOTEC HARDWARE > Halotec Small Installation Material > Lampholders for Installing

Subfamily **Halotec lampholders and wreath accessories E27**

Picture	Article	Description	Lot	Price/Unit
	SK01052	5x11mm Rectalgar Cable for Garland	50 (Pedido mínimo)	2,24 €
		5x11mm halogen-free rectangular PVC cable. 1kV insulation	100	2,04 €
		Length (mm): 5000 Colour: Black Room Temperature (°C): -5~+70	150	1,94 €



Catalogue **HALOTEC HARDWARE**
 Line **Halotec Small Installation Material**
 Family **Surface Mechanisms**
 Subfamily **Surface Mechanisms**

Picture	Article	Description	Lot	Price/Unit
	SK08325		1	1,52 €
	Blister Push-button		20	1,33 €
		Voltage In (Vac): 250 Intensidad In (A): 10~16	40	1,26 €
				
	SK08326		1	1,73 €
	Blister double Switch		20	1,51 €
		Voltage In (Vac): 250 Intensidad In (A): 10~16	40	1,43 €
				





Subfamily **Surface Mechanisms**

Picture	Article	Description	Lot	Price/Unit
	SK08327		1	1,73 €
	Blister double Switch		20	1,51 €
		Voltage In (Vac): 250 Intensidad In (A): 10~16	40	1,43 €
				

	SK08334		1	1,18 €
	Push-button FILM+EAN		40	1,04 €
		Voltage In (Vac): 250 Intensidad In (A): 10~16	80	0,99 €
				

Catalogue **HALOTEC HARDWARE**
 Line **Halotec Small Installation Material**
 Family **Surface Mechanisms**
 Subfamily **Waterproof Surface Mechanisms IP54**

Picture	Article	Description	Lot	Price/Unit
	SK08702		1	3,21 €
		Blister Switch/conmutator IP54 with led diode	10	2,68 €
		Switch / Switch with outdoor signaling LED IP54 in blister	20	2,43 €
		Voltage In (Vac): 250 Intensidad In (A): 10		
				

	SK08703A		1	3,51 €
		Base covered Schuko plug IP54	10	3,19 €
		Schuko base covered for outdoor IP54	20	3,03 €
		Length (mm): 72 Width (mm): 72 High (mm): 56 Voltage In (Vac): 250 Intensidad In (A): 16 Ingress Protection: IP54		
				

Subfamily **Waterproof Surface Mechanisms IP54**

Picture	Article	Description	Lot	Price/Unit
	SK08704		1	5,49 €
	Blister Switch/conmutator and Schuko base covered IP54		10	4,58 €
			20	4,16 €

Base and switch / switch for outdoor IP54 in blister
Voltage In (Vac): 250 Intensidad In (A): 16




	SK08705		1	3,39 €
	Blister 2 Switches IP54		10	2,83 €
			20	2,57 €

Double switch for outdoor IP54 in blister
Voltage In (Vac): 250 Intensidad In (A): 10




Subfamily **Waterproof Surface Mechanisms IP54**

Picture	Article	Description	Lot	Price/Unit
	SK08706		1	5,84 €
		Blister 2 Switches con base Schuko covered IP54	6	4,86 €
		Double switch with covered Schuko base for outdoor IP54 in blister	12	4,42 €

Voltage In (Vac): 250 Intensidad In (A): 16




	SK08707		1	5,01 €
		Blister 2 bases Schuko covered IP54	10	4,17 €
		Double switch with covered Schuko base for outdoor IP54 in blister	20	3,80 €

Voltage In (Vac): 250 Intensidad In (A): 10




Subfamily **Waterproof Surface Mechanisms IP54**

Picture	Article	Description	Lot	Price/Unit
	SK08711		1	4,98 €
		Switch/conmutator and base Schuko covered IP54	5	4,15 €
		FILM+EAN	20	3,77 €

Voltage In (Vac): 250 Intensidad In (A): 16




	SK08712		1	2,89 €
		Double Switch IP54 FILM+EAN	10	2,41 €
			40	2,18 €

Voltage In (Vac): 250 Intensidad In (A): 10




Subfamily **Waterproof Surface Mechanisms IP54**

Picture	Article	Description	Lot	Price/Unit
	SK08713		1	5,08 €
	Double Switch with Schuko base covered IP54		5	4,24 €
	FILM+EAN		20	3,85 €

Voltage In (Vac): 250 Intensidad In (A): 16




	SK08715		1	1,87 €
	Pushbutton IP54 FILM+EAN		10	1,56 €
			40	1,42 €

Voltage In (Vac): 250 Intensidad In (A): 10







Subfamily **Waterproof Surface Mechanisms IP54**



Picture	Article	Description	Lot	Price/Unit
	SK08718		1	3,77 €
	IP54 surface switch		10	3,43 €
	Outdoor switch IP54. Use with cable section 1 to 2.5mm		20	3,26 €
	Length (mm): 72 Width (mm): 72 High (mm): 56 Voltage In (Vac): 250 Intensidad In (A): 10 Ingress Protection: IP54			







Catalogue **HALOTEC HARDWARE**
 Line **Halotec Small Installation Material**
 Family **PLP Terminal Block for Installation**
 Subfamily **PLP Installation terminal blocks**

Picture	Article	Description	Lot	Price/Unit
	SK04101K	Terminal Block 432- PLP 4mm2. 12 Holes	10 (Pedido mínimo)	1,11 €
		Polypropylene auto-extinguishable UL94V2 homologated for working temperature 85 °C	50 100	1,00 € 0,96 €
		Section (mm2): 4 Voltage In (Vac): 450 Intensidad In (A): 32 Temperature (°C): 85		
		Reference: 4017510		
				
	SK04102K	Terminal Block 433-PLP 6mm2. 12 Holes	10 (Pedido mínimo)	1,24 €
		Polypropylene auto-extinguishable UL94V2 homologated for working temperature 85 °C	50 300	1,13 € 1,08 €
		Section (mm2): 6 Voltage In (Vac): 450 Intensidad In (A): 41 Temperature (°C): 85		
		Reference: 4011510		
				



Subfamily **PLP Installation terminal blocks**




Picture	Article	Description	Lot	Price/Unit
	SK04103K	Terminal Block 434-PLP 10mm2. 12 Holes	10 (Pedido mínimo)	1,50 €
		Polypropylene auto-extinguishable UL94V2 homologated for working temperature 85°C	50	1,38 €
		Section (mm2): 10 Voltage In (Vac): 450 Intensidad In (A): 57 Temperature (°C): 85	260	1,30 €
		Reference: 4013010		
	SK04104K	Terminal Block 435- PLP 16mm2. 12 Holes	10 (Pedido mínimo)	3,25 €
		Polypropylene self-extinguishing UL94V2 approved for working temperature of 85 ° C	50	2,94 €
		Section (mm2): 16 Voltage In (Vac): 450 Intensidad In (A): 76 Temperature (°C): 85	130	2,82 €
		Reference: 4014510		

Subfamily **PLP Installation terminal blocks**




Picture	Article	Description	Lot	Price/Unit
	SK04105K	Terminal Block 438-PLP 25mm2. 12 Holes	3 (Pedido mínimo)	7,31 €
		Polypropylene self-extinguishing UL94V2, approved for working temperature of 85 ° C	30	6,63 €
		Section (mm2): 25 Voltage In (Vac): 450 Intensidad In (A): 101 Temperature (°C): 85	54	6,32 €
		Reference: 4016010		
				
	SK04106K	Connection strip 432-PLP 4mm2.Black, 12 pole	10 (Pedido mínimo)	1,11 €
		Polypropylene self-extinguishing UL94V2, approved for working temperature of 85 ° C	160	1,01 €
		Section (mm2): 4 Colour: Black Voltage In (Vac): 450 Intensidad In (A): 32 Temperature (°C): 85	320	0,96 €
		Reference: 4017501		
				




Subfamily **PLP Installation terminal blocks**

Picture	Article	Description	Lot	Price/Unit
	SK04107K	Connection strip 433-PLP 6mm2.Black, 12 pole	10 (Pedido mínimo)	1,24 €
		Polypropylene self-extinguishing UL94V2, approved for working temperature of 85 ° C	50	1,13 €
		Section (mm2): 6 Colour: Black Voltage In (Vac): 450 Intensidad In (A): 41 Temperature (°C): 85	300	1,08 €
		Reference: 4011501		
				


	SK04108K	Connection strip 434-PLP 10mm2.Black, 12 pole	10 (Pedido mínimo)	1,50 €
		Polypropylene self-extinguishing UL94V2, approved for working temperature of 85 ° C	50	1,38 €
		Section (mm2): 10 Colour: Black Voltage In (Vac): 450 Intensidad In (A): 57 Temperature (°C): 85	260	1,30 €
		Reference: 4013001		
				

Subfamily **PLP Installation terminal blocks**

Picture	Article	Description	Lot	Price/Unit
	SK04109K	Connection strip 435-PLP 16mm2.Black, 12 pole	10 (Pedido mínimo)	3,25 €
		Polypropylene self-extinguishing UL94V2, approved for working temperature of 85 ° C	50	2,94 €
		Section (mm2): 16 Voltage In (Vac): 450 Intensidad In (A): 76 Temperature (°C): 85	130	2,82 €
		Reference: 4014501		
				

	SK04110K	Connection strip 438-PLP 25mm2.Black, 12 pole	3 (Pedido mínimo)	7,25 €
		Polypropylene self-extinguishing UL94V2, approved for working temperature of 85 ° C	30	6,59 €
		Section (mm2): 25 Colour: Black Voltage In (Vac): 450 Intensidad In (A): 101 Temperature (°C): 85	54	6,28 €
		Reference: 4016001		
				

Catalogue **HALOTEC HARDWARE**
 Line **Halotec Small Installation Material**
 FAmily **Electronic Ultrasonic Repeller**
 Subfamily **Electronic Ultrasonic Repeller**

Picture	Article	Description	Lot	Price/Unit
	SK08802		1	6,49 €
	Cockroach Repeller		10	5,90 €
		Repels cockroaches, emits an inaudible sound which scares off insects	20	5,62 €
		Voltage In (Vac): 220		

