



Catalogue **ELECTRICAL EQUIPMENT**  
 Line **Installation Couplers Ensto**  
 FAmily **NAC EnstoNet connectors with screw**  
 Subfamily **NAC 2 Poles Enstonet connectors**

Picture	Article	Description	Lot	Price/Unit
	B3NAH02		1	2,67 €
	Installation Couplers ENSTO 2 poles female NAC		10	1,77 €
	22.W		50	1,47 €
			500	1,42 €
	2 female poles connector, marking 1.N double safety tab			
	Length (mm): 31 Width (mm): 29 High (mm): 18 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20			



	B3NAM02		1	2,59 €
	Installation Couplers ENSTO 2 poles male NAC 21.W		10	1,70 €
			50	1,43 €
			500	1,34 €
	2 male poles connector, marking 1.N double safety tab			
	Length (mm): 32 Width (mm): 29 High (mm): 18 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20			




Subfamily **NAC 2 Poles Enstonet connectors**


Picture	Article	Description	Lot	Price/Unit
	B3NCH02		1	3,24 €
	Installation Couplers ENSTO 2 poles female NAC		10	2,17 €
	22SW		100	1,81 €
	2 female poles connector, marking 1.N double safety tab, assembly in box for Class II		200	1,69 €
	Length (mm): 50 Width (mm): 29 High (mm): 20 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20			
		  		

	B3NCM02		1	3,15 €
	Installation Couplers ENSTO 2 poles male NAC		10	2,09 €
	21SW		100	1,74 €
	2 male poles connector, marking 1.N double safety tab, assembly in box for Class II		200	1,68 €
	Length (mm): 51 Width (mm): 29 High (mm): 20 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20			
		  		

Catalogue **ELECTRICAL EQUIPMENT**  
 Line **Installation Couplers Ensto**  
 FAmily **NAC EnstoNet connectors with screw**  
 Subfamily **NAC 3 Poles Enstonet connectors**

Picture	Article	Description	Lot	Price/Unit
	B3NAH03		1	3,19 €
	Installation Couplers ENSTO 3 poles female NAC		10	2,12 €
	32.W		100	1,74 €
			200	1,69 €
	3 female poles connector, marking 1.TT.N double safety tab			
	Length (mm): 31 Width (mm): 39 High (mm): 18 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20			






	B3NAM03		1	3,24 €
	Installation Couplers ENSTO 3 poles male NAC 31.W		10	2,15 €
			100	1,81 €
			200	1,70 €
	3 male poles connector, marking 1.TT.N double safety tab			
	Length (mm): 32 Width (mm): 39 High (mm): 18 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20			



ELECTRICAL EQUIPMENT > Installation Couplers Ensto > NAC EnstoNet connectors with screw

Subfamily **NAC 3 Poles Enstonet connectors**

Picture	Article	Description	Lot	Price/Unit
	B3NCH03		1	4,50 €
	Installation Couplers ENSTO 3 poles female NAC 32SW		10	3,00 €
			100	2,50 €
			200	2,37 €
	3 female poles connector, marking 1.TT.N double safety tab, assembly in box for Class II			
	Length (mm): 56 Width (mm): 39 High (mm): 20 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20			
				










	B3NCH03N		1	5,12 €
	Installation Couplers ENSTO 3 poles female NAC 32SB black		10	3,42 €
			200	2,86 €
			800	2,72 €
	3 female poles connector, marking 1.TT.N double safety tab, assembly in box for Class II			
	Length (mm): 56 Width (mm): 39 High (mm): 20 Section (mm2): 2,5 Colour: Black Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw			
				


Image in another color

Subfamily **NAC 3 Poles Enstonet connectors**

Picture	Article	Description	Lot	Price/Unit
	B3NCM03		1	4,42 €
	Installation Couplers ENSTO 3 poles male NAC31SW		10	2,95 €
			100	2,44 €
	3 male poles connector, marking 1.TT.N double safety tab, assembly in box for Class II		200	2,34 €
	Length (mm): 57 Width (mm): 39 High (mm): 20 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20			
	  			



	B3NCM03N		1	4,38 €
	Installation Couplers ENSTO 3 poles male NAC31SB black		10	2,93 €
			200	2,43 €
	3 male poles connector, marking 1.TT.N double safety tab, assembly in box for Class II		800	2,31 €
	Length (mm): 57 Width (mm): 39 High (mm): 20 Section (mm2): 2,5 Colour: Black Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw			
<p><b>Image in another color</b></p> 	   			

Catalogue **ELECTRICAL EQUIPMENT**  
 Line **Installation Couplers Ensto**  
 FAmily **NAC EnstoNet connectors with screw**  
 Subfamily **NAC 4 Poles Enstonet connectors**

Picture	Article	Description	Lot	Price/Unit
	B3NCM04		1	5,37 €
	Installation Couplers ENSTO 4 poles male NAC41SW		10	3,58 €
	4 male poles connector, marking 1.TT.N double safety tab, assembly in box for Class II		50	2,98 €
			100	2,82 €
	Length (mm): 61 Width (mm): 49 High (mm): 20 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20			




Catalogue **ELECTRICAL EQUIPMENT**  
 Line **Installation Couplers Ensto**  
 FAmily **NAC EnstoNet connectors with screw**  
 Subfamily **NAC 5 Poles Enstonet connectors**

Picture	Article	Description	Lot	Price/Unit
	B3NAH05		1	3,71 €
	Installation Couplers ENSTO 5 poles female		10	2,47 €
	NAC52.W		50	2,07 €
	5 female poles connector, marking 1.2.TT.N.3 double safety tab		100	1,98 €
		Length (mm): 31 Width (mm): 59 High (mm): 18 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20		
				
	B3NCH05		1	6,90 €
	Installation Couplers ENSTO 5 poles female NAC		10	4,60 €
	52SW		50	3,84 €
	5 female poles connector, marking 1.TT.N.3 double safety tab, assembly in box for Class II		100	3,63 €
		Length (mm): 60 Width (mm): 59 High (mm): 20 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20		
				

ELECTRICAL EQUIPMENT > Installation Couplers Ensto > NAC EnstoNet connectors with screw


Subfamily **NAC 5 Poles Enstonet connectors**

Picture	Article	Description	Lot	Price/Unit
	B3NCM05		1	6,24 €
	Installation Couplers ENSTO 5 poles male NAC		10	4,16 €
	51SW		50	3,47 €
	45male poles connector, marking 1.TT.N.3 double safety tab, assembly in box for Class II		100	3,30 €
		Length (mm): 61 Width (mm): 59 High (mm): 20 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20		






Catalogue **ELECTRICAL EQUIPMENT**  
 Line **Installation Couplers Ensto**  
 FAmily **Narrow NAC EnstoNet connectors with screw**  
 Subfamily **NAC narrow 3 Poles Enstonet connectors**


Picture	Article	Description	Lot	Price/Unit
	B3NUH03		1	3,63 €
	Installation Couplers ENSTO connector narrow 3 poles female NAC 32HW		10	2,42 €
			50	2,02 €
			200	1,94 €
	3 female poles connector, marking 1.TT.N separate blocking system supplied with male			
	Length (mm): 31 Width (mm): 28 High (mm): 18 Section (mm <sup>2</sup> ): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20			



	B3NVM03		1	4,65 €
	Installation Couplers ENSTO connector narrow 3 poles male NAC 31SHW+bo		10	3,09 €
			50	2,56 €
			200	2,42 €
	3 male poles connector, marking 1.TT.N mounted in box for Class II			
	Length (mm): 57 Width (mm): 28 High (mm): 20 Section (mm <sup>2</sup> ): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20			




Catalogue **ELECTRICAL EQUIPMENT**  
 Line **Installation Couplers Ensto**  
 FAmily **Narrow NAC EnstoNet connectors with screw**  
 Subfamily **NAC narrow 4 Poles Enstonet connectors**

Picture	Article	Description	Lot	Price/Unit
	B3NUH04		1	5,68 €
	Installation Couplers ENSTO connector narrow 4 poles female NAC 42HW		10	3,78 €
			50	3,17 €
			100	3,02 €
	4 female poles connector, marking 1.TT.N separate blocking system supplied with male			
	Length (mm): 31 Width (mm): 38 High (mm): 18 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20			




Catalogue **ELECTRICAL EQUIPMENT**  
 Line **Installation Couplers Ensto**  
 FAmily **Narrow NAC EnstoNet connectors with screw**  
 Subfamily **NAC narrow 5 Poles Enstonet connectors**

Picture	Article	Description	Lot	Price/Unit
	B3NUH05		1	5,86 €
	Installation Couplers ENSTO connector narrow 5 poles female NAC 52HW		10	3,93 €
			50	3,26 €
	5 female poles connector, marking 1.TT.N.3 separate blocking system supplied with male		100	3,11 €
	Length (mm): 31 Width (mm): 48 High (mm): 18 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20			




Catalogue **ELECTRICAL EQUIPMENT**  
 Line **Installation Couplers Ensto**  
 FAmily **NAS EnstoNet connectors automatic**  
 Subfamily **NAS 4 Poles Enstonet connectors**

Picture	Article	Description	Lot	Price/Unit
	B3NSM04		1	7,98 €
	Installation Couplers ENSTO connector 3 poles male		10	5,34 €
	NAS 41.W		50	4,45 €
	4 male poles connector, marking 1.TT.N.2 double safety tab 3 ways in per pole (2 main+1)		100	4,21 €
	Length (mm): 43 Width (mm): 49 High (mm): 14,5 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Automatic Ingress Protection: IP20			



Catalogue **ELECTRICAL EQUIPMENT**  
 Line **Installation Couplers Ensto**  
 FAmily **Narrow NAS EnstoNet connectors automatic**  
 Subfamily **NAS narrow 4 Poles Enstonet connectors**

Picture	Article	Description	Lot	Price/Unit
	B3NTH04		1	5,04 €
	Installation Couplers ENSTO connector narrow 4 poles female NAS 42HW		10	3,35 €
			50	2,80 €
			100	2,67 €
	4 female poles connector, marking 1.TT.N.2 double safety tab 3 ways in per pole (2 main+1)			
	Length (mm): 42 Width (mm): 38 High (mm): 14,5 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Automatic			




Catalogue **ELECTRICAL EQUIPMENT**

Line **Installation Couplers Ensto**

FAMILY **AL Type EnstoNet connectors**

Subfamily **AL 2 Poles**

Picture	Article	Description	Lot	Price/Unit
	B3ALFX0		1	6,64 €
		Male connector AL19 2 poles + 100/20/10 cable	10	4,43 €
		Tab of safety connection thermo-sealed 120mm round	250	3,69 €
		double insulation cable 2x0,75mm2 white	500	3,52 €
	Section (mm2): 4 Colour: White Voltage In (Vdc/ac): 48 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw			



Catalogue **ELECTRICAL EQUIPMENT**

Line **Installation Couplers Ensto**

FAMILY **AL Type EnstoNet connectors**

Subfamily **AL 3 Poles**



Picture	Article	Description	Lot	Price/Unit
	B3CAMB3		1	2,04 €
	Connector 3 poles AL18.10 male + box		10	1,37 €
			100	1,13 €
		3-pin male connector, security tab, mounted box for class II.	200	1,08 €

Image in another color

Length (mm): 46 High (mm): 18 Section (mm2): 2,5  
Colour: Blue Voltage In (Vac): 450  
Intensidad In (A): 16 Temperature (°C): 70  
Connection: Screw




	B3CMB03		1	1,53 €
	Connector 3 poles male blue		100	1,46 €
		Blue connector with 3 male poles, Poles marked A,B,C	1000	1,42 €


Section (mm2): 2,5 Colour: Blue Voltage In (Vac): 380  
Intensidad In (A): 16 Connection: Screw



Subfamily **AL 3 Poles**

Picture	Article	Description	Lot	Price/Unit
	B3CRMN3		1	2,50 €
	Connector 3 poles AL18.10 male + box		10	1,68 €
	3-pin female connector, security tab, mounted box for class II.		100	1,38 €
			200	1,33 €
	Length (mm): 45 Width (mm): 33 High (mm): 18 Section (mm2): 2,5 Colour: Black Voltage In (Vac): 450 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20			



	B3RCM03		1	3,25 €
	Installation Couplers ENSTO connector 3 poles male AL18.1/W		10	2,16 €
	3 poles male connector, with security tab		100	1,81 €
			200	1,73 €
	Length (mm): 29 Width (mm): 29 High (mm): 17 Section (mm2): 2,5 Colour: White Voltage In (Vac): 450 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw			






Catalogue **ELECTRICAL EQUIPMENT**

Line **Installation Couplers Ensto**


FAMILY **Adapters EnstoNet**

Subfamily **Wide Adapter**

Picture	Article	Description	Lot	Price/Unit
	B3NK004		1	1,72 €
	Coupler NK4P-W to be mounted Connector 4 poles		10	1,16 €
			50	0,96 €
	To insert into hole 58x20mm		100	0,91 €
	Length (mm): 35 Width (mm): 61 High (mm): 23 Colour: White			



Catalogue **ELECTRICAL EQUIPMENT**Line **Installation Couplers Ensto**FAMILY **Adapters EnstoNet**Subfamily **Narrow Adapter**

Picture	Article	Description	Lot	Price/Unit
	B3NKF04		1	2,03 €
	Coupler NK4PF-W for Connector narrow 4 poles		10	1,37 €
			50	1,13 €
	To insert into hole 42,75x16,6mm		100	1,08 €
	Length (mm): 32 Width (mm): 46 High (mm): 18 Colour: White			









Catalogue **ELECTRICAL EQUIPMENT**

Line **Installation Couplers Ensto**


FAMILY **Compact EnstoNet conectors**

Subfamily **4 Ways compact Ensto connector**

Picture	Article	Description	Lot	Price/Unit
	B3KC540		1	0,90 €
	Compact connector 4 vias KC 50-40		250	0,82 €
	Fast connection tab without anchoring polycarbonate UL94 V2		1000	0,78 €
		Length (mm): 40 Width (mm): 31 High (mm): 21 Colour: White Voltage In (Vac): 450 Intensidad In (A): 16 Temperature (°C): 110 Connection: Automatic		
				
	B3KC541		1	0,92 €
	Compact connector 4 vias KC 50-41		250	0,85 €
	Fast connection tab with anchoring,earth terminal,polycarbonate UL94 V2 marking N.TT.L.1.2		1000	0,81 €
		Length (mm): 40 Width (mm): 31 High (mm): 21 Colour: White Voltage In (Vac): 450 Intensidad In (A): 16 Temperature (°C): 110 Connection: Automatic		
				

ELECTRICAL EQUIPMENT &gt; Installation Couplers Ensto &gt; Compact EnstoNet connectors

Subfamily **4 Ways compact Ensto connector**

Picture	Article	Description	Lot	Price/Unit
	B3KC544		1	0,98 €
	Compact connector 4 vias KC 50-44		250	0,88 €
	Fast connection tab with anchoring, earth terminal, polycarbonate UL94 V2		1000	0,85 €
		Length (mm): 40 Width (mm): 31 High (mm): 21 Colour: White Voltage In (Vac): 450 Intensidad In (A): 16 Temperature (°C): 110 Connection: Automatic		

