



Catalogue **ELECTRICAL EQUIPMENT**
 Line **Installation Couplers Ensto**
 FAmily **NAC EnstoNet connectors with screw**
 Subfamily **NAC 2 Poles Enstonet connectors**

Picture	Article	Description	Lot	Price/Unit
	B3NAH02		1	2,54 €
	Installation Couplers ENSTO 2 poles female NAC		10	1,69 €
	22.W		50	1,40 €
			500	1,35 €
	2 female poles connector, marking 1.N double safety tab			
	Length (mm): 31 Width (mm): 29 High (mm): 18 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20			




	B3NAM02		1	2,46 €
	Installation Couplers ENSTO 2 poles male NAC 21.W		10	1,63 €
			50	1,37 €
			500	1,27 €
	2 male poles connector, marking 1.N double safety tab			
	Length (mm): 32 Width (mm): 29 High (mm): 18 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20			




Subfamily **NAC 2 Poles Enstonet connectors**


Picture	Article	Description	Lot	Price/Unit
	B3NCH02		1	3,08 €
	Installation Couplers ENSTO 2 poles female NAC		10	2,07 €
	22SW		100	1,72 €
	2 female poles connector, marking 1.N double safety tab, assembly in box for Class II		200	1,61 €
	Length (mm): 50 Width (mm): 29 High (mm): 20 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20			
		  		

	B3NCM02		1	3,00 €
	Installation Couplers ENSTO 2 poles male NAC		10	1,99 €
	21SW		100	1,66 €
	2 male poles connector, marking 1.N double safety tab, assembly in box for Class II		200	1,60 €
	Length (mm): 51 Width (mm): 29 High (mm): 20 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20			
		  		

Catalogue **ELECTRICAL EQUIPMENT**
 Line **Installation Couplers Ensto**
 FAmily **NAC EnstoNet connectors with screw**
 Subfamily **NAC 3 Poles Enstonet connectors**



Picture	Article	Description	Lot	Price/Unit
	B3NAH03		1	3,03 €
	Installation Couplers ENSTO 3 poles female NAC		10	2,02 €
	32.W		100	1,66 €
			200	1,61 €
	3 female poles connector, marking 1.TT.N double safety tab			
	Length (mm): 31 Width (mm): 39 High (mm): 18 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20			



	B3NAM03		1	3,08 €
	Installation Couplers ENSTO 3 poles male NAC 31.W		10	2,04 €
			100	1,72 €
			200	1,63 €
	3 male poles connector, marking 1.TT.N double safety tab			
	Length (mm): 32 Width (mm): 39 High (mm): 18 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20			



Subfamily **NAC 3 Poles Enstonet connectors**

Picture	Article	Description	Lot	Price/Unit
	B3NCH03		1	4,29 €
	Installation Couplers ENSTO 3 poles female NAC		10	2,86 €
	32SW		100	2,38 €
	3 female poles connector, marking 1.TT.N double safety tab, assembly in box for Class II		200	2,25 €
	Length (mm): 56 Width (mm): 39 High (mm): 20 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20			
		  		







	B3NCH03N		1	4,88 €
	Installation Couplers ENSTO 3 poles female NAC		10	3,25 €
	32SB black		200	2,72 €
	3 female poles connector, marking 1.TT.N double safety tab, assembly in box for Class II		800	2,59 €
	Length (mm): 56 Width (mm): 39 High (mm): 20 Section (mm2): 2,5 Colour: Black Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw			
		   		

Image in another color

Subfamily **NAC 3 Poles Enstonet connectors**

Picture	Article	Description	Lot	Price/Unit
	B3NCM03		1	4,21 €
	Installation Couplers ENSTO 3 poles male NAC31SW		10	2,81 €
	3 male poles connector, marking 1.TT.N double safety tab, assembly in box for Class II		100	2,33 €
			200	2,22 €
		Length (mm): 57 Width (mm): 39 High (mm): 20 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20		
		  		








	B3NCM03N		1	4,17 €
	Installation Couplers ENSTO 3 poles male NAC31SB black		10	2,78 €
	3 male poles connector, marking 1.TT.N double safety tab, assembly in box for Class II		200	2,31 €
			800	2,21 €
		Length (mm): 57 Width (mm): 39 High (mm): 20 Section (mm2): 2,5 Colour: Black Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw		
		   		

Image in another color


ELECTRICAL EQUIPMENT > Installation Couplers Ensto > NAC EnstoNet connectors with screw

Subfamily **NAC 3 Poles Enstonet connectors**


Picture	Article	Description	Lot	Price/Unit
	B3ND003		1	6,19 €
	Installation Couplers ENSTO 3 poles NAD 3 .W		100	5,62 €
	3 male/female connector, double safety tab		400	5,36 €
	Length (mm): 47 Width (mm): 46 High (mm): 43 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70			



Catalogue **ELECTRICAL EQUIPMENT**
 Line **Installation Couplers Ensto**
 FAmily **NAC EnstoNet connectors with screw**
 Subfamily **NAC 4 Poles Enstonet connectors**


Picture	Article	Description	Lot	Price/Unit
	B3NCH04		1	5,36 €
	Installation Couplers ENSTO 4 poles female NAC		10	3,56 €
	42SW		50	2,99 €
			100	2,82 €
	4 female poles connector, marking 1.TT.N double safety tab, assembly in box for Class II			
	Length (mm): 60 Width (mm): 49 High (mm): 20 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20			




	B3NCM04		1	5,11 €
	Installation Couplers ENSTO 4 poles male NAC41SW		10	3,41 €
			50	2,83 €
			100	2,69 €
	4 male poles connector, marking 1.TT.N double safety tab, assembly in box for Class II			
	Length (mm): 61 Width (mm): 49 High (mm): 20 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20			



Catalogue **ELECTRICAL EQUIPMENT**
 Line **Installation Couplers Ensto**
 FAmily **NAC EnstoNet connectors with screw**
 Subfamily **NAC 5 Poles Enstonet connectors**

Picture	Article	Description	Lot	Price/Unit
	B3NAH05		1	3,52 €
	Installation Couplers ENSTO 5 poles female		10	2,35 €
	NAC52.W		50	1,96 €
			100	1,87 €
	5 female poles connector, marking 1.2.TT.N.3 double safety tab			
	Length (mm): 31 Width (mm): 59 High (mm): 18 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20			




	B3NCH05		1	6,58 €
	Installation Couplers ENSTO 5 poles female NAC		10	4,38 €
	52SW		50	3,65 €
			100	3,46 €
	5 female poles connector, marking 1.TT.N.3 double safety tab, assembly in box for Class II			
	Length (mm): 60 Width (mm): 59 High (mm): 20 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20			




ELECTRICAL EQUIPMENT > Installation Couplers Ensto > NAC EnstoNet connectors with screw

Subfamily **NAC 5 Poles Enstonet connectors**

Picture	Article	Description	Lot	Price/Unit
	B3NCM05		1	5,94 €
	Installation Couplers ENSTO 5 poles male NAC		10	3,97 €
	51SW		50	3,30 €
	45male poles connector, marking 1.TT.N.3 double safety tab, assembly in box for Class II		100	3,15 €
	Length (mm): 61 Width (mm): 59 High (mm): 20 Section (mm ²): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20			




Catalogue **ELECTRICAL EQUIPMENT**
 Line **Installation Couplers Ensto**
 FAmily **Narrow NAC EnstoNet connectors with screw**
 Subfamily **NAC narrow 2 Poles Enstonet connectors**

Picture	Article	Description	Lot	Price/Unit
	B3NUH02		1	2,81 €
	Installation Couplers ENSTO connector narrow 2 poles female NAC 22HW		50	1,87 €
			100	1,56 €
			500	1,50 €
	2-pole female connector, marked L,N. Polyamide 66.			

Length (mm): 31 Width (mm): 28 High (mm): 18
 Section (mm2): 2,5 Colour: White
 Voltage In (Vac): 250~400 Temperature (°C): 70
 Connection: Screw Ingress Protection: IP20




	B3NUM02		1	2,93 €
	Installation Couplers ENSTO connector narrow 2 poles male NAC 21HW		50	1,95 €
			100	1,63 €
			500	1,56 €
	2-pole male connector. Marked L, N. Polyamide 66.			


Length (mm): 32 Width (mm): 18 High (mm): 19
 Section (mm2): 2,5 Colour: White
 Voltage In (Vac): 250~400 Temperature (°C): 70
 Connection: Screw Ingress Protection: IP20



Catalogue **ELECTRICAL EQUIPMENT**
 Line **Installation Couplers Ensto**
 Family **Narrow NAC EnstoNet connectors with screw**
 Subfamily **NAC narrow 3 Poles Enstonet connectors**

Picture	Article	Description	Lot	Price/Unit
	B3NUH03		1	3,46 €
	Installation Couplers ENSTO connector narrow 3 poles female NAC 32HW		10	2,30 €
			50	1,92 €
			200	1,85 €
	3 female poles connector, marking 1.TT.N separate blocking system supplied with male			
	Length (mm): 31 Width (mm): 28 High (mm): 18 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20			



	B3NUM03		1	3,73 €
	Installation Couplers ENSTO connector narrow 3 poles male NAC 31HW		10	2,51 €
			50	2,08 €
			200	1,94 €
	3 male poles connector, marking 1.TT.N			
	Length (mm): 32 Width (mm): 28 High (mm): 18 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20			




Subfamily **NAC narrow 3 Poles Enstonet connectors**


Picture	Article	Description	Lot	Price/Unit
	B3NVH03		1	4,17 €
	Installation Couplers ENSTO connector narrow 3 poles female NAC 32SHW+		10	2,78 €
			50	2,31 €
			200	2,21 €
	3 female poles connector, marking 1.TT.N separate blocking system supplied with mal, Class II			
	Length (mm): 56 Width (mm): 28 High (mm): 20 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20			
				

	B3NVM03		1	4,43 €
	Installation Couplers ENSTO connector narrow 3 poles male NAC 31SHW+bo		10	2,95 €
			50	2,44 €
			200	2,30 €
	3 male poles connector, marking 1.TT.N mounted in box for Class II			
	Length (mm): 57 Width (mm): 28 High (mm): 20 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20			
				

Catalogue **ELECTRICAL EQUIPMENT**
 Line **Installation Couplers Ensto**
 Family **Narrow NAC EnstoNet connectors with screw**
 Subfamily **NAC narrow 4 Poles Enstonet connectors**




Picture	Article	Description	Lot	Price/Unit
	B3NUH04		1	5,41 €
	Installation Couplers ENSTO connector narrow 4 poles female NAC 42HW		10	3,60 €
			50	3,02 €
			100	2,87 €
	4 female poles connector, marking 1.TT.N separate blocking system supplied with male			
	Length (mm): 31 Width (mm): 38 High (mm): 18 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20			




	B3NUM04		1	5,56 €
	Installation Couplers ENSTO connector narrow 4 poles male NAC 41HW		10	3,72 €
			50	3,09 €
			100	2,94 €
	4 male poles connector, marking 1.TT.N.2			
	Length (mm): 32 Width (mm): 38 High (mm): 18 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20			




Subfamily **NAC narrow 4 Poles Enstonet connectors**


Picture	Article	Description	Lot	Price/Unit
	B3NVH04		1	5,32 €
	Installation Couplers ENSTO connector narrow 4 poles female NAC 42SHW+		10	3,55 €
			50	2,96 €
			100	2,81 €
	4 female poles connector, marking 1.TT.N separate blocking system supplied with male, Class II			
	Length (mm): 56 Width (mm): 38 High (mm): 20 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20			
				

	B3NVM04		1	5,32 €
	Installation Couplers ENSTO connector narrow 4 poles male NAC 41SHW+bo		10	3,54 €
			50	2,94 €
			100	2,80 €
	4 male poles connector, marking 1.TT.N, mounted in box for Class II			
	Length (mm): 57 Width (mm): 38 High (mm): 20 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20			
				

Catalogue **ELECTRICAL EQUIPMENT**
 Line **Installation Couplers Ensto**
 Family **Narrow NAC EnstoNet connectors with screw**
 Subfamily **NAC narrow 5 Poles Enstonet connectors**

Picture	Article	Description	Lot	Price/Unit
	B3NUH05		1	5,59 €
	Installation Couplers ENSTO connector narrow 5 poles female NAC 52HW		10	3,74 €
			50	3,11 €
			100	2,96 €
	5 female poles connector, marking 1.TT.N.3 separate blocking system supplied with male			
	Length (mm): 31 Width (mm): 48 High (mm): 18 Section (mm ²): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20			






	B3NUM05		1	5,72 €
	Installation Couplers ENSTO connector narrow 5 poles male NAC 51HW		10	3,82 €
			50	3,17 €
			100	3,03 €
	5 male poles connector, marking 1.TT.N.3			
	Length (mm): 32 Width (mm): 48 High (mm): 18 Section (mm ²): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20			




ELECTRICAL EQUIPMENT > Installation Couplers Ensto > Narrow NAC EnstoNet connectors with screw

Subfamily **NAC narrow 5 Poles Enstonet connectors**

Picture	Article	Description	Lot	Price/Unit
	B3NVH05		1	5,21 €
	Installation Couplers ENSTO connector narrow 5 poles female NAC 52SHW+		10	3,47 €
			100	2,90 €
	5 female poles connector, marking 1.TT.N.3 separate blocking system supplied with male		400	2,77 €
	Length (mm): 56 Width (mm): 48 High (mm): 20 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw Ingress Protection: IP20			
				






Catalogue **ELECTRICAL EQUIPMENT**
 Line **Installation Couplers Ensto**
 FAmily **NAS EnstoNet connectors automatic**
 Subfamily **NAS 2 Poles Enstonet connectors**

Picture	Article	Description	Lot	Price/Unit
	B3NSM02		1	3,77 €
	Installation Couplers ENSTO connector 2 poles male		10	2,50 €
	NAS 21.W		100	2,08 €
		2 male poles connector, marking 1.N double safety tab 3 ways in per pole (2 main+1)	200	1,99 €
	Length (mm): 43 Width (mm): 29 High (mm): 14,5 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Automatic Ingress Protection: IP20			



Catalogue **ELECTRICAL EQUIPMENT**
 Line **Installation Couplers Ensto**
 FAmily **NAS EnstoNet connectors automatic**
 Subfamily **NAS 3 Poles Enstonet connectors**


Picture	Article	Description	Lot	Price/Unit
	B3NSH03		1	5,50 €
	Installation Couplers ENSTO connector 3 poles female NAS 32.W		10	3,68 €
			100	3,06 €
			200	2,91 €
	3 female poles connector, marking 1.TT double safety tab 3 ways in per pole (2 main+1)			
	Length (mm): 42 Width (mm): 39 High (mm): 14,5 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Automatic Ingress Protection: IP20			
	  			

	B3NSM03		1	5,45 €
	Installation Couplers ENSTO connector 3 poles male NAS 31.W		10	3,61 €
			100	3,02 €
			200	2,89 €
	3 male poles connector, marking 1.TT double safety tab 3 ways in per pole (2 main+1)			
	Length (mm): 43 Width (mm): 39 High (mm): 14,5 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Automatic Ingress Protection: IP20			
	  			


Catalogue **ELECTRICAL EQUIPMENT**
 Line **Installation Couplers Ensto**
 FAmily **NAS EnstoNet connectors automatic**
 Subfamily **NAS 4 Poles Enstonet connectors**

Picture	Article	Description	Lot	Price/Unit
	B3NSH04		1	8,57 €
	Installation Couplers ENSTO connector 4 poles female NAS 42.W		10	5,71 €
			50	4,75 €
			100	4,54 €
	4 female poles connector, marking 1.TT.N2 double safety tab 3 ways in per pole (2 main+1)			
	Length (mm): 42 Width (mm): 49 High (mm): 14,5 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Automatic Ingress Protection: IP20			
				
	B3NSM04		1	7,61 €
	Installation Couplers ENSTO connector 3 poles male NAS 41.W		10	5,08 €
			50	4,24 €
			100	4,02 €
	4 male poles connector, marking 1.TT.N.2 double safety tab 3 ways in per pole (2 main+1)			
	Length (mm): 43 Width (mm): 49 High (mm): 14,5 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Automatic Ingress Protection: IP20			
				

Catalogue **ELECTRICAL EQUIPMENT**
 Line **Installation Couplers Ensto**
 Family **NAS EnstoNet connectors automatic**
 Subfamily **NAS 5 Poles Enstonet connectors**


Picture	Article	Description	Lot	Price/Unit
	B3NSH05		1	9,67 €
	Installation Couplers ENSTO connector 5 poles		10	6,47 €
	female NAS 52.W		50	5,37 €
			100	5,15 €
	5 female poles connector, marking 1.TT.N.3 double safety tab 3 ways in per pole (2 main+1)			
	Length (mm): 42 Width (mm): 59 High (mm): 14,5 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Automatic Ingress Protection: IP20			




	B3NSM05		1	8,22 €
	Installation Couplers ENSTO connector 5 poles male		10	5,49 €
	NAS 51.W		50	4,55 €
			100	4,36 €
	5 male poles connector, marking 1.TT.N.3 double safety tab 3 ways in per pole (2 main+1)			
	Length (mm): 43 Width (mm): 59 High (mm): 14,5 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Automatic			



Catalogue **ELECTRICAL EQUIPMENT**
 Line **Installation Couplers Ensto**
 FAmily **Narrow NAS EnstoNet connectors automatic**
 Subfamily **NAS narrow 3 Poles Enstonet connectors**


Picture	Article	Description	Lot	Price/Unit
	B3NTH03		1	5,10 €
	Installation Couplers ENSTO connector narrow 3 poles female NAS 32HW		10	3,41 €
			50	2,81 €
			100	2,65 €
	3 female poles connector, marking 1.TT double safety tab 3 ways in per pole (2 main+1)			
	Length (mm): 42 Width (mm): 28 High (mm): 14,5 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Automatic			



	B3NTM03		1	5,72 €
	Installation Couplers ENSTO connector narrow 3 poles male NAS 32HW		10	3,82 €
			50	3,19 €
			200	3,03 €
	3 male poles connector, marking 1.TT.N double security tab 3 ways in per pole (2main+1)			
	Length (mm): 43 Width (mm): 28 High (mm): 14,5 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Automatic			




Catalogue **ELECTRICAL EQUIPMENT**
 Line **Installation Couplers Ensto**
 FAmily **Narrow NAS EnstoNet connectors automatic**
 Subfamily **NAS narrow 4 Poles Enstonet connectors**


Picture	Article	Description	Lot	Price/Unit
	B3NTH04		1	5,04 €
	Installation Couplers ENSTO connector narrow 4 poles female NAS 42HW		10	3,35 €
			50	2,80 €
	4 female poles connector, marking 1.TT.N.2 double safety tab 3 ways in per pole (2 main+1)		100	2,67 €
	Length (mm): 42 Width (mm): 38 High (mm): 14,5 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Automatic			



Catalogue **ELECTRICAL EQUIPMENT**
 Line **Installation Couplers Ensto**
 FAmily **Narrow NAS EnstoNet connectors automatic**
 Subfamily **NAS narrow 5 Poles Enstonet connectors**

Picture	Article	Description	Lot	Price/Unit
	B3NTH05		1	11,25 €
	Installation Couplers ENSTO connector narrow 5 poles female NAS 52HW		10	7,50 €
			50	6,24 €
			100	5,94 €
	5 female poles connector, marking 1.TT.N.3 double safety tab 3 ways in per pole (2 main+1)			
	Length (mm): 42 Width (mm): 48 High (mm): 14,5 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Automatic			



	B3NTM05		1	8,58 €
	Installation Couplers ENSTO connector narrow 5 poles male NAS 52HW		10	5,72 €
			50	4,75 €
			100	4,55 €
	5 male poles connector, marking 1.TT.N.3 double security tab 3 ways in per pole (2main+1)			
	Length (mm): 43 Width (mm): 48 High (mm): 14,5 Section (mm2): 2,5 Colour: White Voltage In (Vac): 250~400 Intensidad In (A): 16 Temperature (°C): 70 Connection: Automatic			




Catalogue **ELECTRICAL EQUIPMENT**

Line **Installation Couplers Ensto**

FAMILY **AL Type EnstoNet connectors**

Subfamily **AL 2 Poles**

Picture	Article	Description	Lot	Price/Unit
	B3RCH02		1	2,86 €
	Installation Couplers ENSTO connector 2 poles female AL19.2/W		10	1,91 €
			250	1,59 €
	2 poles female connector, with security tab		500	1,53 €
	Length (mm): 27 Width (mm): 23 High (mm): 16 Section (mm ²): 4 Colour: White Voltage In (Vdc): 48 Intensidad In (A): 16 Temperature (°C): 70 Connection: Screw			





Catalogue **ELECTRICAL EQUIPMENT**

Line **Installation Couplers Ensto**

FAMILY **AL Type EnstoNet connectors**

Subfamily **AL 3 Poles**

Picture	Article	Description	Lot	Price/Unit
---------	---------	-------------	-----	------------



Catalogue **ELECTRICAL EQUIPMENT**

Line **Installation Couplers Ensto**

FAMILY **AL Type EnstoNet connectors**

Subfamily **AL 5 Poles**


Picture	Article	Description	Lot	Price/Unit
---------	---------	-------------	-----	------------

Catalogue **ELECTRICAL EQUIPMENT**

Line **Installation Couplers Ensto**


Family **Adapters EnstoNet**

Subfamily **Wide Adapter**

Picture	Article	Description	Lot	Price/Unit
	B3NK002		1	0,96 €
	Coupler NK2P-W to be mounted Connector 2 poles		10	0,64 €
	To insert into hole 39x20mm		100	0,5314 €
			200	0,5060 €

Length (mm): 31 Width (mm): 42 High (mm): 23
Colour: White




	B3NK003		1	1,08 €
	Coupler NK3P-W to be mounted Connector 3 poles		10	0,72 €
	To insert into hole 48x20mm		100	0,5977 €
			200	0,5693 €

Length (mm): 35 Width (mm): 51 High (mm): 23
Section (mm²): 2,5 Colour: White




ELECTRICAL EQUIPMENT > Installation Couplers Ensto > Adapters EnstoNet

Subfamily **Wide Adapter**

Picture	Article	Description	Lot	Price/Unit
	B3NK003B		1	1,39 €
	Coupler NK3P-B to be mounted Connector 3 poles		10	0,92 €
			100	0,77 €
	To insert into hole 48x20mm		200	0,74 €

Length (mm): 35 Width (mm): 51 High (mm): 23
Section (mm2): 2,5 Colour: Black




	B3NK004		1	1,64 €
	Coupler NK4P-W to be mounted Connector 4 poles		10	1,11 €
			50	0,92 €
	To insert into hole 58x20mm		100	0,87 €

Length (mm): 35 Width (mm): 61 High (mm): 23
Colour: White




ELECTRICAL EQUIPMENT > Installation Couplers Ensto > Adapters EnstoNet

Subfamily **Wide Adapter**

Picture	Article	Description	Lot	Price/Unit
	B3NK005		1	1,42 €
	Coupler NK5P-W to be mounted Connector 5 poles		10	0,95 €
			50	0,79 €
	To insert into hole 68x20mm		100	0,75 €

Length (mm): 35 Width (mm): 71 High (mm): 23
Colour: White



	B3NKB00		1	1,12 €
	Pieza NKB.W		10	0,75 €
			100	0,62 €
	Adaptator for assembly by screws (between axis 28mm)		400	0,5922 €

Length (mm): 46 Width (mm): 43,5 High (mm): 4
Colour: White Temperature (°C): 70




Catalogue **ELECTRICAL EQUIPMENT**

Line **Installation Couplers Ensto**


FAMILY **Adapters EnstoNet**

Subfamily **Narrow Adapter**

Picture	Article	Description	Lot	Price/Unit
	B3NKB03		1	0,83 €
	Coupler NK3P-W to be mounted Connector 3 poles		10	0,5574 €
	no exit		100	0,4646 €
	Hole diameter 16.5mm.		200	0,4425 €

Length (mm): 14 Width (mm): 51 High (mm): 23
Colour: White




	B3NKF03		1	0,77 €
	Coupler NK3PF-W for Connector narrow 3 poles		10	0,5114 €
	To insert into hole 33x16,6mm		50	0,4263 €
			200	0,4057 €

Length (mm): 32 Width (mm): 36 High (mm): 18
Colour: White




ELECTRICAL EQUIPMENT > Installation Couplers Ensto > Adapters EnstoNet

Subfamily **Narrow Adapter**

Picture	Article	Description	Lot	Price/Unit
	B3NKF04		1	1,94 €
	Coupler NK4PF-W for Connector narrow 4 poles		10	1,30 €
			50	1,08 €
	To insert into hole 42,75x16,6mm		100	1,03 €

Length (mm): 32 Width (mm): 46 High (mm): 18
Colour: White



	B3NKF05		1	1,34 €
	Coupler NK5PF-W for Connector narrow 5 poles		10	0,88 €
			50	0,74 €
	To insert in agujero 52,5x16,6mm.		100	0,71 €

Length (mm): 32 Width (mm): 56 High (mm): 18
Colour: White




Catalogue **ELECTRICAL EQUIPMENT**

Line **Installation Couplers Ensto**

FAMILY **Compact EnstoNet conectors**

Subfamily **4 Ways compact Ensto connector**

Picture	Article	Description	Lot	Price/Unit
	B3KC544		1	0,98 €
	Compact connector 4 vias KC 50-44		250	0,88 €
	Fast connection tab with anchoring, earth terminal, polycarbonate UL94 V2		1000	0,85 €
	Length (mm): 40 Width (mm): 31 High (mm): 21 Colour: White Voltage In (Vac): 450 Intensidad In (A): 16 Temperature (°C): 110 Connection: Automatic			





Catalogue **ELECTRICAL EQUIPMENT**

Line **Installation Couplers Ensto**

FAMILY **Compact EnstoNet conectors**

Subfamily **5 Ways compact Ensto connector**

Picture	Article	Description	Lot	Price/Unit
---------	---------	-------------	-----	------------