













Catalogue **ELECTRICAL EQUIPMENT**

Line **Korner IP68 Connectors**

FAMILY **IP68 Screw connectors**

Subfamily **Connectors with screw IP68 cable section 1.5mm2 17.5A -400V**













Picture	Article	Description	Lot	Price/Unit
	498M162		1	3,38 €
	Connector with screws IP68 OK-M16 2 poles 1.5mm2		50	2,70 €
	Cable section 1.5mm2 17.5A-400V and AWG16-15A-300V		100	2,58 €
			300	2,45 €
		Width (mm): 20,3 High (mm): 63,1 Section (mm2): 1,5 Colour: Black Voltage In (Vac): 400 Intensidad In (A): 17.5 Temperature (°C): 105 Ingress Protection: IP68  Reference: 4530200		
	   	<hr/>		
	498M163		1	4,36 €
	Connector with screws IP68 OK-M16 3 poles 1.5mm2		50	3,48 €
	Cable section 1.5mm2 17.5A-400V and AWG16-15A-300V		100	3,32 €
			300	3,16 €
		Width (mm): 20,3 High (mm): 63,1 Section (mm2): 1,5 Colour: Black Voltage In (Vac): 400 Intensidad In (A): 17.5 Temperature (°C): 105 Ingress Protection: IP68  Reference: 4530300		
	   	<hr/>		

Catalogue **ELECTRICAL EQUIPMENT**

Line **Korner IP68 Connectors**

FAMILY **IP68 Screw connectors**

Subfamily **Connectors with screw IP68 cable section 2.5mm2 24A -400V**


Picture	Article	Description	Lot	Price/Unit
	498M203		1	4,36 €
	Connector with IP68 screws OK-M20 3 poles 2.5mm2		25	3,48 €
	Cable section 2.5mm2- 24A-400V and AWG14-20A-300V		50	3,32 €
			150	3,16 €
	Length (mm): 87,7 Width (mm): 24,2 Section (mm2): 2,5 Colour: Black Voltage In (Vac): 400 Intensidad In (A): 24 Temperature (°C): 105 Ingress Protection: IP68  Reference: 4531300			
	   			
	498M204		1	4,88 €
	Connector with IP68 screws OK-M20 4 poles 2.5mm2		25	3,90 €
	Cable section 2.5mm2- 24A-400V and AWG14-20A-300V		50	3,72 €
			150	3,54 €
	Length (mm): 87,7 Width (mm): 24,2 Section (mm2): 2,5 Colour: Black Voltage In (Vac): 400 Intensidad In (A): 24 Temperature (°C): 105 Ingress Protection: IP68  Reference: 4531400			
	   			

Catalogue **ELECTRICAL EQUIPMENT**

Line **Korner IP68 Connectors**

FAMILY **IP68 Screw connectors**

Subfamily **Connectors with screw IP68 cable section 6mm2 40A -400V**

Picture	Article	Description	Lot	Price/Unit
	498M253		1	8,23 €
	Connector with screws IP68 OK-M25 3 poles 6mm2		10	6,58 €
	Cable section 6mm2- 40A-400V and		25	6,27 €
	AWG10-30A-300V		75	5,97 €
	Length (mm): 100 Width (mm): 30 Section (mm2): 6 Colour: Black Voltage In (Vac): 400 Intensidad In (A): 40 Temperature (°C): 105 Ingress Protection: IP68  Reference: 4532300			













Catalogue **ELECTRICAL EQUIPMENT**

Line **Korner IP68 Connectors**


FAMILY **IP68 Screw derivations**

Subfamily **Derivations with screw IP68 cable section 2.5mm<sup>2</sup> 24A -400V**

Picture	Article	Description	Lot	Price/Unit
	498M20T3		1	8,26 €
	Connector Bypass with screws IP68 OK-M20T 3 poles		5	6,60 €
	2,5mm <sup>2</sup>		25	6,29 €
	Cable section 2.5mm <sup>2</sup> - 24A-400V and AWG14-15A-300V		75	5,99 €
	Length (mm): 68 Width (mm): 104 Section (mm <sup>2</sup> ): 2,5 Colour: Black Voltage In (Vac): 400 Intensidad In (A): 24 Temperature (°C): 105 Ingress Protection: IP68  Reference: 4533300			
		  		
	498M20T4		1	9,14 €
	IP68 OK-M20T 4 pole 2.5mm <sup>2</sup> screw-on branch connector		5	7,31 €
			25	6,97 €
	Cable section 2.5mm <sup>2</sup> - 24A-400V and AWG14-15A-300V		75	6,64 €
		   		
	Length (mm): 68 Width (mm): 104 Section (mm <sup>2</sup> ): 2,5 Colour: Black Voltage In (Vac): 400 Intensidad In (A): 24 Temperature (°C): 105 Ingress Protection: IP68  Reference: 4533400			

ELECTRICAL EQUIPMENT > Korner IP68 Connectors > IP68 Screw derivations

**Subfamily Derivations with screw IP68 cable section 2.5mm2 24A -400V**

Picture	Article	Description	Lot	Price/Unit
	498M20X3		1	17,29 €
	Connector Bypass with screws IP68 OK-M20X 3		10	13,83 €
	poles 2,5mm2		20	13,17 €
	Cable section 2.5mm2- 24A-400V and		60	12,55 €
	AWG14-15A-300V			
	Length (mm): 109 Width (mm): 104 Section (mm2): 2,5 Colour: Black Voltage In (Vac): 400 Intensidad In (A): 24 Temperature (°C): 105 Ingress Protection: IP68  Reference: 4533800			




Catalogue **ELECTRICAL EQUIPMENT**

Line **Korner IP68 Connectors**

FAMILY **IP68 Screw derivations**

Subfamily **Derivations with screw IP68 cable section 6mm2 41A -400V**

Picture	Article	Description	Lot	Price/Unit
	498M25X3		1	17,64 €
	Connector Bypass with screws IP68 OK-M25X 3		5	14,11 €
	poles 6mm2		10	13,44 €
	Cable section 6mm2- 41A-400V and		30	12,80 €
	AWG10-30A-300V			
		Length (mm): 131 Width (mm): 126 Section (mm2): 6 Colour: Black Voltage In (Vac): 400 Intensidad In (A): 41 Temperature (°C): 105 Ingress Protection: IP68		
		Reference: 4534800		

















Catalogue **ELECTRICAL EQUIPMENT**

Line **Korner IP68 Connectors**

FAMILY **IP68 Screw derivations**

Subfamily **Derivations with screw IP68 cable section 4mm2 32A -400V**

Picture	Article	Description	Lot	Price/Unit
  	498M25Y2		1	6,95 €
	Connector Bypass with screws IP68 OK-M25Y 2		5	5,55 €
	poles 4mm2		15	5,29 €
	Cable section 4mm2- 32A-400V and AWG12-30A-300V		45	5,04 €
	Length (mm): 155 Width (mm): 83 Section (mm2): 4 Colour: Black Voltage In (Vac): 400 Intensidad In (A): 32 Temperature (°C): 105 Ingress Protection: IP68  Reference: 4535200			
	   			
  	498M25Y3		1	8,32 €
	Connector Bypass with screws IP68 OK-M25Y 3		5	6,66 €
	poles 4mm2		15	6,34 €
	Cable section 4mm2- 32A-400V and AWG12-30A-300V		45	6,05 €
	Length (mm): 155 Width (mm): 83 Section (mm2): 4 Colour: Black Voltage In (Vac): 400 Intensidad In (A): 32 Temperature (°C): 105 Ingress Protection: IP68  Reference: 4535300			
	   			

ELECTRICAL EQUIPMENT > Korner IP68 Connectors > IP68 Screw derivations

**Subfamily Derivations with screw IP68 cable section 4mm2 32A -400V**

Picture	Article	Description	Lot	Price/Unit
	498M25Y5		1	8,91 €
	Connector Bypass with screws IP68 OK-M25Y 5		5	7,12 €
	poles 4mm2		15	6,79 €
	Cable section 4mm2- 32A-400V and AWG12-30A-300V		45	6,46 €
	Length (mm): 155 Width (mm): 83 Section (mm2): 4 Colour: Black Voltage In (Vac): 400 Intensidad In (A): 32 Temperature (°C): 105 Ingress Protection: IP68  Reference: 4535500			
				
	  			
				




Catalogue **ELECTRICAL EQUIPMENT**

Line **Korner IP68 Connectors**

FAMILY **IP68 Screwless connectors with PCT**

Subfamily **Quick connectors with PCT IP68 sección cable 2,5/4mm2 32A -450V**

Picture	Article	Description	Lot	Price/Unit
	498M25B2		1	6,47 €
		Quick connector with PCT IP68 OK-M25B 2 poles	10	5,17 €
		2.5mm2	25	4,93 €
		Cable section 2.5/4mm2- 32A-450V and AWG14-20A-300V	75	4,69 €
		Length (mm): 108 Width (mm): 30 Section (mm2): 2,5 Colour: Black Voltage In (Vac): 450 Intensidad In (A): 32 Temperature (°C): 105 Ingress Protection: IP68		
		Reference: 4572200		




Catalogue **ELECTRICAL EQUIPMENT**


Line **Korner IP68 Connectors**

FAMILY **IP68 Screwless connectors**

Subfamily **Quick connectors IP68 sección cable 1,5mm2 16A -450V**

Picture	Article	Description	Lot	Price/Unit
	498P2003		1	4,50 €
	Automatic quick connector IP68 OK-P20 3 poles		25	3,60 €
	1.5mm2		50	3,43 €
	Cable section 4mm2- 32A-400V and AWG12-30A-300V		100	3,27 €
	Length (mm): 87,7 Width (mm): 24,2 Section (mm2): 1,5 Colour: Black Voltage In (Vac): 450 Intensidad In (A): 16 Temperature (°C): 105 Ingress Protection: IP68 Reference: 4536300			
	498P20202		1	4,17 €
	Automatic quick connector IP68 OK-P20 2 poles		25	3,34 €
	1.5mm2		50	3,17 €
	Cable section 1.5mm2- 16A-450V and AWG16/18-10A-300V		100	3,02 €
	Length (mm): 87,7 Width (mm): 24,2 Section (mm2): 1,5 Colour: Black Voltage In (Vac): 450 Intensidad In (A): 16 Temperature (°C): 105 Ingress Protection: IP68 Reference: 4536200			

Subfamily **Quick connectors IP68 sección cable 1,5mm2 16A -450V**

Picture	Article	Description	Lot	Price/Unit
	498P20T3		1	14,42 €
	Automatic quick connector IP68 OK-P20T 3 poles		10	11,53 €
	1.5mm2		25	10,99 €
	Cable section 1.5mm2- 16A-450V and AWG16/18-10A-300V		75	10,47 €
	Length (mm): 111 Width (mm): 69 Section (mm2): 1,5 Colour: Black Voltage In (Vac): 450 Intensidad In (A): 16 Temperature (°C): 105 Ingress Protection: IP68 Reference: 4537300			



Catalogue **ELECTRICAL EQUIPMENT**

Line **Korner IP68 Connectors**

FAMILY **IP68 male-female screw connectors**

Subfamily **M-F connectors with twist IP68 sección cable 1,5mm2 17,5A -450V**

Picture	Article	Description	Lot	Price/Unit
	498M15MF2		1	8,68 €
	Connector with IP68 screws OK-M15MF male-female		50	6,94 €
	2 poles 1.5mm2		100	6,62 €
	Cable section 1.5mm2- 17.5A-450V and AWG16-10A-300V		300	6,31 €
	Length (mm): 95 Width (mm): 19 Section (mm2): 1,5 Colour: Black Voltage In (Vac): 450 Intensidad In (A): 17.5 Temperature (°C): 105 Ingress Protection: IP68  Reference: 4560200			
	498M15MF3		1	9,76 €
	Connector with IP68 screws OK-M15MF male-female		50	7,81 €
	3 poles 1.5mm2		100	7,44 €
	Cable section 1.5mm2- 17.5A-450V and AWG16-10A-300V		300	7,09 €
	Length (mm): 95 Width (mm): 19 Section (mm2): 1,5 Colour: Black Voltage In (Vac): 450 Intensidad In (A): 17.5 Temperature (°C): 105 Ingress Protection: IP68  Reference: 4560300			

Catalogue **ELECTRICAL EQUIPMENT**

Line **Korner IP68 Connectors**

FAMILY **IP68 male-female screw connectors**

Subfamily **M-F connectors with twist IP68 sección cable 2,5mm<sup>2</sup> 24A -450V**

Picture	Article	Description	Lot	Price/Unit
	498M19MF2		1	11,67 €
	Connector with IP68 screws OK-M19MF male-female 2 poles 2.5mm <sup>2</sup>		50	9,33 €
			100	8,89 €
			300	8,46 €
		Cable section 2.5mm <sup>2</sup> - 24A-450V and AWG14-20A-300V		
		Length (mm): 102 Width (mm): 24 Section (mm <sup>2</sup> ): 2,5 Colour: Black Voltage In (Vac): 450 Intensidad In (A): 24 Temperature (°C): 105 Ingress Protection: IP68		
		Reference: 4561200		
		    		
	498M19MF3		1	12,73 €
	Connector with IP68 screws OK-M19MF male-female 3 poles 2.5mm <sup>2</sup>		50	10,18 €
			100	9,70 €
			300	9,23 €
		Cable section 2.5mm <sup>2</sup> - 24A-450V and AWG14-20A-300V		
		Length (mm): 102 Width (mm): 24 Section (mm <sup>2</sup> ): 2,5 Colour: Black Voltage In (Vac): 450 Intensidad In (A): 24 Temperature (°C): 105 Ingress Protection: IP68		
		Reference: 4561300		
		    		

ELECTRICAL EQUIPMENT > Korner IP68 Connectors > IP68 male-female screw connectors

Subfamily **M-F connectors with twist IP68 sección cable 2,5mm2 24A -450V**


Picture	Article	Description	Lot	Price/Unit
	498M23MF5		1	18,56 €
	Connector with screws IP68 OK-M23MF male-female		25	14,85 €
	5 poles 2,5mm2		50	14,14 €
	Cable section 2.5mm2- 24A-450V and		150	13,47 €
	AWG14-20A-300V			
	Length (mm): 121 Width (mm): 28 Section (mm2): 2,5			
	Colour: Black Voltage In (Vac): 450			
	Intensidad In (A): 24 Temperature (°C): 105			
	Ingress Protection: IP68			
	Reference: 4562500			
				
	  			
				

Catalogue **ELECTRICAL EQUIPMENT**


Line **Korner IP68 Connectors**

FAMILY **IP68 Screwless male-female connectors**

Subfamily **Quick male-hembra connectors IP68 sección cable 2,5mm<sup>2</sup> 24A -450V**

Picture	Article	Description	Lot	Price/Unit
	498P23MF2		1	15,91 €
	Automatic quick connector IP68 OK-P23MF		25	12,73 €
	male-female 2 poles 2.5mm <sup>2</sup>		50	12,12 €
	Cable section 2.5mm <sup>2</sup> - 16A-450V and		150	11,54 €
	AWG14-10A-300V			
		Length (mm): 130 Width (mm): 28 Section (mm <sup>2</sup> ): 2,5 Colour: Black Voltage In (Vac): 450 Intensidad In (A): 16 Temperature (°C): 105 Ingress Protection: IP68		
	Reference: 4565230			



	498P23MF3		1	16,76 €
	Automatic quick connector IP68 OK-P23MF		25	13,40 €
	male-female 3 poles 2.5mm <sup>2</sup>		50	12,77 €
	Cable section 2.5mm <sup>2</sup> - 16A-450V and		150	12,16 €
	AWG14-10A-300V			
		Length (mm): 130 Width (mm): 28 Section (mm <sup>2</sup> ): 2,5 Colour: Black Voltage In (Vac): 450 Intensidad In (A): 16 Temperature (°C): 105 Ingress Protection: IP68		
	Reference: 4565330			



Subfamily **Quick male-hembra connectors IP68 sección cable 2,5mm2 24A -450V**

Picture	Article	Description	Lot	Price/Unit
	498P25MF5		1	17,08 €
	Automatic quick connector IP68 OK-P25MF		25	13,66 €
	male-female 5 poles 2.5mm2		50	13,01 €
	Cable section 2.5mm2- 16A-450V and		150	12,39 €
	AWG14-10A-300V			
	Length (mm): 160 Width (mm): 32 Section (mm2): 2,5 Colour: Black Voltage In (Vac): 450 Intensidad In (A): 16 Temperature (°C): 105 Ingress Protection: IP68  Reference: 4566530			
	  			












Catalogue **ELECTRICAL EQUIPMENT**











Line **Korner IP68 Connectors**

Family **IP68 Junction box**

Subfamily **Junction boxes IP68 cable section 6mm2 41A -450V**

Picture	Article	Description	Lot	Price/Unit
	498M20682		1	5,81 €
	Junction box IP68 OK-M2068 2T with 4-pole terminal block mounted cover		5	4,65 €
			10	4,43 €
			30	4,22 €
	Body and lid united. Cable section 6mm2- 41A-450V and AWG10-40A-450V			
	Length (mm): 131 Width (mm): 68 High (mm): 37 Section (mm2): 2,5 Colour: Black Voltage In (Vac): 450 Intensidad In (A): 41 Temperature (°C): 105 Ingress Protection: IP68			
	Reference: 4568200			
				
	498M20685		1	8,68 €
	Junction box IP68 OK-M2068 5T with 4-pole terminal block mounted cover		5	6,94 €
			10	6,62 €
			30	6,31 €
	Body and lid united. Cable section 6mm2- 41A-450V and AWG10-40A-450V			
	Length (mm): 131 Width (mm): 95 High (mm): 37 Section (mm2): 6 Colour: Black Voltage In (Vac): 450 Intensidad In (A): 41 Temperature (°C): 105 Ingress Protection: IP68			
	Reference: 4568500			
	 			

**Subfamily Junction boxes IP68 cable section 6mm2 41A -450V**

Picture	Article	Description	Lot	Price/Unit
	498M2068S3		1	6,01 €
	Junction box IP68 OK-M2068 S 3T with 4-pole terminal strip, unmounted		5	4,81 €
			10	4,58 €
			30	4,36 €
	Separate body and cover. Cable section 6mm2-41A-450V and AWG10-40A-450V			
	Length (mm): 135 Width (mm): 81 High (mm): 42 Section (mm2): 6 Colour: Black Voltage In (Vac): 450 Intensidad In (A): 41 Temperature (°C): 105 Ingress Protection: IP68			
	Reference: 4569300			
	  	<hr/>		
	498M2068S5		1	7,85 €
	Junction box IP68 OK-M2068 S 5T with 4-pole terminal strip, unmounted		5	6,28 €
			10	5,98 €
			30	5,69 €
	Separate body and lid. Cable section 6mm2-41A-450V and AWG10-40A-450V			
	Length (mm): 135 Width (mm): 96 High (mm): 42 Section (mm2): 6 Colour: Black Voltage In (Vac): 450 Intensidad In (A): 41 Temperature (°C): 105 Ingress Protection: IP68			
	Reference: 4569500			
	  	<hr/>		