














Catalogue **SMART LIGHTING**  
 Line **Lighting control by Nexta Tech**  
 FAmily **Receivers**  
 Subfamily **230V On-Off / Dimmer**  
**Download Nexta Tech catalogue [here.](#)**

| Picture   | Article       | Description   | Lot | Price/Unit |
|---|---------------|---|-----|------------|
|     | 15LOGIC400ONE | Control unit LOGIC 400/ONE 6000W-230V   | 1   | 132,87 €   |
|   |               | For the control of 4 lighting outputs. Remote control via AppOneSmart   | 10  | 126,54 €   |
|   |               | Length (mm): 140 Width (mm): 90 High (mm): 45<br>Voltage In (Vac): 230 Power (W): 6000<br>Room Temperature (°C): -20~+55<br>Ingress Protection: IP20  |     |            |
|   |               |     |     |            |
|   | 15MCUL1ONE    | Control Unit MCU-L1/ONE 1000W/110-240V  | 1   | 58,27 €    |
|   |               | Remote control via AppOneSmart  | 10  | 46,77 €    |
|   |               | Length (mm): 52 Width (mm): 43 High (mm): 21<br>Voltage In (Vac): 110~240 Power (W): 250<br>Room Temperature (°C): -25~+55<br>Ingress Protection: IP20  |     |            |
|   |               |     |     |            |

SMART LIGHTING > Lighting control by Nexta Tech > Receivers

Subfamily **230V On-Off / Dimmer**

| Picture   | Article    | Description                            | Lot | Price/Unit |
|---|------------|--|-----|------------|
|  | 15TOPL1ONE |  | 1   | 102,53 €   |
|   |            | Control unit TOP-L1/ONE 3000W 110-240V | 10  | 97,64 €    |

Remote control via AppOneSmart



Length (mm): 174 Width (mm): 46 High (mm): 35  
Voltage In (Vac): 110~240 Power (W): 3000  
Room Temperature (°C): -20~+55  
Ingress Protection: IP20








Catalogue **SMART LIGHTING**  
Line **Lighting control by Nexta Tech**  
FAMILY **Receivers**




Subfamily **Driver control 0-1/10V, dali, Push dim or phase cut**

**Download Nexta Tech catalogue [here.](#)**





| Picture   | Article                                 | Description  | Lot | Price/Unit |
|---|---|--|-----|------------|
|  | 15MCU1224P                              |  | 1   | 63,32 €    |
|   | Control unit MCU-1224P 12-24V           | For dimmable drivers with PUSH. Normally open dry contact output max 1A.<br><br>Length (mm): 52 Width (mm): 43 High (mm): 21<br>Voltage In (Vdc/ac): 12~24 Intensidad Out (A): 1<br>Room Temperature (°C): -20~+55<br>Ingress Protection: IP20 | 10  | 60,31 €    |
|  | 15MCUDMONE                              |  | 1   | 57,47 €    |
|   | Control unit MCU-DM/ONE 4-150W 110-240V | Remote control via AppOneSmart<br><br>Length (mm): 52 Width (mm): 43 High (mm): 21<br>Voltage In (Vac): 110~240 Power (W): 4~150<br>Room Temperature (°C): -20~+55<br>Ingress Protection: IP20   | 10  | 54,73 €    |





Subfamily **Driver control 0-1/10V, dali, Push dim or phase cut**

| Picture  | Article  | Description   | Lot | Price/Unit |
|--|--|---|-----|------------|
|   | 15MCUPUSH  |   | 1   | 63,32 €    |
|  | Control unit Interface radio MCU-PUSH exit Push-Dim. 110-240V. 5A. |   | 10  | 60,31 €    |
|  |  | Radio frequency interface for the control of Led drivers with "push dim" input<br><br>Length (mm): 52 Width (mm): 43 High (mm): 21<br>Voltage In (Vac): 110~240 Intensidad In (A): 5<br>Room Temperature (°C): -20~+55<br>Ingress Protection: IP20              |     |            |
|  |  |    |     |            |


|   |   |   |    |         |
|---|---|---|----|---------|
|  | 15TOP0110   |   | 1  | 86,68 € |
|   | Control unit interface TOP-0110 for drivers 0-1/10V 2000W |   | 10 | 82,55 € |
|   |   | Receiver for RF regulation or cable of devices with input 0-1 / 10V max 2000W<br><br>Length (mm): 174 Width (mm): 46 High (mm): 35<br>Voltage In (Vac): 110~240 Power (W): 2000<br>Room Temperature (°C): -20~+55<br>Ingress Protection: IP20                   |    |         |
|  |   |    |    |         |

Subfamily **Driver control 0-1/10V, dali, Push dim or phase cut**

| Picture  | Article   | Description  | Lot   | Price/Unit |
|--|---|--|---|------------|
|  | 15TOP0110ONE  |  | 1   | 100,40 €   |
|  | Control unit interface TOP-0110/ONE for drivers 0-1/10V 2000W |  | 10  | 95,62 €    |
|   |   | For control of 0 / 1-10V Drivers   |   |            |
|  |   | Length (mm): 176 Width (mm): 46 High (mm): 35<br>Voltage In (Vac): 110~230 Power (W): 2000<br>Room Temperature (°C): -20~+55<br>Ingress Protection: IP20 |   |            |
|  |   |   |  |            |

|   |  |  |   |         |
|---|--|--|---|---------|
|  | 15TOPDL20  |  | 1   | 91,87 € |
|   | Control unit interface TOP-DL20 for Drivers DALI |  | 10  | 87,49 € |
|  |  | Interphase receiver with dimmer function and DALI output for the control of up to 20 devices with DALI input. Power 110-240Vac. Departure BUS DALI |   |         |
|   |  | Length (mm): 174 Width (mm): 46 High (mm): 35<br>Voltage In (Vac): 110~240<br>Room Temperature (°C): -20~+55<br>Ingress Protection: IP20           |   |         |
|   |  |   |   |         |

**Subfamily Driver control 0-1/10V, dali, Push dim or phase cut**


| Picture  | Article  | Description | Lot | Price/Unit |
|--|--|-------------|-----|------------|
|  | 15TOPDL20ONE   |             | 1   | 114,66 €   |
|  | Control unit interface TOP-DL20/ONE for Drivers DALI |             | 10  | 109,20 €   |



Interface for controlling DALI Drivers. Max 20 drivers

Length (mm): 176 Width (mm): 46 High (mm): 35  
Voltage In (Vac): 110~240  
Room Temperature (°C): -20~+55  
Ingress Protection: IP20



|   |  |  |    |         |
|---|--|--|----|---------|
|  | 15WITOP100                                 |  | 1  | 16,41 € |
|   | Connection wire 1 m. RJ11 for TOP extender |  | 10 | 15,63 € |







1 meter RJ11 connection cable with mounted connectors for the connection of the master control unit with the extension of the TOP series

Length (mm): 1000



Subfamily **Driver control 0-1/10V, dali, Push dim or phase cut**

| Picture  | Article                                     | Description  | Lot   | Price/Unit |
|--|---|--|---|------------|
|   | 15WITOP1000                                 |  | 1   | 26,17 €    |
|  | Connection wire 10 m. RJ11 for TOP extender |  | 10  | 24,92 €    |
|  |   | 10-meter RJ11 connection cable with mounted connectors for the connection of the master control unit with the extension of the TOP series.<br><br>Length (mm): 10000 |   |            |
|  |   |  |  |            |

|   |  |   |   |         |
|---|--|---|---|---------|
|  | 15WITOP30                                    |   | 1   | 13,10 € |
|   | Connection wire 30 cm. RJ11 for TOP extender |   | 10  | 12,48 € |
|   |  | 30 cm RJ11 connection cable with mounted connectors for the connection of the master control unit with the extension of the TOP series.<br><br>Length (mm): 300 |   |         |
|  |  |   |  |         |

SMART LIGHTING > Lighting control by Nexta Tech > Receivers

Subfamily **Driver control 0-1/10V, dali, Push dim or phase cut**

| Picture | Article    | Description                                | Lot | Price/Unit |
|---------|------------|--|-----|------------|
|         | 15WITOP500 |  | 1   | 21,02 €    |
|         |            | Connection wire 5 m. RJ11 for TOP extender | 10  | 20,02 €    |

5-meter RJ11 connection cable with mounted connectors for the connection of the master control panel with the extension of the TOP series.

Length (mm): 5000












Catalogue **SMART LIGHTING**  
Line **Lighting control by Nexta Tech**  
FAMILY **Receivers**






Subfamily **Constant current control, Dimmer, RGB**

**Download Nexta Tech catalogue [here.](#)**



| Picture   | Article       | Description   | Lot | Price/Unit |
|---|---------------|---|-----|------------|
|     | 15TOPA03073   | Control unit dimmer TOP-A0307/3 CC 350-700mA  | 1   | 97,66 €    |
|   |               | Intensity regulator for LED modules with constant current at 350mA or 700mA selectable with jumper. Low voltage power supply 12-24 or 36Vdc<br><br>Length (mm): 174 Width (mm): 46 High (mm): 35<br>Voltage In (Vdc): 12~36 Ingress Protection: IP20  | 10  | 93,00 €    |
|   |               |                                  |     |            |
|   | 15TOPA0307RGB | Control unit dimmer TOP-A0307/RGB for led RGB CC 350-700mA  | 1   | 97,66 €    |
|   |               | Intensity regulator for RGB LED modules with constant current at 350mA or 700mA selectable with jumper. Low voltage power supply 12-24 or 36Vdc<br><br>Length (mm): 174 Width (mm): 46 High (mm): 35<br>Voltage In (Vdc): 12~36<br>Room Temperature (°C): -20~+55<br>Ingress Protection: IP20 | 10  | 93,00 €    |
|   |               |                                  |     |            |



Subfamily **Constant current control, Dimmer, RGB**

| Picture  | Article   | Description   | Lot | Price/Unit |
|--|---|---|-----|------------|
|  | 15TOPA05093   |   | 1   | 97,66 €    |
|  | Control unit dimmer TOP-A0509/3 for led CC<br>500-900mA |   | 10  | 93,00 €    |
|   |   | Intensity regulator for RGB LED modules with constant current at 500mA or 900mA selectable with jumper. Low voltage power supply 12-24 or 36Vdc<br><br>Length (mm): 174 Width (mm): 46 High (mm): 35<br>Voltage In (Vdc): 12-36 Ingress Protection: IP20        |     |            |
|  |   |    |     |            |

|   |   |   |    |         |
|---|---|---|----|---------|
|  | 15TOPA0509RGB   |   | 1  | 98,28 € |
|   | Control unit dimmer TOP-A0509/RGB for led RGB CC<br>500-900mA |   | 10 | 93,60 € |
|  |   | Intensity regulator for RGB LED modules with constant current at 500mA or 900mA selectable with jumper. Low voltage power supply 12-24 or 36Vdc<br><br>Length (mm): 174 Width (mm): 46 High (mm): 35<br>Voltage In (Vdc): 12-36 Ingress Protection: IP20        |    |         |
|   |   |    |    |         |



Subfamily **Constant current control, Dimmer, RGB**



| Picture  | Article                                    | Description  | Lot | Price/Unit |
|--|--|--|-----|------------|
|   | 15WITOP100                                 |  | 1   | 16,41 €    |
|  | Connection wire 1 m. RJ11 for TOP extender |  | 10  | 15,63 €    |
|  |  | 1 meter RJ11 connection cable with mounted connectors for the connection of the master control unit with the extension of the TOP series |     |            |
|  |  | Length (mm): 1000  |     |            |
|  |  |  |     |            |

|   |   |  |    |         |
|---|---|--|----|---------|
|  | 15WITOP1000                                 |  | 1  | 26,17 € |
|   | Connection wire 10 m. RJ11 for TOP extender |  | 10 | 24,92 € |
|   |   | 10-meter RJ11 connection cable with mounted connectors for the connection of the master control unit with the extension of the TOP series. |    |         |
|   |   | Length (mm): 10000   |    |         |
|  |   |  |    |         |

SMART LIGHTING > Lighting control by Nexta Tech > Receivers

Subfamily **Constant current control, Dimmer, RGB**

| Picture  | Article                                      | Description   | Lot | Price/Unit |
|--|--|---|-----|------------|
|   | 15WITOP30                                    |   | 1   | 13,10 €    |
|  | Connection wire 30 cm. RJ11 for TOP extender |   | 10  | 12,48 €    |
|  |  | 30 cm RJ11 connection cable with mounted connectors for the connection of the master control unit with the extension of the TOP series. |     |            |
|  |  | Length (mm): 300  |     |            |
|  |  |   |     |            |

|   |  |  |    |         |
|---|--|--|----|---------|
|  | 15WITOP500                                 |  | 1  | 21,02 € |
|   | Connection wire 5 m. RJ11 for TOP extender |  | 10 | 20,02 € |
|   |  | 5-meter RJ11 connection cable with mounted connectors for the connection of the master control panel with the extension of the TOP series. |    |         |
|   |  | Length (mm): 5000  |    |         |
|  |  |  |    |         |



Catalogue **SMART LIGHTING**

Line **Lighting control by Nexta Tech**






FAMILY **Receivers**





Subfamily **Constant voltage control, Dimmer, RGBW, CCT, DTW**

**Download Nexta Tech catalogue [here.](#)**

| Picture   | Article                    | Description  | Lot | Price/Unit |
|---|----------------------------|--|-----|------------|
|  | 15PLANOMASTER              |  | 1   | 62,28 €    |
|   | PLANO-MASTER 12-24V DC LED | Universal controller for led 12-24Vdc. Dimmer, RGB, RGBW, CCT<br><br>Length (mm): 80 Width (mm): 80 High (mm): 16<br>Voltage In (Vdc): 12~24<br>Room Temperature (°C): -20~+50<br>Ingress Protection: IP20 | 10  | 59,32 €    |
|  | 15PLANOONE                 |  | 1   | 69,62 €    |
|   | PLANO-ONE 12-24V DC LED    | Universal controller for led 12-24Vdc. Dimmer, RGB, RGBW, CCT<br><br>Length (mm): 80 Width (mm): 80 High (mm): 16<br>Voltage In (Vdc): 12~24<br>Room Temperature (°C): -20~+50<br>Ingress Protection: IP20 | 10  | 66,30 €    |






Subfamily **Constant voltage control, Dimmer, RGBW, CCT, DTW**






| Picture  | Article  | Description  | Lot   | Price/Unit |
|--|--|--|---|------------|
|   | 15PLANOV5  |  | 1   | 42,04 €    |
|  | PLANO-V5 1 channel dimmer receiver monochromatic CV 12-24V |  | 10  | 40,04 €    |
|  |  | Length (mm): 80 Width (mm): 80 High (mm): 16<br>Voltage In (Vdc): 12~24 Intensidad In (A): 5<br>Power (W): 60~120 Room Temperature (°C): -20~+50<br>Ingress Protection: IP20 |   |            |
|  |  |  |    |            |

|   |                            |   |   |         |
|---|----------------------------|---|---|---------|
|  | 15PLANOV54BLE              |   | 1   | 70,66 € |
|   | Control unit PLANO-V5/4BLE |   | 10  | 67,29 € |
|   |                            | 4xLed 12-24Vdc. Max 3A por salida. 36W a12V; 72W a 24V por cada salida. Max total 5A. 60W a 12V; 120W a 24V.<br><br>Length (mm): 80 Width (mm): 80 High (mm): 16<br>Voltage In (Vdc): 12~24<br>Room Temperature (°C): -20~+55<br>Ingress Protection: IP20 |   |         |
|  |                            |   |   |         |



SMART LIGHTING > Lighting control by Nexta Tech > Receivers






Subfamily **Constant voltage control, Dimmer, RGBW, CCT, DTW**

| Picture  | Article   | Description  | Lot   | Price/Unit |
|--|---|--|---|------------|
|    | 15PLANOV54CH  |  | 1   | 57,47 €    |
|  | PLANO-V5 4CH dimmer receiver 4 channels single color CV CV 12-24V |  | 10  | 54,73 €    |
| <br> |   | Length (mm): 80 Width (mm): 80 High (mm): 16<br>Voltage In (Vdc): 12~24 Intensidad In (A): 5<br>Power (W): 60~120 Room Temperature (°C): -20~+50<br>Ingress Protection: IP20 |   |            |
|  |   |  |   |            |

|  |  |  |   |         |
|--|--|--|---|---------|
|   | 15PLANOV5RGBW  |  | 1   | 58,11 € |
|  | PLANO-V5 RGBW dimmer receiver for RGB and RGBW CV 12-24V LED |  | 10  | 45,24 € |
| <br> |  | Length (mm): 80 Width (mm): 80 High (mm): 16<br>Voltage In (Vdc): 12~24 Intensidad In (A): 5<br>Power (W): 60~120 Room Temperature (°C): -20~+50<br>Ingress Protection: IP20 |   |         |
|  |  |  |   |         |



Subfamily **Constant voltage control, Dimmer, RGBW, CCT, DTW**

| Picture  | Article                        | Description   | Lot | Price/Unit |
|--|--------------------------------|---|-----|------------|
|  | 15PLANOV5RGBWBL                |   | 1   | 70,66 €    |
|  | Control unit PLANO-V5 RGBW/BLE |   | 10  | 67,29 €    |
|  |                                | Function: Mode 1: RGB. Mode 2: RGBW (W-W),<br>Mode 3: RGBW (W-W + RGB)<br><br>Length (mm): 80 Width (mm): 80 High (mm): 16<br>Voltage In (Vdc): 12~24<br>Room Temperature (°C): -20~+55<br>Ingress Protection: IP20   |     |            |
|  |                                |    |     |            |






|   |  |   |    |         |
|---|--|---|----|---------|
|  | 15TOPV84   |   | 1  | 98,25 € |
|   | Control unit dimmer TOP-V8/4 for led monocolor CV 12-24-36V. |   | 10 | 93,57 € |
|  |  | Dimmer for leds at constant voltage 12-24-36 Vdc 4 outputs max 8A per output (max 24A total) With 3 cable entries and input to extend<br><br>Length (mm): 174 Width (mm): 46 High (mm): 35<br>Voltage In (Vdc): 12~36<br>Room Temperature (°C): -20~+55<br>Ingress Protection: IP20 |    |         |
|   |  |                        |    |         |





Subfamily **Constant voltage control, Dimmer, RGBW, CCT, DTW**



| Picture   | Article   | Description   | Lot | Price/Unit |
|---|---|---|-----|------------|
|   | 15TOPV8CCT2   |   | 1   | 107,12 €   |
|   | Control unit TOP-V8/CCT2 dimmer and Tcolor for led a CV 12-24-36V.    | <p>Dimmer for LEDs at constant voltage 12-24-36 Vdc with warm and cold LED. 4 outputs max 8A per output (max 24A total) With 3 cable entries and input to extend</p> <p>Length (mm): 174 Width (mm): 46 High (mm): 35<br/>Voltage In (Vdc): 12~36<br/>Room Temperature (°C): -20~+55<br/>Ingress Protection: IP20</p> | 10  | 102,05 €   |
|  | 15TOPV8EXT4   |   | 1   | 68,25 €    |
|   | Control unit dimmer slave TOP-V8/EXT4 for led monocolor CV 12-24-36V. | <p>Slave dimmer for led to constant tension compatible with master stations TOP-V8 / 4 monocolor</p> <p>Length (mm): 174 Width (mm): 46 High (mm): 35<br/>Voltage In (Vdc): 12~24<br/>Room Temperature (°C): -20~+55<br/>Ingress Protection: IP20</p>   | 10  | 65,00 €    |


Subfamily **Constant voltage control, Dimmer, RGBW, CCT, DTW**

| Picture  | Article   | Description   | Lot | Price/Unit |
|--|---|---|-----|------------|
|   | 15TOPV8RGBW   |   | 1   | 98,25 €    |
|  | Control unit dimmer TOP-V8/RGBW for led RGB and RGBW CV 12-24-36V |   | 10  | 93,57 €    |
|  |   | <p>Dimmer for LEDs with constant voltage 12-24-36 Vdc of RGB and RGBW LEDs. 4 outputs max 8A per output (max 24A total) With 3 cable entries and input to extend</p> <p>Length (mm): 174 Width (mm): 46 High (mm): 35<br/>Voltage In (Vdc): 12~36<br/>Room Temperature (°C): -20~+55<br/>Ingress Protection: IP20</p> |     |            |
|  |   |      |     |            |

|   |  |  |   |         |
|---|--|--|---|---------|
|   | 15WITOP100                                 |  | 1   | 16,41 € |
|   | Connection wire 1 m. RJ11 for TOP extender |  | 10  | 15,63 € |
|   |  | <p>1 meter RJ11 connection cable with mounted connectors for the connection of the master control unit with the extension of the TOP series</p> <p>Length (mm): 1000</p> |   |         |
|  |  |  |  |         |


Subfamily **Constant voltage control, Dimmer, RGBW, CCT, DTW**

| Picture  | Article                                     | Description  | Lot | Price/Unit |
|--|---|--|-----|------------|
|   | 15WITOP1000                                 |  | 1   | 26,17 €    |
|  | Connection wire 10 m. RJ11 for TOP extender |  | 10  | 24,92 €    |
|  |   | 10-meter RJ11 connection cable with mounted connectors for the connection of the master control unit with the extension of the TOP series. |     |            |
|  |   | Length (mm): 10000   |     |            |
|  |   |  |     |            |

|   |  |   |    |         |
|---|--|---|----|---------|
|  | 15WITOP30                                    |   | 1  | 13,10 € |
|   | Connection wire 30 cm. RJ11 for TOP extender |   | 10 | 12,48 € |
|   |  | 30 cm RJ11 connection cable with mounted connectors for the connection of the master control unit with the extension of the TOP series. |    |         |
|   |  | Length (mm): 300  |    |         |
|  |  |   |    |         |

SMART LIGHTING > Lighting control by Nexta Tech > Receivers

Subfamily **Constant voltage control, Dimmer, RGBW, CCT, DTW**

| Picture   | Article    | Description                                | Lot | Price/Unit |
|---|------------|--|-----|------------|
|  | 15WITOP500 |  | 1   | 21,02 €    |
|   |            | Connection wire 5 m. RJ11 for TOP extender | 10  | 20,02 €    |

5-meter RJ11 connection cable with mounted connectors for the connection of the master control panel with the extension of the TOP series.

Length (mm): 5000





Catalogue **SMART LIGHTING**

Line **Lighting control by Nexta Tech**



FAMILY **Receivers**

Subfamily **Motors control**

**Download Nexta Tech catalogue [here.](#)**





| Picture | Article | Description | Lot | Price/Unit |
|---------|---------|-------------|-----|------------|
|---------|---------|-------------|-----|------------|





Catalogue **SMART LIGHTING**  
 Line **Lighting control by Nexta Tech**  
 Family **Transmitter**  
 Subfamily **OPTIMA**  
 Radiotransmitters Wireless Wall Switches with Battery or mains

| Picture   | Article   | Description   | Lot | Price/Unit |
|---|-----------|---|-----|------------|
|  | 15OPT1C   | Radiotransmitter wall switch OPT-1C RGB/RGBW battery CR2451                 | 1   | 45,25 €    |
|   |           | 1 channel. Funtions: ON-OFF<br>Length (mm): 85 Width (mm): 85 High (mm): 12 | 10  | 43,10 €    |
|  | 15OPT1CCT | Radiotransmitter wall switch OPT-1CCT battery CR2451                        | 1   | 45,25 €    |
|   |           | 1 channel. Funtions: ON-OFF<br>Length (mm): 85 Width (mm): 85 High (mm): 12 | 10  | 43,10 €    |

SMART LIGHTING > Lighting control by Nexta Tech > Transmitter






Subfamily **OPTIMA**






| Picture  | Article   | Description  | Lot   | Price/Unit |
|--|---|--|---|------------|
|  | 15OPT1CCTPW                                     |  | 1   | 62,28 €    |
|  | Radiotransmitter wall switch OPT-1CCT/PW 230Vac |  | 10  | 59,32 €    |
|   |   | 1 channel. Funtions: ON-OFF<br><br>Length (mm): 85 Width (mm): 85 High (mm): 12<br>Voltage In (Vac): 230 |   |            |
|  |   |                       |  |            |

|   |  |  |   |         |
|---|--|--|---|---------|
|  | 15OPT1CPW  |  | 1   | 62,28 € |
|   | Radiotransmitter wall switch OPT-1C/PW RGB/RGBW 230Vac |  | 10  | 59,32 € |
|  |  | 1 channel. Funtions: ON-OFF<br><br>Length (mm): 85 Width (mm): 85 High (mm): 12<br>Voltage In (Vac): 230 |   |         |
|   |  |                       |  |         |

SMART LIGHTING > Lighting control by Nexta Tech > Transmitter

Subfamily **OPTIMA**




| Picture   | Article   | Description   | Lot | Price/Unit |
|---|---|---|-----|------------|
|   | 15OPT1DIM   |   | 1   | 45,25 €    |
|   | Radiotransmitter wall switch OPT-1DIM battery CR245 |   | 10  | 43,10 €    |
|    |   | 1 channel. Funtions: ON-OFF<br>Length (mm): 85 Width (mm): 85 High (mm): 12   |     |            |
|  |   |   |     |            |




|   |   |   |    |         |
|---|---|---|----|---------|
|  | 15OPT1DIMPW                                     |   | 1  | 62,28 € |
|   | Radiotransmitter wall switch OPT-1DIM/PW 230Vac |   | 10 | 59,32 € |
|  |   | 1 channel. Funtions: ON-OFF<br>Length (mm): 85 Width (mm): 85 High (mm): 12<br>Voltage In (Vac): 230  |    |         |
|  |   |   |    |         |



SMART LIGHTING > Lighting control by Nexta Tech > Transmitter





Subfamily **OPTIMA**





| Picture  | Article  | Description   | Lot | Price/Unit |
|--|--|---|-----|------------|
|   | 15OPT2G  |   | 1   | 39,25 €    |
|  | Radiotransmitter wall switch OPT-2G battery CR2450 |   | 10  | 37,38 €    |
|  | 2 buttons with selectable function                 | Length (mm): 85 Width (mm): 85 High (mm): 12  |     |            |
|  | CE   |  |     |            |

|   |   |   |    |         |
|---|---|---|----|---------|
|  | 15OPT2GPW                                     |   | 1  | 56,52 € |
|   | Radiotransmitter wall switch OPT-2G/PW 230Vac |   | 10 | 53,83 € |
|   | 2 buttons with selectable function            | Length (mm): 85 Width (mm): 85 High (mm): 12<br>Voltage In (Vac): 230                 |    |         |
|  | CE  |  |    |         |

SMART LIGHTING > Lighting control by Nexta Tech > Transmitter




Subfamily **OPTIMA**




| Picture  | Article   | Description   | Lot | Price/Unit |
|--|---|---|-----|------------|
|   | 15OPT4DIM   |   | 1   | 51,84 €    |
|  | Radiotransmitter wall switch OPT-4DIM battery CR245                                 |   | 10  | 49,37 €    |
|  |   | 4 channels. Funtions: ON-OFF  |     |            |
|  |   | Length (mm): 85 Width (mm): 85 High (mm): 12  |     |            |
|  |  |  |     |            |

|   |   |   |    |         |
|---|---|---|----|---------|
|  | 15OPT4DIMPW   |   | 1  | 68,84 € |
|   | Radiotransmitter wall switch OPT-4DIM/PW 230Vac                                     |   | 10 | 65,56 € |
|   |   | 4 channels. Funtions: ON-OFF  |    |         |
|   |   | Length (mm): 85 Width (mm): 85 High (mm): 12  |    |         |
|   |   | Voltage In (Vac): 230   |    |         |
|  |  |  |    |         |

SMART LIGHTING > Lighting control by Nexta Tech > Transmitter





Subfamily **OPTIMA**





| Picture  | Article  | Description   | Lot | Price/Unit |
|--|--|---|-----|------------|
|  | 15OPT4G  |   | 1   | 45,25 €    |
|  | Radiotransmitter wall switch OPT-4G battery CR2450 |   | 10  | 43,10 €    |
|  | 4 buttons with selectable function                 |   |     |            |
|   |  | Length (mm): 85 Width (mm): 85 High (mm): 12  |     |            |
|  | CE   |  |     |            |

|   |   |   |    |         |
|---|---|---|----|---------|
|  | 15OPT4GPW                                     |   | 1  | 62,47 € |
|   | Radiotransmitter wall switch OPT-4G/PW 230Vac |   | 10 | 59,49 € |
|   | 4 buttons with selectable function            |   |    |         |
|  |   | Length (mm): 85 Width (mm): 85 High (mm): 12<br>Voltage In (Vac): 230                 |    |         |
|   | CE  |  |    |         |

SMART LIGHTING > Lighting control by Nexta Tech > Transmitter









**Subfamily** OPTIMA

| Picture   | Article  | Description   | Lot | Price/Unit |
|---|--|---|-----|------------|
|   | 15OPT8G  |   | 1   | 51,84 €    |
|   | Radiotransmitter wall switch OPT-8G battery CR2450 |   | 10  | 49,37 €    |
|   | 8 buttons with selectable function                 |   |     |            |
|    |  | Length (mm): 85 Width (mm): 85 High (mm): 12  |     |            |
|  |  |  |     |            |

|   |   |   |    |         |
|---|---|---|----|---------|
|  | 15OPT8GPW                                     |   | 1  | 69,04 € |
|   | Radiotransmitter wall switch OPT-8G/PW 230Vac |   | 10 | 65,75 € |
|   | 8 buttons with selectable function            |   |    |         |
|  |   | Length (mm): 85 Width (mm): 85 High (mm): 12<br>Voltage In (Vac): 230                 |    |         |
|  |   |  |    |         |









Catalogue **SMART LIGHTING**  
Line **Lighting control by Nexta Tech**  
Family **Transmitter**  
Subfamily **HOBLO80**

Download Nexta Tech catalogue [here](#).





| Picture   | Article   | Description   | Lot     | Price/Unit         |
|---|---|---|---------|--------------------|
|   | 15HB801C  | Remote control HB80-1C for 1 channel RGBW or tunable CCT                              | 1<br>10 | 43,13 €<br>41,08 € |
|  |  |  |         |                    |
|  | 15HB801DIM  | Remote control HB80-1DIM for 1 monochromatic channel                                  | 1<br>10 | 43,13 €<br>41,08 € |
|  |  |  |         |                    |





SMART LIGHTING > Lighting control by Nexta Tech > Transmitter

Subfamily **HOBLO80**

| Picture   | Article   | Description   | Lot | Price/Unit |
|---|---|---|-----|------------|
|    | 15HB802L  |   | 1   | 43,33 €    |
|   | Remote control HB80-2L 2 channels.  |   | 10  | 41,26 €    |
|   |   | Radio transmitter 2 channels. Function On-Off, dimmer up / down, open-close-stop (motors). CR2450 battery. Wall magnetic support. Black color   |     |            |
|   |   | High (mm): 13 Diameter (mm): 80 Colour: Black Voltage In (Vdc): 3   |     |            |
|   |  |    |     |            |
|  | 15HB8030D   |   | 1   | 47,05 €    |
|   | Remote control HB80-30D 30 channels and 4 groups                                    |   | 10  | 44,81 €    |
|   |   | Radio transmitter 30 channels and 4 groups. Function On-Off, dimmer up / down, Open-close-stop (motors). CR2450 battery. Wall magnetic support. |     |            |
|   |   | High (mm): 13 Diameter (mm): 80 Voltage In (Vdc): 3   |     |            |
|  |  |    |     |            |

Subfamily **HOBLO80**

| Picture  | Article   | Description   | Lot | Price/Unit |
|--|---|---|-----|------------|
|   | 15HB8030RGBW  |   | 1   | 47,05 €    |
|  | Remote control HB80-30RGBW 30 Channels RGBW and CCT                                 |   | 10  | 44,81 €    |
|  |   | Radio transmitter 30 channels. On-Off function, dimmer up / down, color control RGB / RGBW and CCT, dynamic cycle control. Open-close-stop (motors). CR2450 battery. Wall magnetic support. |     |            |
|  |   | High (mm): 13 Diameter (mm): 80 Voltage In (Vdc): 3   |     |            |
|  |  |    |     |            |

|   |   |  |    |         |
|---|---|--|----|---------|
|  | 15HB804C  |  | 1  | 45,27 € |
|   | Remote control HB80-4C 4 channels RGBW or CCT white                                 |  | 10 | 43,11 € |
|   |   | Radio transmitter 4 channels + All. On-Off function, dimmer up / down, color control RGB / RGBW and CCT, dynamic cycle control. CR2450 battery. Wall magnetic support. |    |         |
|   |   | High (mm): 13 Diameter (mm): 80 Voltage In (Vdc): 3  |    |         |
|  |  |   |    |         |

SMART LIGHTING > Lighting control by Nexta Tech > Transmitter





Subfamily **HOBLO80**

| Picture   | Article   | Description   | Lot | Price/Unit |
|---|---|---|-----|------------|
|    | 15HB804DIM  |   | 1   | 45,27 €    |
|   | Remote control HB80-4DIM 4 channels monocolor                                       | Radio transmitter 4 channels + All. Monocolor<br>Function On-Off, dimmer up / down. With CR2450 battery, magnetic wall bracket.         | 10  | 43,11 €    |
|   |   | High (mm): 13 Diameter (mm): 80 Voltage In (Vdc): 3   |     |            |
|   |  |    |     |            |
|  | 15HB804L  |   | 1   | 43,33 €    |
|   | Remote control HB80-4L 4 channels .   | Radio transmitter 4 channels + All. Function On-Off, dimmer up / down, open-close-stop (motors). CR2450 battery. Wall magnetic support. | 10  | 41,26 €    |
|   |   | High (mm): 13 Diameter (mm): 80 Voltage In (Vdc): 3   |     |            |
|  |  |    |     |            |







SMART LIGHTING > Lighting control by Nexta Tech > Transmitter

Subfamily **HOBLO80**

| Picture  | Article   | Description  | Lot | Price/Unit |
|--|---|--|-----|------------|
|   | 15HB806G  |  | 1   | 43,33 €    |
|  | Remote control HB80-6G 6 Channels with settable function                            |  | 10  | 41,26 €    |
|  |   | Radio transmitter with 6 buttons with configurable functions. CR2450 battery. Wall magnetic support. |     |            |
|  |   | High (mm): 13 Diameter (mm): 80 Voltage In (Vdc): 3  |     |            |
|  |  |                 |     |            |









Catalogue **SMART LIGHTING**  
 Line **Lighting control by Nexta Tech**  
 FAmily **Transmitter**  
 Subfamily **HOBLO90**

**Download Nexta Tech catalogue [here.](#)**

| Picture   | Article   | Description  | Lot | Price/Unit |
|---|---|--|-----|------------|
|   | 15HB906LT   |  | 1   | 110,14 €   |
|   | Remote control HB90-6LT 6 Channels  | Radio transmitter with 6 channels with configurable functions for the control of dimmable lights, CCT or RGB / W.<br><br>High (mm): 30 Diameter (mm): 90 Voltage In (Vdc): 3 | 10  | 104,90 €   |
|  |  |   |     |            |





Catalogue **SMART LIGHTING**  
Line **Lighting control by Nexta Tech**  
FAMILY **Transmitter**  
Subfamily **Touch**





**Download Nexta Tech catalogue [here.](#)**

| Picture   | Article   | Description  | Lot | Price/Unit |
|---|---|--|-----|------------|
|   | 15ROUND1G   |  | 1   | 28,73 €    |
|   | Radio transmitter ROUND-1G  |  | 10  | 27,37 €    |
|   |   | <p>Radio transmitter a channel with configurable functions. Recessed fixing with hole diameter 35mm and 13mm depth. With CR2450 battery included for 3 years of half life.</p> <p>High (mm): 14 Diameter (mm): 38 Voltage In (Vdc): 3 Ingress Protection: IP20</p> |     |            |
|  |  |   |     |            |
|  | 15TOUCH1  |  | 1   | 31,54 €    |
|   | Remote control TOUCH-1  |  | 10  | 30,03 €    |
|   |   | <p>Radio transmitter 1 channel with On / Off- Dimmer function. CR2450 battery included for 3 years average life</p> <p>Length (mm): 40 Width (mm): 40 High (mm): 10 Voltage In (Vdc): 3</p>  |     |            |
|  |  |   |     |            |



SMART LIGHTING > Lighting control by Nexta Tech > Transmitter

Subfamily **Touch**

| Picture  | Article                 | Description   | Lot | Price/Unit |
|--|-------------------------|---|-----|------------|
|  | 15TOUCH1C               |   | 1   | 31,54 €    |
|  | Remote control TOUCH-1C |   | 10  | 30,03 €    |
|   |                         | Radio transmitter 1 channel. Functions On / Off, dimmer, play / stop cycle, change color + white. Ideal for Led CCT and RGB / W strips                                    |     |            |
|  |                         | Length (mm): 40 Width (mm): 40 High (mm): 10<br>Voltage In (Vdc): 3   |     |            |
|  |                         |   |     |            |

|   |                           |   |    |         |
|---|---------------------------|---|----|---------|
|  | 15TOUCH1CCT               |   | 1  | 31,54 € |
|   | Remote control TOUCH-1CCT |   | 10 | 30,03 € |
|  |                           | Radio transmitter 1 channel. Function On-Off, dimmer color temperature selection with tactile crown. CR2450 battery included for 3 years average life                     |    |         |
|   |                           | Length (mm): 40 Width (mm): 40 High (mm): 10<br>Voltage In (Vdc): 3   |    |         |
|   |                           |   |    |         |

Subfamily **Touch**

| Picture   | Article                   | Description | Lot | Price/Unit |
|---|---------------------------|-------------|-----|------------|
|   | 15TOUCH1DIM               |             | 1   | 24,57 €    |
|   | Remote control TOUCH-1DIM |             | 10  | 23,40 €    |
|  | 15TOUCH1G                 |             | 1   | 22,53 €    |
|   | Remote control TOUCH-1G   |             | 10  | 21,45 €    |



Radio transmitter 1 channel. On-Off function, dimmer with tactile crown. CR2450 battery included for 3 years average life

Length (mm): 40 Width (mm): 40 High (mm): 10  
Voltage In (Vdc): 3






Radio transmitter 1 button with configurable function. CR2450 battery included for 3 years average life

Length (mm): 40 Width (mm): 40 High (mm): 10  
Voltage In (Vdc): 3



SMART LIGHTING > Lighting control by Nexta Tech > Transmitter

Subfamily **Touch**

| Picture   | Article                    | Description  | Lot | Price/Unit |
|---|----------------------------|--|-----|------------|
|   | 15TOUCH1L                  |  | 1   | 31,54 €    |
|   | Remote control TOUCH-1L    | Radio transmitter 1 channel. Function On-Off, dimmer up / down, open-close-stop (motors). CR2450 battery included for 3 years average life | 10  | 30,03 €    |
|  | 15TOUCH1RGBW               |  | 1   | 24,57 €    |
|  | Remote control TOUCH-1RGBW | Radio transmitter 1 channel. Function On-Off, dimmer color selection with tactile crown. CR2450 battery included for 3 years average life  | 10  | 23,40 €    |



Length (mm): 40 Width (mm): 40 High (mm): 10  
Voltage In (Vdc): 3










Length (mm): 40 Width (mm): 40 High (mm): 10  
Voltage In (Vdc): 3



SMART LIGHTING > Lighting control by Nexta Tech > Transmitter





Subfamily **Touch**





| Picture  | Article                 | Description  | Lot | Price/Unit |
|--|-------------------------|--|-----|------------|
|  | 15TOUCH2G               |  | 1   | 24,57 €    |
|  | Remote control TOUCH-2G |  | 10  | 23,40 €    |
|  |                         | Radio transmitter 2 buttons with configurable functions. CR2450 battery included for 3 years average life<br><br>Length (mm): 40 Width (mm): 40 High (mm): 10<br>Voltage In (Vdc): 3 |     |            |
|  |                         |              |     |            |

|   |                         |   |    |         |
|---|-------------------------|---|----|---------|
|  | 15TOUCH3C               |   | 1  | 38,14 € |
|   | Remote control TOUCH-3C |   | 10 | 36,32 € |
|  |                         | Radio transmitter 3 channels with On-Off function, dimmer and color selection for CCT and RGB / W with tactile crown. CR2450 battery included for 3 years average life<br><br>Length (mm): 40 Width (mm): 40 High (mm): 10<br>Voltage In (Vdc): 3 |    |         |
|   |                         |     |    |         |

SMART LIGHTING > Lighting control by Nexta Tech > Transmitter




Subfamily **Touch**




| Picture  | Article                   | Description   | Lot | Price/Unit |
|--|---------------------------|---|-----|------------|
|  | 15TOUCH4DIM               |   | 1   | 24,60 €    |
|  | Remote control TOUCH-4DIM |   | 10  | 23,43 €    |
|  |                           | Radio transmitter 4 channels. On-Off function, dimmer. CR2450 battery included for 3 years average life   |     |            |
|  |                           | Length (mm): 40 Width (mm): 40 High (mm): 10<br>Voltage In (Vdc): 3   |     |            |
|  |                           |   |     |            |

|   |                         |   |    |         |
|---|-------------------------|---|----|---------|
|  | 15TOUCH4G               |   | 1  | 24,57 € |
|   | Remote control TOUCH-4G |   | 10 | 23,40 € |
|  |                         | Radio transmitter 4 buttons with configurable functions. Bateria CR2450 included for average life of 3 years  |    |         |
|   |                         | Length (mm): 40 Width (mm): 40 High (mm): 10<br>Voltage In (Vdc): 3   |    |         |
|   |                         |   |    |         |




Subfamily **Touch**

| Picture  | Article                  | Description  | Lot | Price/Unit |
|--|--------------------------|--|-----|------------|
|  | 15TOUCHCFU               |  | 1   | 31,54 €    |
|  | Remote control TOUCH-CFU |  | 10  | 30,03 €    |
|   |                          | <p>Radio transmitter 1 channel. To be used with TOUCH-1RGBW. Function play / stop cycle, cycle speed change. Change cycle effect, color memo. CR2450 battery included for 3 years average life</p> <p>Length (mm): 40 Width (mm): 40 High (mm): 10<br/>Voltage In (Vdc): 3</p> |     |            |
|  |                          | <p>CE</p>   |     |            |

|   |                            |   |    |         |
|---|----------------------------|---|----|---------|
|  | 15TOUCHLOCK4               |   | 1  | 31,72 € |
|   | Remote control TOUCH-LOCK4 |   | 10 | 22,62 € |
|  |                            | <p>Radio transmitter 4 buttons with configurable functions. Lock function to avoid accidental pulsations. CR2450 material included for 3-year half-life</p> <p>Length (mm): 40 Width (mm): 40 High (mm): 10<br/>Voltage In (Vdc): 3</p> |    |         |
|   |                            | <p>CE</p>    |    |         |

SMART LIGHTING > Lighting control by Nexta Tech > Transmitter

Subfamily **Touch**


| Picture   | Article                  | Description | Lot | Price/Unit |
|---|--------------------------|-------------|-----|------------|
|  | 15TOUCHTX2               |             | 1   | 31,46 €    |
|   | Remote control TOUCH-TX2 |             | 10  | 29,97 €    |

Radio transmitter to transform standard wired push buttons into radio transmitters. 2 channels with configurable functions. CR2450 battery included for 3 years average life

Length (mm): 40 Width (mm): 40 High (mm): 10  
Voltage In (Vdc): 3



Catalogue **SMART LIGHTING**  
 Line **Lighting control by Nexta Tech**  
 Family **Transmitter**  
 Subfamily **TX and repeaters**  
**Download Nexta Tech catalogue [here.](#)**









| Picture  | Article   | Description | Lot | Price/Unit |
|--|---|-------------|-----|------------|
|  | 15MCUTX4  |             | 1   | 42,08 €    |
|  | Radio transmitter MCU-TX4 110-240Vac or battery CR2032. |             | 10  | 40,08 €    |

Recessed transmitter for transforming wall push buttons in radio frequency transmitters. Power supply or CR2032 battery

Length (mm): 52 Width (mm): 42 High (mm): 21  
 Voltage In (Vac): 110~240 Ingress Protection: IP20







Catalogue **SMART LIGHTING**  
 Line **Lighting control by Nexta Tech**  
 FAmily **Sensors**  
 Subfamily **Motion and luminosity sensors**  
**Download Nexta Tech catalogue [here.](#)**

| Picture   | Article   | Description  | Lot | Price/Unit |
|---|---|--|-----|------------|
|   | 15ROUND1SP  |  | 1   | 47,33 €    |
|   | Motion sensor ROUND-1SP   | <p>Motion sensor with integrated brightness sensor. To embed in holes of 35x12mm. Double function, sensor / radio transmitter. Configurable detection distance. CR2450 battery included</p> <p>High (mm): 12 Diameter (mm): 38 Voltage In (Vdc): 3</p> | 10  | 45,08 €    |
|  |  |   |     |            |
|  | 15TOUCH1SP  |  | 1   | 44,72 €    |
|   | Sensor de movimiento TOUCH-1SP  | <p>Motion sensor with integrated brightness sensor. Double function, sensor / radio transmitter. Configurable detection distance. CR2450 battery included for 3 years average life</p> <p>Length (mm): 40 Width (mm): 40 High (mm): 10</p>             | 10  | 42,59 €    |
|  |  |   |     |            |


Catalogue **SMART LIGHTING**  
 Line **Lighting control by Nexta Tech**  
 Family **Sensors**  
 Subfamily **Furniture sensors**

**Download Nexta Tech catalogue [here.](#)**

| Picture  | Article                           | Description   | Lot | Price/Unit |
|--|-----------------------------------|---|-----|------------|
| <br>  | 15MAG1030D                        |   | 1   | 39,20 €    |
|  | Magnetic D10x H30mm. Kit 10 units | Magnet with diametral load of 10mm diameter and 30mm height to be used with SENSE-M and SENSE-35RM<br><br>High (mm): 30 Diameter (mm): 10 | 10  | 37,32 €    |
| <br> | 15MAG153A                         |   | 1   | 10,52 €    |
|  | Magnetic D15x H3mm. Kit 10 units  | Magnet with axial load of 15mm diameter and 2mm height to be used with SENSE-M and SENSE-35RM.<br><br>High (mm): 3 Diameter (mm): 15      | 10  | 10,01 €    |

SMART LIGHTING > Lighting control by Nexta Tech > Sensors


Subfamily **Furniture sensors**

| Picture   | Article                          | Description | Lot | Price/Unit |
|---|----------------------------------|-------------|-----|------------|
|  | 15MAG225A                        |             | 1   | 19,66 €    |
|   | Magnetic D22x H5mm. Kit 10 units |             | 10  | 18,72 €    |

Magnet with axial load of 22mm diameter and 5mm height to be used with SENSE-M and SENSE-35RM

High (mm): 5 Diameter (mm): 22



|   |                       |  |    |         |
|---|-----------------------|--|----|---------|
|  | 15SENSAM              |  | 1  | 28,74 € |
|   | Motion sensor SENSE-M |  | 10 | 27,38 € |





Motion sensor for furniture. It allows the timed ignition of the light and the shutdown with magnetic contact closure.





Length (mm): 64,8 Width (mm): 38,8 High (mm): 9,8  
Voltage In (Vdc): 3







SMART LIGHTING > Lighting control by Nexta Tech > Sensors





Subfamily **Furniture sensors**

| Picture  | Article   | Description   | Lot | Price/Unit |
|--|---|---|-----|------------|
|   | 15SENSAP  |   | 1   | 35,62 €    |
|  | Motion sensor SENSAP  |   | 10  | 33,80 €    |
|  |   | <p>Motion sensor for furniture. It allows the timed ignition of the light and the closing shutdown by recognition of the position of the door.</p> <p>Length (mm): 64,8 Width (mm): 38,8 High (mm): 9,8<br/>Voltage In (Vdc): 3</p> |     |            |
|  |  |    |     |            |

|   |   |   |    |         |
|---|---|---|----|---------|
|  | 15SENSAR35M   |   | 1  | 28,74 € |
|   | Motion sensor SENSAR35M   |   | 10 | 27,38 € |
|   |   | <p>Recessed motion sensor for furniture in holes D35mm H 12mm. It allows the timed ignition of the light and the shutdown with magnetic contact closure.</p> <p>Diameter (mm): 38 Voltage In (Vdc): 3</p> |    |         |
|  |  |    |    |         |

Subfamily **Furniture sensors**

| Picture  | Article   | Description   | Lot | Price/Unit |
|--|---|---|-----|------------|
|   | 15SENSAR35T   |   | 1   | 24,99 €    |
|  | Motion sensor SENSEA-35RT   |   | 10  | 23,79 €    |
|  |   | <p>Recessed motion sensor for furniture in holes D35mm H 12mm. It allows the timed lighting of the light. The timer is activated for the time the user moves the door.</p> <p>Diameter (mm): 38 Voltage In (Vdc): 3</p> |     |            |
|  |  |    |     |            |

|   |   |  |    |         |
|---|---|--|----|---------|
|  | 15SENSAT  |  | 1  | 24,99 € |
|   | Motion sensor SENSEA-T  |  | 10 | 23,79 € |
|   |   | <p>Motion sensor for furniture. It allows the timed lighting of the light. The timer is activated so that the user moves the door</p> <p>Length (mm): 64,8 Width (mm): 38,8 High (mm): 9,8<br/>Voltage In (Vdc): 3</p> |    |         |
|  |  |   |    |         |



Catalogue **SMART LIGHTING**  
 Line **Lighting control by Nexta Tech**  
 FAmily **Extrasonic**  
 Subfamily **Extrasonic**

| Picture | Article                               | Description | Lot | Price/Unit |
|---------|---------------------------------------|-------------|-----|------------|
|         | 15PLUG1220                            |             | 1   | 29,43 €    |
|         | Plug led power supply 12Vdc 20W       |             | 10  | 28,03 €    |
|         | Plug-in power supply 230Vac 12Vdc 20W |             |     |            |




|  |   |  |    |         |
|--|---|--|----|---------|
|  | 15PS1220                                      |  | 1  | 14,38 € |
|  | Led power supply 12Vdc 20W                    |  | 10 | 13,69 € |
|  | Power supply 230vac12Vdc                      |  |    |         |
|  | Length (mm): 130 Width (mm): 56 High (mm): 15 |  |    |         |
|  | Power (W): 20                                 |  |    |         |



SMART LIGHTING > Lighting control by Nexta Tech > Extrasonic





Subfamily **Extrasonic**

| Picture   | Article   | Description | Lot | Price/Unit |
|---|---|-------------|-----|------------|
|  | 15SONIC100  |             | 1   | 124,20 €   |
|   | Sound system SONIC 100                                      |             | 10  | 118,29 €   |
|   | Sound system composed of 1 Bluetooth Amplifier<br>15W-12Vdc |             |     |            |





Length (mm): 157 Width (mm): 115 High (mm): 28  
Voltage In (Vdc): 12 Power (W): 15



Catalogue **SMART LIGHTING**  
 Line **Lighting control by Nexta Tech**  
 Family **Control Pergolas and awnings**  
 Subfamily **Pergola Roof control**



| Picture  | Article     | Description   | Lot | Price/Unit |
|--|-------------|---|-----|------------|
|     | 15PRGM24    | Control box PRG-M24 pergola adjustable slat motors<br><br>Length (mm): 310 Width (mm): 70 High (mm): 80<br>Voltage In (Vdc): 24<br>Room Temperature (°C): -20~+55<br>Ingress Protection: IP55     | 1   | 141,96 €   |
|   | 15PRGM24ONE | Control box PRG-M24/One pergola adjustable slat motors<br><br>Length (mm): 310 Width (mm): 70 High (mm): 80<br>Voltage In (Vdc): 24<br>Room Temperature (°C): -20~+55<br>Ingress Protection: IP55 | 1   | 169,26 €   |

Subfamily **Pergola Roof control**

| Picture  | Article   | Description   | Lot   | Price/Unit |
|--|-----------|---|---|------------|
|   | 15PRGML24 | Control box PRG-ML24 lights and motors adjustable slats pergola   | 1   | 174,28 €   |
|  |           | Length (mm): 310 Width (mm): 70 High (mm): 80<br>Voltage In (Vdc): 24<br>Room Temperature (°C): -20~+55<br>Ingress Protection: IP55 |   |            |









|   |              |   |   |          |
|---|--------------|---|---|----------|
|  | 15PRGML24ONE | Control box PRG-ML24/One lights and motors adjustable slats pergola   | 1   | 199,17 € |
|  |              | Length (mm): 310 Width (mm): 70 High (mm): 80<br>Voltage In (Vdc): 24<br>Room Temperature (°C): -20~+55<br>Ingress Protection: IP55 |   |          |

Subfamily **Pergola Roof control**





| Picture   | Article    | Description  | Lot | Price/Unit |
|---|------------|--|-----|------------|
|           | 15SCREENML | Control box SCREEN-ML Lights and pergola tubular motor<br><br>Length (mm): 310 Width (mm): 70 High (mm): 80<br>Voltage In (Vac): 230<br>Room Temperature (°C): -20~+55<br>Ingress Protection: IP55 | 1   | 137,23 €   |
|   |            |  |     |            |

|   |               |  |   |          |
|---|---------------|--|---|----------|
|        | 15SCREENMLONE | SCREEN-ML/ONE control box Lights and pergola tubular motor<br><br>Length (mm): 310 Width (mm): 70 High (mm): 80<br>Voltage In (Vac): 230<br>Room Temperature (°C): -20~+55<br>Ingress Protection: IP55 | 1 | 163,62 € |
|   |               |  |   |          |

Catalogue **SMART LIGHTING**  
 Line **Lighting control by Nexta Tech**  
 Family **Control Pergolas and awnings**  
 Subfamily **Pergola Awning control**





| Picture   | Article         | Description   | Lot | Price/Unit |
|---|-----------------|---|-----|------------|
|     | 15SCREENM400    | SCREEN-M400 control box 4 pergola tubular motors  | 1   | 112,03 €   |
|   |                 | Length (mm): 310 Width (mm): 70 High (mm): 80<br>Voltage In (Vac): 230<br>Room Temperature (°C): -20~+55<br>Ingress Protection: IP55  |     |            |
|   |                 |   |     |            |
|   | 15SCREENM400ONE | Control box SCREEN-M400/ONE 4 pergola tubular motors  | 1   | 145,15 €   |
|   |                 | Length (mm): 310 Width (mm): 70 High (mm): 80<br>Voltage In (Vac): 230<br>Room Temperature (°C): -20~+55<br>Ingress Protection: IP55  |     |            |
|   |                 |   |     |            |

Catalogue **SMART LIGHTING**  
 Line **Lighting control by Nexta Tech**  
 Family **Control Pergolas and awnings**  
 Subfamily **Pergola Lighting control**

| Picture  | Article                                   | Description   | Lot | Price/Unit |
|--|---|---|-----|------------|
| <br>   | 15LB100ONE<br>Led Box IP55 24V LB-100/ONE | Length (mm): 310 Width (mm): 70 High (mm): 80<br>Voltage In (Vac): 230 Voltage Out (Vdc): 24<br>Power (W): 100 Room Temperature (°C): -20~+55<br>Ingress Protection: IP55 | 1   | 138,58 €   |
| <br> | 15LB150ONE<br>Led Box LB-150/One          | Length (mm): 310 Width (mm): 70 High (mm): 80<br>Voltage In (Vac): 230 Voltage Out (Vdc): 24<br>Power (W): 150 Room Temperature (°C): -20~+55<br>Ingress Protection: IP55 | 1   | 151,75 €   |

SMART LIGHTING > Lighting control by Nexta Tech > Control Pergolas and awnings

Subfamily Pergola Lighting control



| Picture   | Article   | Description  | Lot | Price/Unit |
|---|-----------|--|-----|------------|
|          | 15LB50ONE | Led Box IP55 24V LB-50/ONE<br><br>Length (mm): 310 Width (mm): 70 High (mm): 80<br>Voltage In (Vac): 230 Voltage Out (Vdc): 24<br>Power (W): 50 Room Temperature (°C): -20~+55<br>Ingress Protection: IP55 | 1   | 118,82 €   |
|   |           |  |     |            |

|   |               |  |   |          |
|---|---------------|--|---|----------|
|       | 15LBDIM100ONE | Led Box LB-DIM100/One<br><br>Length (mm): 310 Width (mm): 70 High (mm): 80<br>Voltage In (Vac): 230 Voltage Out (Vdc): 24<br>Power (W): 100 Room Temperature (°C): -20~+55<br>Ingress Protection: IP55 | 1 | 138,55 € |
|   |               |  |   |          |



SMART LIGHTING > Lighting control by Nexta Tech > Control Pergolas and awnings






Subfamily Pergola Lighting control

| Picture   | Article                                | Description   | Lot | Price/Unit |
|---|--|---|-----|------------|
|   | 15LBDIM150ONE<br>Led Box LB-DIM150/One | Length (mm): 310 Width (mm): 70 High (mm): 80<br>Voltage In (Vac): 230 Voltage Out (Vdc): 24<br>Power (W): 150 Room Temperature (°C): -20~+55<br>Ingress Protection: IP55 | 1   | 151,75 €   |
|  | 15LBDIM50ONE<br>Led Box LB-DIM50/One   | Length (mm): 310 Width (mm): 70 High (mm): 80<br>Voltage In (Vac): 230 Voltage Out (Vdc): 24<br>Power (W): 50 Room Temperature (°C): -20~+55<br>Ingress Protection: IP55  | 1   | 118,76 €   |

Catalogue **SMART LIGHTING**  
 Line **Lighting control by Nexta Tech**  
 Family **Control Pergolas and awnings**  
 Subfamily **Multi-funtion remote control**

| Picture   | Article   | Description   | Lot | Price/Unit |
|---|---|---|-----|------------|
|    | 15LINEA4R<br>LINEA-4R radio transmitter   | Dark gray<br><br>Length (mm): 36 Width (mm): 71 High (mm): 8<br>Colour: Grey          | 1   | 17,52 €    |
|  |  |  |     |            |
|  | 15LINEA4RW<br>LINEA-4R/W radio transmitter  | White<br><br>Length (mm): 36 Width (mm): 71 High (mm): 8<br>Colour: White             | 1   | 17,52 €    |
|  |  |  |     |            |

Catalogue **SMART LIGHTING**  
 Line **Lighting control by Nexta Tech**  
 Family **Control Pergolas and awnings**  
 Subfamily **Pergola Weather sensors**

| Picture   | Article | Description   | Lot | Price/Unit |
|---|---------|---|-----|------------|
|    | 15MTR   | Rain Weather Sensor MT-R  | 1   | 87,09 €    |
|  | CE      |  |     |            |
|  | 15MTWS  | Meteo wind and light sensor MT-WS   | 1   | 51,47 €    |
|  | CE      |  |     |            |

Catalogue **SMART LIGHTING**  
Line **Lighting control by Nexta Tech**  
Family **Control Pergolas and awnings**  
Subfamily **Pergola Wi-Fi video control**

| Picture | Article | Description | Lot | Price/Unit |
|---------|---------|-------------|-----|------------|
|---------|---------|-------------|-----|------------|

15CAM200  
Video camera Smart Cam200











1

112,03 €






Voltage In (Vdc): 5 Intensidad In (A): 1  
Ingress Protection: IP66



Catalogue **SMART LIGHTING**  
 Line **Lighting control by Nexta Tech**  
 Family **Control Pergolas and awnings**  
 Subfamily **Pergola accessories**






| Picture   | Article   | Description  | Lot | Price/Unit |
|---|---|--|-----|------------|
|    | 15EP1000MF  | Wiring EP-1000/MF 1000mm male-female connectors              | 1   | 3,30 €     |
|   |   | Cable length 1000 mm with Easy-Plug Male-Female connector    |     |            |
|   |   | Length (mm): 10000 Colour: Black<br>Ingress Protection: IP65 |     |            |
|  |    |  |     |            |
|  | 15EP150F  | Wiring EP-150/F 150mm 1 female connector                     | 1   | 1,98 €     |
|   |   | Cable length 150 mm with Easy-Plug Male-Female connector     |     |            |
|   |   | Length (mm): 150 Colour: Black<br>Ingress Protection: IP65   |     |            |
|  |    |  |     |            |





Subfamily Pergola accessories

| Picture  | Article   | Description   | Lot | Price/Unit |
|--|---|---|-----|------------|
|   | 15EP150M  | Wiring EP-150/M 150mm 1 male connector  | 1   | 1,98 €     |
|  |   | Cable length 150 mm with Easy-Plug Male-Female connector  |     |            |
|  |   | Length (mm): 150 Colour: Black<br>Ingress Protection: IP65  |     |            |
|  |  |   |     |            |













|   |   |   |   |        |
|---|---|---|---|--------|
|  | 15EP150M2F  | Wiring EP-150/M2F 150mm 1 male connector and 2 female connectors  | 1 | 5,94 € |
|   |   | 3-way cable. Length 150 mm with 1 male connector and 2 Easy-Plug female connectors  |   |        |
|   |   | Length (mm): 150 Colour: Black<br>Ingress Protection: IP65  |   |        |
|  |  |   |   |        |

Subfamily Pergola accessories

| Picture  | Article   | Description  | Lot | Price/Unit |
|--|---|--|-----|------------|
|   | 15EP2000MF  | Wiring EP-1000/MF 2000mm male-female connectors<br><br>Cable length 2000 mm with Easy-Plug Male-Female connector<br><br>Length (mm): 20000 Colour: Black<br>Ingress Protection: IP65 | 1   | 6,31 €     |
|  |  |            |     |            |

|   |   |  |   |         |
|---|---|--|---|---------|
|  | 15LB50PS  | 230Vac-24Vdc 50W power supply waterproof plastic box IP55 LB-50/PS<br><br>Length (mm): 310 Width (mm): 70 High (mm): 80<br>Voltage In (Vac): 230 Voltage Out (Vdc): 24<br>Power (W): 50 Room Temperature (°C): -20~+55<br>Ingress Protection: IP55 | 1 | 58,06 € |
|   |  |    |   |         |

Subfamily Pergola accessories

| Picture   | Article   | Description   | Lot | Price/Unit |
|---|-----------|---|-----|------------|
|    | 15LB100PS | 230Vac-24Vdc 100W power supply waterproof plastic box IP55 LB-100/PS<br><br>Length (mm): 310 Width (mm): 70 High (mm): 80<br>Voltage In (Vac): 230 Voltage Out (Vdc): 24<br>Power (W): 100 Room Temperature (°C): -20~+55<br>Ingress Protection: IP55           | 1   | 72,58 €    |
|   |           |          |     |            |
|  | 15LB150PS | 230Vac-24Vdc 150W power supply waterproof plastic box IP55 LB-150/PS<br><br>Length (mm): 310 Width (mm): 70 High (mm): 80<br>Voltage In (Vac): 230 Voltage Out (Vdc): 24<br>Power (W): 150 Room Temperature (°C): -20~+55<br>Ingress Protection: IP55           | 1   | 85,77 €    |
|   |           |    |     |            |
|  | 15LB200PS | 230Vac-24Vdc 200W power supply waterproof plastic box IP55 LB-200/PS<br><br>Length (mm): 310 Width (mm): 70 High (mm): 80<br>Voltage In (Vac): 230 Voltage Out (Vdc): 24<br>Power (W): 200 Room Temperature (°C): -20~+55<br>Ingress Protection: IP55           | 1   | 98,97 €    |
|   |           |    |     |            |