







Catalogue **SMART LIGHTING**
 Line **Lighting control by Nexta Tech**
 FAmily **Receivers**
 Subfamily **230V On-Off / Dimmer**
Download Nexta Tech catalogue [here.](#)

Picture	Article	Description	Lot	Price/Unit
 	15LOGIC400ONE	Control unit LOGIC 400/ONE 6000W-230V	1	132,87 €
		For the control of 4 lighting outputs. Remote control via AppOneSmart	10	126,54 €
 	15MCUL1ONE	Control Unit MCU-L1/ONE 1000W/110-240V	1	58,27 €
 		Remote control via AppOneSmart	10	46,77 €




Length (mm): 140 Width (mm): 90 High (mm): 45
 Voltage In (Vac): 230 Power (W): 6000
 Room Temperature (°C): -20~+55
 Ingress Protection: IP20



Length (mm): 52 Width (mm): 43 High (mm): 21
 Voltage In (Vac): 110~240 Power (W): 250
 Room Temperature (°C): -25~+55
 Ingress Protection: IP20

SMART LIGHTING > Lighting control by Nexta Tech > Receivers

Subfamily **230V On-Off / Dimmer**

Picture	Article	Description	Lot	Price/Unit
	15TOPL1ONE		1	102,53 €
		Control unit TOP-L1/ONE 3000W 110-240V	10	97,64 €

Remote control via AppOneSmart



Length (mm): 174 Width (mm): 46 High (mm): 35
Voltage In (Vac): 110~240 Power (W): 3000
Room Temperature (°C): -20~+55
Ingress Protection: IP20








Catalogue **SMART LIGHTING**
Line **Lighting control by Nexta Tech**
FAMILY **Receivers**


Subfamily **Driver control 0-1/10V, dali, Push dim or phase cut**

Download Nexta Tech catalogue [here](#).












Picture	Article	Description	Lot	Price/Unit
	15MCU1224P		1	63,32 €
	Control unit MCU-1224P 12-24V	For dimmable drivers with PUSH. Normally open dry contact output max 1A. Length (mm): 52 Width (mm): 43 High (mm): 21 Voltage In (Vdc/ac): 12~24 Intensidad Out (A): 1 Room Temperature (°C): -20~+55 Ingress Protection: IP20	10	60,31 €
	15MCUDMONE		1	57,47 €
	Control unit MCU-DM/ONE 4-150W 110-240V	Remote control via AppOneSmart Length (mm): 52 Width (mm): 43 High (mm): 21 Voltage In (Vac): 110~240 Power (W): 4~150 Room Temperature (°C): -20~+55 Ingress Protection: IP20	10	54,73 €

Subfamily **Driver control 0-1/10V, dali, Push dim or phase cut**


Picture	Article	Description	Lot	Price/Unit
	15MCUPUSH		1	63,32 €
	Control unit Interface radio MCU-PUSH exit Push-Dim. 110-240V. 5A.		10	60,31 €
		Radio frequency interface for the control of Led drivers with "push dim" input Length (mm): 52 Width (mm): 43 High (mm): 21 Voltage In (Vac): 110~240 Intensidad In (A): 5 Room Temperature (°C): -20~+55 Ingress Protection: IP20		
		 		

	15TOP0110		1	86,68 €
	Control unit interface TOP-0110 for drivers 0-1/10V 2000W		10	82,55 €
		Receiver for RF regulation or cable of devices with input 0-1 / 10V max 2000W Length (mm): 174 Width (mm): 46 High (mm): 35 Voltage In (Vac): 110~240 Power (W): 2000 Room Temperature (°C): -20~+55 Ingress Protection: IP20		
		 		

Subfamily **Driver control 0-1/10V, dali, Push dim or phase cut**

Picture	Article	Description	Lot	Price/Unit
	15TOP0110ONE		1	100,40 €
	Control unit interface TOP-0110/ONE for drivers 0-1/10V 2000W		10	95,62 €
		For control of 0 / 1-10V Drivers		
		Length (mm): 176 Width (mm): 46 High (mm): 35 Voltage In (Vac): 110~230 Power (W): 2000 Room Temperature (°C): -20~+55 Ingress Protection: IP20		
		 		
	15TOPDL20		1	91,87 €
	Control unit interface TOP-DL20 for Drivers DALI		10	87,49 €
		Interphase receiver with dimmer function and DALI output for the control of up to 20 devices with DALI input. Power 110-240Vac. Departure BUS DALI		
		Length (mm): 174 Width (mm): 46 High (mm): 35 Voltage In (Vac): 110~240 Room Temperature (°C): -20~+55 Ingress Protection: IP20		
		  		

Subfamily **Driver control 0-1/10V, dali, Push dim or phase cut**


Picture	Article	Description	Lot	Price/Unit
	15TOPDL20ONE		1	114,66 €
	Control unit interface TOP-DL20/ONE for Drivers DALI		10	109,20 €



Interface for controlling DALI Drivers. Max 20 drivers

Length (mm): 176 Width (mm): 46 High (mm): 35
Voltage In (Vac): 110~240
Room Temperature (°C): -20~+55
Ingress Protection: IP20



	15WITOP100		1	16,41 €
	Connection wire 1 m. RJ11 for TOP extender		10	15,63 €






1 meter RJ11 connection cable with mounted connectors for the connection of the master control unit with the extension of the TOP series

Length (mm): 1000



Subfamily **Driver control 0-1/10V, dali, Push dim or phase cut**

Picture	Article	Description	Lot	Price/Unit
	15WITOP1000		1	26,17 €
	Connection wire 10 m. RJ11 for TOP extender		10	24,92 €
		10-meter RJ11 connection cable with mounted connectors for the connection of the master control unit with the extension of the TOP series.		
		Length (mm): 10000		
				

	15WITOP30		1	13,10 €
	Connection wire 30 cm. RJ11 for TOP extender		10	12,48 €
		30 cm RJ11 connection cable with mounted connectors for the connection of the master control unit with the extension of the TOP series.		
		Length (mm): 300		
				

SMART LIGHTING > Lighting control by Nexta Tech > Receivers

Subfamily **Driver control 0-1/10V, dali, Push dim or phase cut**

Picture	Article	Description	Lot	Price/Unit
	15WITOP500		1	21,02 €
		Connection wire 5 m. RJ11 for TOP extender	10	20,02 €

5-meter RJ11 connection cable with mounted connectors for the connection of the master control panel with the extension of the TOP series.








Length (mm): 5000



Catalogue **SMART LIGHTING**
Line **Lighting control by Nexta Tech**
FAMILY **Receivers**


Subfamily **Constant current control, Dimmer, RGB**

Download Nexta Tech catalogue [here.](#)




Picture	Article	Description	Lot	Price/Unit
 	15TOPA03073	Control unit dimmer TOP-A0307/3 CC 350-700mA	1	97,66 €
		Intensity regulator for LED modules with constant current at 350mA or 700mA selectable with jumper. Low voltage power supply 12-24 or 36Vdc Length (mm): 174 Width (mm): 46 High (mm): 35 Voltage In (Vdc): 12~36 Ingress Protection: IP20	10	93,00 €
		  		
 	15TOPA0307RGB	Control unit dimmer TOP-A0307/RGB for led RGB CC 350-700mA	1	97,66 €
		Intensity regulator for RGB LED modules with constant current at 350mA or 700mA selectable with jumper. Low voltage power supply 12-24 or 36Vdc Length (mm): 174 Width (mm): 46 High (mm): 35 Voltage In (Vdc): 12~36 Room Temperature (°C): -20~+55 Ingress Protection: IP20	10	93,00 €
		  		




Subfamily **Constant current control, Dimmer, RGB**

Picture	Article	Description	Lot	Price/Unit
	15TOPA05093		1	97,66 €
	Control unit dimmer TOP-A0509/3 for led CC 500-900mA		10	93,00 €
		Intensity regulator for RGB LED modules with constant current at 500mA or 900mA selectable with jumper. Low voltage power supply 12-24 or 36Vdc Length (mm): 174 Width (mm): 46 High (mm): 35 Voltage In (Vdc): 12-36 Ingress Protection: IP20		
		  		

	15TOPA0509RGB		1	98,28 €
	Control unit dimmer TOP-A0509/RGB for led RGB CC 500-900mA		10	93,60 €
		Intensity regulator for RGB LED modules with constant current at 500mA or 900mA selectable with jumper. Low voltage power supply 12-24 or 36Vdc Length (mm): 174 Width (mm): 46 High (mm): 35 Voltage In (Vdc): 12-36 Ingress Protection: IP20		
		  		



Subfamily **Constant current control, Dimmer, RGB**



Picture	Article	Description	Lot	Price/Unit
	15WITOP100		1	16,41 €
	Connection wire 1 m. RJ11 for TOP extender		10	15,63 €
		1 meter RJ11 connection cable with mounted connectors for the connection of the master control unit with the extension of the TOP series		
		Length (mm): 1000		
				

	15WITOP1000		1	26,17 €
	Connection wire 10 m. RJ11 for TOP extender		10	24,92 €
		10-meter RJ11 connection cable with mounted connectors for the connection of the master control unit with the extension of the TOP series.		
		Length (mm): 10000		
				

SMART LIGHTING > Lighting control by Nexta Tech > Receivers

Subfamily **Constant current control, Dimmer, RGB**

Picture	Article	Description	Lot	Price/Unit
	15WITOP30		1	13,10 €
	Connection wire 30 cm. RJ11 for TOP extender		10	12,48 €
		30 cm RJ11 connection cable with mounted connectors for the connection of the master control unit with the extension of the TOP series.		
		Length (mm): 300		
				

	15WITOP500		1	21,02 €
	Connection wire 5 m. RJ11 for TOP extender		10	20,02 €
		5-meter RJ11 connection cable with mounted connectors for the connection of the master control panel with the extension of the TOP series.		
		Length (mm): 5000		
				



Catalogue **SMART LIGHTING**

Line **Lighting control by Nexta Tech**






FAMILY **Receivers**





Subfamily **Constant voltage control, Dimmer, RGBW, CCT, DTW**

Download Nexta Tech catalogue [here](#).




Picture	Article	Description	Lot	Price/Unit
	15PLANOMASTER		1	62,28 €
	PLANO-MASTER 12-24V DC LED	Universal controller for led 12-24Vdc. Dimmer, RGB, RGBW, CCT Length (mm): 80 Width (mm): 80 High (mm): 16 Voltage In (Vdc): 12~24 Room Temperature (°C): -20~+50 Ingress Protection: IP20	10	59,32 €
	15PLANOONE		1	69,62 €
	PLANO-ONE 12-24V DC LED	Universal controller for led 12-24Vdc. Dimmer, RGB, RGBW, CCT Length (mm): 80 Width (mm): 80 High (mm): 16 Voltage In (Vdc): 12~24 Room Temperature (°C): -20~+50 Ingress Protection: IP20	10	66,30 €




Subfamily **Constant voltage control, Dimmer, RGBW, CCT, DTW**

Picture	Article	Description	Lot	Price/Unit
	15PLANOV5		1	42,04 €
	PLANO-V5 1 channel dimmer receiver monochromatic CV 12-24V		10	40,04 €
		Length (mm): 80 Width (mm): 80 High (mm): 16 Voltage In (Vdc): 12~24 Intensidad In (A): 5 Power (W): 60~120 Room Temperature (°C): -20~+50 Ingress Protection: IP20		
		  		

	15PLANOV54BLE		1	70,66 €
	Control unit PLANO-V5/4BLE		10	67,29 €
		4xLed 12-24Vdc. Max 3A por salida. 36W a12V; 72W a 24V por cada salida. Max total 5A. 60W a 12V; 120W a 24V. Length (mm): 80 Width (mm): 80 High (mm): 16 Voltage In (Vdc): 12~24 Room Temperature (°C): -20~+55 Ingress Protection: IP20		
		 		

Subfamily **Constant voltage control, Dimmer, RGBW, CCT, DTW**

Picture	Article	Description	Lot	Price/Unit
	15PLANOV54CH		1	57,47 €
	PLANO-V5 4CH dimmer receiver 4 channels single color CV CV 12-24V		10	54,73 €
 	Length (mm): 80 Width (mm): 80 High (mm): 16 Voltage In (Vdc): 12~24 Intensidad In (A): 5 Power (W): 60~120 Room Temperature (°C): -20~+50 Ingress Protection: IP20			

	15PLANOV5RGBW		1	58,11 €
	PLANO-V5 RGBW dimmer receiver for RGB and RGBW CV 12-24V LED		10	45,24 €
 	Length (mm): 80 Width (mm): 80 High (mm): 16 Voltage In (Vdc): 12~24 Intensidad In (A): 5 Power (W): 60~120 Room Temperature (°C): -20~+50 Ingress Protection: IP20			






SMART LIGHTING > Lighting control by Nexta Tech > Receivers

Subfamily **Constant voltage control, Dimmer, RGBW, CCT, DTW**

Picture	Article	Description	Lot	Price/Unit
	15PLANOV5RGBWBL		1	70,66 €
	Control unit PLANO-V5 RGBW/BLE		10	67,29 €
		Function: Mode 1: RGB. Mode 2: RGBW (W-W), Mode 3: RGBW (W-W + RGB) Length (mm): 80 Width (mm): 80 High (mm): 16 Voltage In (Vdc): 12~24 Room Temperature (°C): -20~+55 Ingress Protection: IP20		
		  		






	15TOPV84		1	98,25 €
	Control unit dimmer TOP-V8/4 for led monocolor CV 12-24-36V.		10	93,57 €
		Dimmer for leds at constant voltage 12-24-36 Vdc 4 outputs max 8A per output (max 24A total) With 3 cable entries and input to extend Length (mm): 174 Width (mm): 46 High (mm): 35 Voltage In (Vdc): 12~36 Room Temperature (°C): -20~+55 Ingress Protection: IP20		
		  		



Subfamily **Constant voltage control, Dimmer, RGBW, CCT, DTW**

Picture	Article	Description	Lot	Price/Unit
	15TOPV8CCT2		1	107,12 €
	Control unit TOP-V8/CCT2 dimmer and Tcolor for led a CV 12-24-36V.		10	102,05 €
		<p>Dimmer for LEDs at constant voltage 12-24-36 Vdc with warm and cold LED. 4 outputs max 8A per output (max 24A total) With 3 cable entries and input to extend</p> <p>Length (mm): 174 Width (mm): 46 High (mm): 35 Voltage In (Vdc): 12~36 Room Temperature (°C): -20~+55 Ingress Protection: IP20</p>		
		<p>CE</p> <p> </p>		




	15TOPV8EXT4		1	68,25 €
	Control unit dimmer slave TOP-V8/EXT4 for led monocolor CV 12-24-36V.		10	65,00 €
		<p>Slave dimmer for led to constant tension compatible with master stations TOP-V8 / 4 monocolor</p> <p>Length (mm): 174 Width (mm): 46 High (mm): 35 Voltage In (Vdc): 12~24 Room Temperature (°C): -20~+55 Ingress Protection: IP20</p>		
		<p>CE</p> <p> </p>		


Subfamily **Constant voltage control, Dimmer, RGBW, CCT, DTW**

Picture	Article	Description	Lot	Price/Unit
	15TOPV8RGBW		1	98,25 €
	Control unit dimmer TOP-V8/RGBW for led RGB and RGBW CV 12-24-36V		10	93,57 €
		<p>Dimmer for LEDs with constant voltage 12-24-36 Vdc of RGB and RGBW LEDs. 4 outputs max 8A per output (max 24A total) With 3 cable entries and input to extend</p> <p>Length (mm): 174 Width (mm): 46 High (mm): 35 Voltage In (Vdc): 12~36 Room Temperature (°C): -20~+55 Ingress Protection: IP20</p>		
		  		

	15WITOP100		1	16,41 €
	Connection wire 1 m. RJ11 for TOP extender		10	15,63 €
		<p>1 meter RJ11 connection cable with mounted connectors for the connection of the master control unit with the extension of the TOP series</p> <p>Length (mm): 1000</p>		
				

Subfamily **Constant voltage control, Dimmer, RGBW, CCT, DTW**

Picture	Article	Description	Lot	Price/Unit
	15WITOP1000		1	26,17 €
	Connection wire 10 m. RJ11 for TOP extender		10	24,92 €
		10-meter RJ11 connection cable with mounted connectors for the connection of the master control unit with the extension of the TOP series.		
		Length (mm): 10000		
				

	15WITOP30		1	13,10 €
	Connection wire 30 cm. RJ11 for TOP extender		10	12,48 €
		30 cm RJ11 connection cable with mounted connectors for the connection of the master control unit with the extension of the TOP series.		
		Length (mm): 300		
				

SMART LIGHTING > Lighting control by Nexta Tech > Receivers

Subfamily **Constant voltage control, Dimmer, RGBW, CCT, DTW**

Picture	Article	Description	Lot	Price/Unit
	15WITOP500		1	21,02 €
		Connection wire 5 m. RJ11 for TOP extender	10	20,02 €

5-meter RJ11 connection cable with mounted connectors for the connection of the master control panel with the extension of the TOP series.

Length (mm): 5000





Catalogue **SMART LIGHTING**

Line **Lighting control by Nexta Tech**



FAMILY **Receivers**

Subfamily **Motors control**

Download Nexta Tech catalogue [here.](#)





Picture	Article	Description	Lot	Price/Unit
---------	---------	-------------	-----	------------





Catalogue **SMART LIGHTING**
 Line **Lighting control by Nexta Tech**
 Family **Transmitter**
 Subfamily **OPTIMA**
 Radiotransmitters Wireless Wall Switches with Battery or mains

Picture	Article	Description	Lot	Price/Unit
	15OPT1C	Radiotransmitter wall switch OPT-1C RGB/RGBW battery CR2451	1	45,25 €
		1 channel. Funtions: ON-OFF Length (mm): 85 Width (mm): 85 High (mm): 12	10	43,10 €
	15OPT1CCT	Radiotransmitter wall switch OPT-1CCT battery CR2451	1	45,25 €
		1 channel. Funtions: ON-OFF Length (mm): 85 Width (mm): 85 High (mm): 12	10	43,10 €

SMART LIGHTING > Lighting control by Nexta Tech > Transmitter





Subfamily **OPTIMA**





Picture	Article	Description	Lot	Price/Unit
	15OPT1CCTPW		1	62,28 €
	Radiotransmitter wall switch OPT-1CCT/PW 230Vac		10	59,32 €
		1 channel. Funtions: ON-OFF Length (mm): 85 Width (mm): 85 High (mm): 12 Voltage In (Vac): 230		
				

	15OPT1CPW		1	62,28 €
	Radiotransmitter wall switch OPT-1C/PW RGB/RGBW 230Vac		10	59,32 €
		1 channel. Funtions: ON-OFF Length (mm): 85 Width (mm): 85 High (mm): 12 Voltage In (Vac): 230		
				

SMART LIGHTING > Lighting control by Nexta Tech > Transmitter




Subfamily **OPTIMA**




Picture	Article	Description	Lot	Price/Unit
	15OPT1DIM		1	45,25 €
	Radiotransmitter wall switch OPT-1DIM battery CR245		10	43,10 €
		1 channel. Funtions: ON-OFF Length (mm): 85 Width (mm): 85 High (mm): 12		
		CE 		

	15OPT1DIMPW		1	62,28 €
	Radiotransmitter wall switch OPT-1DIM/PW 230Vac		10	59,32 €
		1 channel. Funtions: ON-OFF Length (mm): 85 Width (mm): 85 High (mm): 12 Voltage In (Vac): 230		
		CE 		

SMART LIGHTING > Lighting control by Nexta Tech > Transmitter






Subfamily **OPTIMA**






Picture	Article	Description	Lot	Price/Unit
	15OPT2G		1	39,25 €
	Radiotransmitter wall switch OPT-2G battery CR2450		10	37,38 €
	2 buttons with selectable function	Length (mm): 85 Width (mm): 85 High (mm): 12		
	CE			

	15OPT2GPW		1	56,52 €
	Radiotransmitter wall switch OPT-2G/PW 230Vac		10	53,83 €
	2 buttons with selectable function	Length (mm): 85 Width (mm): 85 High (mm): 12 Voltage In (Vac): 230		
	CE			

SMART LIGHTING > Lighting control by Nexta Tech > Transmitter





Subfamily **OPTIMA**





Picture	Article	Description	Lot	Price/Unit
	15OPT4DIM		1	51,84 €
	Radiotransmitter wall switch OPT-4DIM battery CR245		10	49,37 €
		4 channels. Funtions: ON-OFF Length (mm): 85 Width (mm): 85 High (mm): 12		
		 		

	15OPT4DIMPW		1	68,84 €
	Radiotransmitter wall switch OPT-4DIM/PW 230Vac		10	65,56 €
		4 channels. Funtions: ON-OFF Length (mm): 85 Width (mm): 85 High (mm): 12 Voltage In (Vac): 230		
		 		

SMART LIGHTING > Lighting control by Nexta Tech > Transmitter





Subfamily **OPTIMA**





Picture	Article	Description	Lot	Price/Unit
	15OPT4G		1	45,25 €
	Radiotransmitter wall switch OPT-4G battery CR2450		10	43,10 €
		4 buttons with selectable function Length (mm): 85 Width (mm): 85 High (mm): 12		
				

	15OPT4GPW		1	62,47 €
	Radiotransmitter wall switch OPT-4G/PW 230Vac		10	59,49 €
		4 buttons with selectable function Length (mm): 85 Width (mm): 85 High (mm): 12 Voltage In (Vac): 230		
				

SMART LIGHTING > Lighting control by Nexta Tech > Transmitter









Subfamily **OPTIMA**

Picture	Article	Description	Lot	Price/Unit
	15OPT8G		1	51,84 €
	Radiotransmitter wall switch OPT-8G battery CR2450		10	49,37 €
	8 buttons with selectable function			
		Length (mm): 85 Width (mm): 85 High (mm): 12		
				

	15OPT8GPW		1	69,04 €
	Radiotransmitter wall switch OPT-8G/PW 230Vac		10	65,75 €
	8 buttons with selectable function			
		Length (mm): 85 Width (mm): 85 High (mm): 12 Voltage In (Vac): 230		
				









Catalogue **SMART LIGHTING**
Line **Lighting control by Nexta Tech**
Family **Transmitter**
Subfamily **HOBLO80**

Download Nexta Tech catalogue [here](#).





Picture	Article	Description	Lot	Price/Unit
 	15HB801C	Remote control HB80-1C for 1 channel RGBW or tunable CCT	1 10	43,13 € 41,08 €
		<p>Radio transmitter 1 channel, On-Off function, dimmer up / down, color control RGB / RGBW and CCT, dynamic cycle control. CR2450 battery. Wall magnetic support.</p> <p>High (mm): 13 Diameter (mm): 80 Voltage In (Vdc): 3</p>		
		 		
 	15HB801DIM	Remote control HB80-1DIM for 1 monochromatic channel	1 10	43,13 € 41,08 €
		<p>Radio transmitter 1 channel. Monochrome On-Off function, dimer up / down. With CR2450 battery, magnetic wall bracket.</p> <p>High (mm): 13 Diameter (mm): 80 Voltage In (Vdc): 3</p>		
		 		





SMART LIGHTING > Lighting control by Nexta Tech > Transmitter

Subfamily **HOBLO80**

Picture	Article	Description	Lot	Price/Unit
	15HB802L		1	43,33 €
	Remote control HB80-2L 2 channels.		10	41,26 €
		Radio transmitter 2 channels. Function On-Off, dimmer up / down, open-close-stop (motors). CR2450 battery. Wall magnetic support. Black color		
		High (mm): 13 Diameter (mm): 80 Colour: Black Voltage In (Vdc): 3		
				
	15HB8030D		1	47,05 €
	Remote control HB80-30D 30 channels and 4 groups		10	44,81 €
		Radio transmitter 30 channels and 4 groups. Function On-Off, dimmer up / down, Open-close-stop (motors). CR2450 battery. Wall magnetic support.		
		High (mm): 13 Diameter (mm): 80 Voltage In (Vdc): 3		
				

Subfamily **HOBLO80**

Picture	Article	Description	Lot	Price/Unit
	15HB8030RGBW		1	47,05 €
	Remote control HB80-30RGBW 30 Channels RGBW and CCT		10	44,81 €
		<p>Radio transmitter 30 channels. On-Off function, dimmer up / down, color control RGB / RGBW and CCT, dynamic cycle control. Open-close-stop (motors). CR2450 battery. Wall magnetic support.</p> <p>High (mm): 13 Diameter (mm): 80 Voltage In (Vdc): 3</p>		
				


	15HB804C		1	45,27 €
	Remote control HB80-4C 4 channels RGBW or CCT white		10	43,11 €
		<p>Radio transmitter 4 channels + All. On-Off function, dimmer up / down, color control RGB / RGBW and CCT, dynamic cycle control. CR2450 battery. Wall magnetic support.</p> <p>High (mm): 13 Diameter (mm): 80 Voltage In (Vdc): 3</p>		
				

Subfamily **HOBLO80**

Picture	Article	Description	Lot	Price/Unit
	15HB804DIM		1	45,27 €
	Remote control HB80-4DIM 4 channels monocolor	Radio transmitter 4 channels + All. Monocolor Function On-Off, dimmer up / down. With CR2450 battery, magnetic wall bracket.	10	43,11 €
		High (mm): 13 Diameter (mm): 80 Voltage In (Vdc): 3		
				
	15HB804L		1	43,33 €
	Remote control HB80-4L 4 channels .	Radio transmitter 4 channels + All. Function On-Off, dimmer up / down, open-close-stop (motors). CR2450 battery. Wall magnetic support.	10	41,26 €
		High (mm): 13 Diameter (mm): 80 Voltage In (Vdc): 3		
				





SMART LIGHTING > Lighting control by Nexta Tech > Transmitter

Subfamily **HOBLO80**

Picture	Article	Description	Lot	Price/Unit
	15HB806G		1	43,33 €
	Remote control HB80-6G 6 Channels with settable function	Radio transmitter with 6 buttons with configurable functions. CR2450 battery. Wall magnetic support.	10	41,26 €
		High (mm): 13 Diameter (mm): 80 Voltage In (Vdc): 3		
				









Catalogue **SMART LIGHTING**
 Line **Lighting control by Nexta Tech**
 FAmily **Transmitter**
 Subfamily **HOBLO90**

Download Nexta Tech catalogue [here.](#)

Picture	Article	Description	Lot	Price/Unit
	15HB906LT		1	110,14 €
	Remote control HB90-6LT 6 Channels		10	104,90 €
		Radio transmitter with 6 channels with configurable functions for the control of dimmable lights, CCT or RGB / W.		
		High (mm): 30 Diameter (mm): 90 Voltage In (Vdc): 3		
				






Catalogue **SMART LIGHTING**
Line **Lighting control by Nexta Tech**
FAMILY **Transmitter**
Subfamily **Touch**






Download Nexta Tech catalogue [here.](#)

Picture	Article	Description	Lot	Price/Unit
	15ROUND1G		1	28,73 €
	Radio transmitter ROUND-1G		10	27,37 €
		<p>Radio transmitter a channel with configurable functions. Recessed fixing with hole diameter 35mm and 13mm depth. With CR2450 battery included for 3 years of half life.</p> <p>High (mm): 14 Diameter (mm): 38 Voltage In (Vdc): 3 Ingress Protection: IP20</p>		
				
	15TOUCH1		1	31,54 €
	Remote control TOUCH-1		10	30,03 €
		<p>Radio transmitter 1 channel with On / Off- Dimmer function. CR2450 battery included for 3 years average life</p> <p>Length (mm): 40 Width (mm): 40 High (mm): 10 Voltage In (Vdc): 3</p>		
				

SMART LIGHTING > Lighting control by Nexta Tech > Transmitter




Subfamily **Touch**

Picture	Article	Description	Lot	Price/Unit
	15TOUCH1C		1	31,54 €
	Remote control TOUCH-1C		10	30,03 €
		Radio transmitter 1 channel. Functions On / Off, dimmer, play / stop cycle, change color + white. Ideal for Led CCT and RGB / W strips Length (mm): 40 Width (mm): 40 High (mm): 10 Voltage In (Vdc): 3		
		 		

	15TOUCH1CCT		1	31,54 €
	Remote control TOUCH-1CCT		10	30,03 €
		Radio transmitter 1 channel. Function On-Off, dimmer color temperature selection with tactile crown. CR2450 battery included for 3 years average life Length (mm): 40 Width (mm): 40 High (mm): 10 Voltage In (Vdc): 3		
		 		

SMART LIGHTING > Lighting control by Nexta Tech > Transmitter

Subfamily **Touch**

Picture	Article	Description	Lot	Price/Unit
	15TOUCH1DIM		1	24,57 €
	Remote control TOUCH-1DIM		10	23,40 €
	15TOUCH1G		1	22,53 €
	Remote control TOUCH-1G		10	21,45 €



Radio transmitter 1 channel. On-Off function, dimmer with tactile crown. CR2450 battery included for 3 years average life

Length (mm): 40 Width (mm): 40 High (mm): 10
Voltage In (Vdc): 3






Radio transmitter 1 button with configurable function. CR2450 battery included for 3 years average life

Length (mm): 40 Width (mm): 40 High (mm): 10
Voltage In (Vdc): 3



Subfamily **Touch**

Picture	Article	Description	Lot	Price/Unit
	15TOUCH1L		1	31,54 €
	Remote control TOUCH-1L		10	30,03 €
	15TOUCH1RGBW		1	24,57 €
	Remote control TOUCH-1RGBW		10	23,40 €



Radio transmitter 1 channel. Function On-Off, dimmer up / down, open-close-stop (motors). CR2450 battery included for 3 years average life

Length (mm): 40 Width (mm): 40 High (mm): 10
Voltage In (Vdc): 3






Radio transmitter 1 channel. Function On-Off, dimmer color selection with tactile crown. CR2450 battery included for 3 years average life

Length (mm): 40 Width (mm): 40 High (mm): 10
Voltage In (Vdc): 3











Subfamily **Touch**

Picture	Article	Description	Lot	Price/Unit
	15TOUCH2G		1	24,57 €
	Remote control TOUCH-2G		10	23,40 €
		<p>Radio transmitter 2 buttons with configurable functions. CR2450 battery included for 3 years average life</p> <p>Length (mm): 40 Width (mm): 40 High (mm): 10 Voltage In (Vdc): 3</p>		
		<p>CE</p> 		





	15TOUCH3C		1	38,14 €
	Remote control TOUCH-3C		10	36,32 €
		<p>Radio transmitter 3 channels with On-Off function, dimmer and color selection for CCT and RGB / W with tactile crown. CR2450 battery included for 3 years average life</p> <p>Length (mm): 40 Width (mm): 40 High (mm): 10 Voltage In (Vdc): 3</p>		
		<p>CE</p> 		





Subfamily **Touch**

Picture	Article	Description	Lot	Price/Unit
	15TOUCH4DIM		1	24,60 €
	Remote control TOUCH-4DIM		10	23,43 €
		Radio transmitter 4 channels. On-Off function, dimmer. CR2450 battery included for 3 years average life		
		Length (mm): 40 Width (mm): 40 High (mm): 10 Voltage In (Vdc): 3		
		 		

	15TOUCH4G		1	24,57 €
	Remote control TOUCH-4G		10	23,40 €
		Radio transmitter 4 buttons with configurable functions. Bateria CR2450 included for average life of 3 years		
		Length (mm): 40 Width (mm): 40 High (mm): 10 Voltage In (Vdc): 3		
		 		


Subfamily **Touch**

Picture	Article	Description	Lot	Price/Unit
	15TOUCHCFU		1	31,54 €
	Remote control TOUCH-CFU		10	30,03 €
		Radio transmitter 1 channel. To be used with TOUCH-1RGBW. Function play / stop cycle, cycle speed change. Change cycle effect, color memo. CR2450 battery included for 3 years average life Length (mm): 40 Width (mm): 40 High (mm): 10 Voltage In (Vdc): 3		
		CE 		

	15TOUCHLOCK4		1	31,72 €
	Remote control TOUCH-LOCK4		10	22,62 €
		Radio transmitter 4 buttons with configurable functions. Lock function to avoid accidental pulsations. CR2450 material included for 3-year half-life Length (mm): 40 Width (mm): 40 High (mm): 10 Voltage In (Vdc): 3		
		CE 		

SMART LIGHTING > Lighting control by Nexta Tech > Transmitter

Subfamily **Touch**

Picture	Article	Description	Lot	Price/Unit
	15TOUCHTX2		1	31,46 €
	Remote control TOUCH-TX2		10	29,97 €


Radio transmitter to transform standard wired push buttons into radio transmitters. 2 channels with configurable functions. CR2450 battery included for 3 years average life

Length (mm): 40 Width (mm): 40 High (mm): 10
Voltage In (Vdc): 3



Catalogue **SMART LIGHTING**
 Line **Lighting control by Nexta Tech**
 FAmily **Transmitter**
 Subfamily **TX and repeaters**

Download Nexta Tech catalogue [here.](#)









Picture	Article	Description	Lot	Price/Unit
	15MCUTX4		1	42,08 €
		Radio transmitter MCU-TX4 110-240Vac or battery CR2032.	10	40,08 €

Recessed transmitter for transforming wall push buttons in radio frequency transmitters. Power supply or CR2032 battery





Length (mm): 52 Width (mm): 42 High (mm): 21
 Voltage In (Vac): 110~240 Ingress Protection: IP20



Catalogue **SMART LIGHTING**
 Line **Lighting control by Nexta Tech**
 FAmily **Sensors**
 Subfamily **Motion and luminosity sensors**
Download Nexta Tech catalogue [here.](#)

Picture	Article	Description	Lot	Price/Unit
	15ROUND1SP		1	47,33 €
	Motion sensor ROUND-1SP	<p>Motion sensor with integrated brightness sensor. To embed in holes of 35x12mm. Double function, sensor / radio transmitter. Configurable detection distance. CR2450 battery included</p> <p>High (mm): 12 Diameter (mm): 38 Voltage In (Vdc): 3</p>	10	45,08 €
				
	15TOUCH1SP		1	44,72 €
	Sensor de movimiento TOUCH-1SP	<p>Motion sensor with integrated brightness sensor. Double function, sensor / radio transmitter. Configurable detection distance. CR2450 battery included for 3 years average life</p> <p>Length (mm): 40 Width (mm): 40 High (mm): 10</p>	10	42,59 €
				

Catalogue **SMART LIGHTING**
 Line **Lighting control by Nexta Tech**
 Family **Sensors**
 Subfamily **Furniture sensors**
Download Nexta Tech catalogue [here.](#)

Picture	Article	Description	Lot	Price/Unit
 	15MAG1030D		1	39,20 €
	Magnetic D10x H30mm. Kit 10 units	Magnet with diametral load of 10mm diameter and 30mm height to be used with SENSE-M and SENSE-35RM High (mm): 30 Diameter (mm): 10	10	37,32 €
 	15MAG153A		1	10,52 €
	Magnetic D15x H3mm. Kit 10 units	Magnet with axial load of 15mm diameter and 2mm height to be used with SENSE-M and SENSE-35RM. High (mm): 3 Diameter (mm): 15	10	10,01 €

SMART LIGHTING > Lighting control by Nexta Tech > Sensors


Subfamily **Furniture sensors**

Picture	Article	Description	Lot	Price/Unit
	15MAG225A		1	19,66 €
	Magnetic D22x H5mm. Kit 10 units		10	18,72 €

Magnet with axial load of 22mm diameter and 5mm height to be used with SENSE-M and SENSE-35RM

High (mm): 5 Diameter (mm): 22







	15SENSAM		1	28,74 €
	Motion sensor SENSE-M		10	27,38 €





Motion sensor for furniture. It allows the timed ignition of the light and the shutdown with magnetic contact closure.

Length (mm): 64,8 Width (mm): 38,8 High (mm): 9,8
Voltage In (Vdc): 3











Subfamily **Furniture sensors**

Picture	Article	Description	Lot	Price/Unit
	15SENSAP		1	35,62 €
	Motion sensor SENSAP		10	33,80 €
		<p>Motion sensor for furniture. It allows the timed ignition of the light and the closing shutdown by recognition of the position of the door.</p> <p>Length (mm): 64,8 Width (mm): 38,8 High (mm): 9,8 Voltage In (Vdc): 3</p>		
				

	15SENSAR35M		1	28,74 €
	Motion sensor SENSAR35M		10	27,38 €
		<p>Recessed motion sensor for furniture in holes D35mm H 12mm. It allows the timed ignition of the light and the shutdown with magnetic contact closure.</p> <p>Diameter (mm): 38 Voltage In (Vdc): 3</p>		
				

Subfamily **Furniture sensors**

Picture	Article	Description	Lot	Price/Unit
	15SENSAR35T		1	24,99 €
	Motion sensor SENSEA-35RT		10	23,79 €
		<p>Recessed motion sensor for furniture in holes D35mm H 12mm. It allows the timed lighting of the light. The timer is activated for the time the user moves the door.</p> <p>Diameter (mm): 38 Voltage In (Vdc): 3</p>		
				

	15SENSAT		1	24,99 €
	Motion sensor SENSEA-T		10	23,79 €
		<p>Motion sensor for furniture. It allows the timed lighting of the light. The timer is activated so that the user moves the door</p> <p>Length (mm): 64,8 Width (mm): 38,8 High (mm): 9,8 Voltage In (Vdc): 3</p>		
				

Catalogue **SMART LIGHTING**
 Line **Lighting control by Nexta Tech**
 FAmily **Extrasonic**
 Subfamily **Extrasonic**

Picture	Article	Description	Lot	Price/Unit
	15PLUG1220		1	29,43 €
	Plug led power supply 12Vdc 20W		10	28,03 €
	Plug-in power supply 230Vac 12Vdc 20W			




	15PS1220		1	14,38 €
	Led power supply 12Vdc 20W		10	13,69 €
	Power supply 230vac12Vdc			
	Length (mm): 130 Width (mm): 56 High (mm): 15			
	Power (W): 20			



SMART LIGHTING > Lighting control by Nexta Tech > Extrasonic









Subfamily **Extrasonic**

Picture	Article	Description	Lot	Price/Unit
	15SONIC100		1	124,20 €
	Sound system SONIC 100		10	118,29 €
	Sound system composed of 1 Bluetooth Amplifier 15W-12Vdc			





Length (mm): 157 Width (mm): 115 High (mm): 28
Voltage In (Vdc): 12 Power (W): 15







Catalogue **SMART LIGHTING**
 Line **Lighting control by Nexta Tech**
 Family **Control Pergolas and awnings**
 Subfamily **Pergola Roof control**





Picture	Article	Description	Lot	Price/Unit
	15PRGM24	Control box PRG-M24 pergola adjustable slat motors	1	141,96 €
		Length (mm): 310 Width (mm): 70 High (mm): 80 Voltage In (Vdc): 24 Room Temperature (°C): -20~+55 Ingress Protection: IP55		
		 		
	15PRGM24ONE	Control box PRG-M24/One pergola adjustable slat motors	1	169,26 €
		Length (mm): 310 Width (mm): 70 High (mm): 80 Voltage In (Vdc): 24 Room Temperature (°C): -20~+55 Ingress Protection: IP55		
		 		

Subfamily Pergola Roof control

Picture	Article	Description	Lot	Price/Unit
	15PRGML24	Control box PRG-ML24 lights and motors adjustable slats pergola	1	174,28 €
		Length (mm): 310 Width (mm): 70 High (mm): 80 Voltage In (Vdc): 24 Room Temperature (°C): -20~+55 Ingress Protection: IP55	 	





	15PRGML24ONE	Control box PRG-ML24/One lights and motors adjustable slats pergola	1	199,17 €
		Length (mm): 310 Width (mm): 70 High (mm): 80 Voltage In (Vdc): 24 Room Temperature (°C): -20~+55 Ingress Protection: IP55	 	

Subfamily Pergola Roof control





Picture	Article	Description	Lot	Price/Unit
	15SCREENML	Control box SCREEN-ML Lights and pergola tubular motor	1	137,23 €
		Length (mm): 310 Width (mm): 70 High (mm): 80 Voltage In (Vac): 230 Room Temperature (°C): -20~+55 Ingress Protection: IP55	 	

	15SCREENMLONE	SCREEN-ML/ONE control box Lights and pergola tubular motor	1	163,62 €
		Length (mm): 310 Width (mm): 70 High (mm): 80 Voltage In (Vac): 230 Room Temperature (°C): -20~+55 Ingress Protection: IP55	 	





Catalogue **SMART LIGHTING**
 Line **Lighting control by Nexta Tech**
 FAmily **Control Pergolas and awnings**
 Subfamily **Pergola Awning control**

Picture	Article	Description	Lot	Price/Unit
 	15SCREENM400	SCREEN-M400 control box 4 pergola tubular motors Length (mm): 310 Width (mm): 70 High (mm): 80 Voltage In (Vac): 230 Room Temperature (°C): -20~+55 Ingress Protection: IP55	1	112,03 €
 	15SCREENM400ONE	Control box SCREEN-M400/ONE 4 pergola tubular motors Length (mm): 310 Width (mm): 70 High (mm): 80 Voltage In (Vac): 230 Room Temperature (°C): -20~+55 Ingress Protection: IP55	1	145,15 €

Catalogue **SMART LIGHTING**
 Line **Lighting control by Nexta Tech**
 Family **Control Pergolas and awnings**
 Subfamily **Pergola Lighting control**




Picture	Article	Description	Lot	Price/Unit
 	15LB100ONE Led Box IP55 24V LB-100/ONE	Length (mm): 310 Width (mm): 70 High (mm): 80 Voltage In (Vac): 230 Voltage Out (Vdc): 24 Power (W): 100 Room Temperature (°C): -20~+55 Ingress Protection: IP55	1	138,58 €
 	15LB150ONE Led Box LB-150/One	Length (mm): 310 Width (mm): 70 High (mm): 80 Voltage In (Vac): 230 Voltage Out (Vdc): 24 Power (W): 150 Room Temperature (°C): -20~+55 Ingress Protection: IP55	1	151,75 €

Subfamily Pergola Lighting control

Picture	Article	Description	Lot	Price/Unit
	15LB50ONE	Led Box IP55 24V LB-50/ONE	1	118,82 €
		Length (mm): 310 Width (mm): 70 High (mm): 80 Voltage In (Vac): 230 Voltage Out (Vdc): 24 Power (W): 50 Room Temperature (°C): -20~+55 Ingress Protection: IP55		
		 		

	15LBDIM100ONE	Led Box LB-DIM100/One	1	138,55 €
		Length (mm): 310 Width (mm): 70 High (mm): 80 Voltage In (Vac): 230 Voltage Out (Vdc): 24 Power (W): 100 Room Temperature (°C): -20~+55 Ingress Protection: IP55		
		 		

Subfamily Pergola Lighting control

Picture	Article	Description	Lot	Price/Unit
	15LBDIM150ONE Led Box LB-DIM150/One	Length (mm): 310 Width (mm): 70 High (mm): 80 Voltage In (Vac): 230 Voltage Out (Vdc): 24 Power (W): 150 Room Temperature (°C): -20~+55 Ingress Protection: IP55	1	151,75 €
				
				

	15LBDIM50ONE Led Box LB-DIM50/One	Length (mm): 310 Width (mm): 70 High (mm): 80 Voltage In (Vac): 230 Voltage Out (Vdc): 24 Power (W): 50 Room Temperature (°C): -20~+55 Ingress Protection: IP55	1	118,76 €
				
				

Catalogue **SMART LIGHTING**
 Line **Lighting control by Nexta Tech**
 Family **Control Pergolas and awnings**
 Subfamily **Multi-funtion remote control**

Picture	Article	Description	Lot	Price/Unit
	15LINEA4R LINEA-4R radio transmitter	Dark gray Length (mm): 36 Width (mm): 71 High (mm): 8 Colour: Grey	1	17,52 €
				
	15LINEA4RW LINEA-4R/W radio transmitter	White Length (mm): 36 Width (mm): 71 High (mm): 8 Colour: White	1	17,52 €
				

Catalogue **SMART LIGHTING**
 Line **Lighting control by Nexta Tech**
 Family **Control Pergolas and awnings**
 Subfamily **Pergola Weather sensors**

Picture	Article	Description	Lot	Price/Unit
	15MTR Rain Weather Sensor MT-R		1	87,09 €



	15MTWS Meteo wind and light sensor MT-WS		1	51,47 €
--	---	--	---	---------



Catalogue **SMART LIGHTING**
Line **Lighting control by Nexta Tech**
Family **Control Pergolas and awnings**
Subfamily **Pergola Wi-Fi video control**











Picture	Article	Description	Lot	Price/Unit
	15CAM200		1	112,03 €

Video camera Smart Cam200






Voltage In (Vdc): 5 Intensidad In (A): 1
Ingress Protection: IP66



Catalogue **SMART LIGHTING**
 Line **Lighting control by Nexta Tech**
 FAmily **Control Pergolas and awnings**
 Subfamily **Pergola accessories**






Picture	Article	Description	Lot	Price/Unit
	15EP1000MF	Wiring EP-1000/MF 1000mm male-female connectors	1	3,30 €
		Cable length 1000 mm with Easy-Plug Male-Female connector		
		Length (mm): 10000 Colour: Black Ingress Protection: IP65		
	  			
	15EP150F	Wiring EP-150/F 150mm 1 female connector	1	1,98 €
		Cable length 150 mm with Easy-Plug Male-Female connector		
		Length (mm): 150 Colour: Black Ingress Protection: IP65		
	  			





Subfamily Pergola accessories

Picture	Article	Description	Lot	Price/Unit
	15EP150M	Wiring EP-150/M 150mm 1 male connector	1	1,98 €
		Cable length 150 mm with Easy-Plug Male-Female connector		
		Length (mm): 150 Colour: Black Ingress Protection: IP65		
		 		










	15EP150M2F	Wiring EP-150/M2F 150mm 1 male connector and 2 female connectors	1	5,94 €
		3-way cable. Length 150 mm with 1 male connector and 2 Easy-Plug female connectors		
		Length (mm): 150 Colour: Black Ingress Protection: IP65		
		 		

Subfamily Pergola accessories

Picture	Article	Description	Lot	Price/Unit
	15EP2000MF	Wiring EP-1000/MF 2000mm male-female connectors Cable length 2000 mm with Easy-Plug Male-Female connector Length (mm): 20000 Colour: Black Ingress Protection: IP65	1	6,31 €
		 		

	15LB50PS	230Vac-24Vdc 50W power supply waterproof plastic box IP55 LB-50/PS Length (mm): 310 Width (mm): 70 High (mm): 80 Voltage In (Vac): 230 Voltage Out (Vdc): 24 Power (W): 50 Room Temperature (°C): -20~+55 Ingress Protection: IP55	1	58,06 €
		 		

Subfamily Pergola accessories

Picture	Article	Description	Lot	Price/Unit
	15LB100PS	230Vac-24Vdc 100W power supply waterproof plastic box IP55 LB-100/PS Length (mm): 310 Width (mm): 70 High (mm): 80 Voltage In (Vac): 230 Voltage Out (Vdc): 24 Power (W): 100 Room Temperature (°C): -20~+55 Ingress Protection: IP55	1	72,58 €
		  		
	15LB150PS	230Vac-24Vdc 150W power supply waterproof plastic box IP55 LB-150/PS Length (mm): 310 Width (mm): 70 High (mm): 80 Voltage In (Vac): 230 Voltage Out (Vdc): 24 Power (W): 150 Room Temperature (°C): -20~+55 Ingress Protection: IP55	1	85,77 €
		  		
	15LB200PS	230Vac-24Vdc 200W power supply waterproof plastic box IP55 LB-200/PS Length (mm): 310 Width (mm): 70 High (mm): 80 Voltage In (Vac): 230 Voltage Out (Vdc): 24 Power (W): 200 Room Temperature (°C): -20~+55 Ingress Protection: IP55	1	98,97 €
		