



Catalogue **LED TECHNOLOGY**  
 Line **Electronic Led Power Supplies**  
 FAmily **LED power supplies constant voltage**  
 Subfamily **Led Power Supplies 48Vdc**

Picture	Article	Description	Lot	Price/Unit
	G5032030		1	19,01 €
	Led Power Supply CV SLT30-48VLG-Es 48V 30W		5	15,82 €
		Meets ECO Design ERP. 48Vdc constant voltage output. Efficiency 86.8%	10	14,39 €
			40	13,46 €
	Length (mm): 165 Width (mm): 40 High (mm): 30 Colour: White Voltage In (Vac): 220~240 Voltage Out (Vdc): 48 Intensidad Out (A): 0~0.625 Frecuency (Hz): 50~60 Power (W): 0~30 Room Temperature (°C): -20~+50 Critical Temperature (°C): 90 Ingress Protection: IP20 Dimmable: NO Power factor: 0.95			




	G5032040		1	63,66 €
	LED power supply CV CC MW LPF40 42V 40W		10	53,05 €
		Constant voltage and current. IP67 with 30cm 18AWG and 22AWG cables	30	50,52 €
		Length (mm): 162,5 Width (mm): 43 High (mm): 32 Colour: White Voltage In (Vac): 220~240 Voltage Out (Vdc): 42 Intensidad Out (A): 0~0.96 Frecuency (Hz): 47~63 Power (W): 0~40 Ingress Protection: IP67 Dimmable: NO		




LED TECHNOLOGY > Electronic Led Power Supplies > LED power supplies constant voltage

Subfamily **Led Power Supplies 48Vdc**

Picture	Article	Description	Lot	Price/Unit
	G5031060C		1	40,52 €
	LED Power Supply CV SLT60-48VFG-E 24V 60W		5	36,84 €
			10	33,49 €
	Meets ECO Design ERP. Ultra-flat 16mm. 48Vdc constant voltage output. Efficiency 91.0%		100	31,29 €
	Length (mm): 298 Width (mm): 29,8 High (mm): 16 Colour: White Voltage In (Vac): 120~240 Voltage Out (Vdc): 48 Intensidad Out (A): 0~1.25 Frecuency (Hz): 50~60 Power (W): 0~60 Room Temperature (°C): -20~+45 Critical Temperature (°C): 90 Ingress Protection: IP20 Dimmable: NO Power factor: 0.95			




	G5031100C		1	48,00 €
	LED Power Supply CV SLT100-48VFG-UN 48V 100W		5	43,63 €
			10	39,66 €
	Meets ECO Design ERP. Ultra-flat 16.5mm. 48Vdc constant voltage output. Efficiency 92.3%		50	37,06 €
	Length (mm): 298 Width (mm): 29,8 High (mm): 16 Colour: White Voltage In (Vac): 120~240 Voltage Out (Vdc): 48 Intensidad Out (A): 0~2.1 Frecuency (Hz): 50~60 Power (W): 0~100 Room Temperature (°C): -20~+45 Critical Temperature (°C): 90 Ingress Protection: IP20 Dimmable: NO Power factor: 0.95			




LED TECHNOLOGY > Electronic Led Power Supplies > LED power supplies constant voltage

Subfamily **Led Power Supplies 48Vdc**




Picture	Article	Description	Lot	Price/Unit
	G5031150C		1	54,25 €
	LED Power Supply CV SLT150-48VLG-E 24V 150W		5	49,32 €
	Meets ECO Design ERP. 48Vdc constant voltage output		10	44,85 €
			30	41,90 €
	Length (mm): 185 Width (mm): 60 High (mm): 31 Colour: White Voltage In (Vac): 220~240 Voltage Out (Vdc): 48 Intensidad In (A): 0.8 Frecuency (Hz): 50~60 Power (W): 0~150 Room Temperature (°C): -20~+45 Critical Temperature (°C): 90 Life (Hours): 50000 Ingress Protection: IP20 Dimmable: NO Power factor: 0.95			




	G5031150N		1	72,97 €
	Linear Led Power Supply CV SLT150-48VFG-UN 48V 150W		5	66,30 €
	ECO Design ERP. 48Vdc constant voltage output.		10	60,31 €
			30	56,36 €
	Length (mm): 384 Width (mm): 30 High (mm): 22 Colour: White Voltage In (Vac): 120~240 Voltage Out (Vdc): 48 Intensidad Out (A): 0~3.13 Frecuency (Hz): 50~60 Power (W): 0~150 Room Temperature (°C): -20~+45 Critical Temperature (°C): 90 Life (Hours): 50000 Ingress Protection: IP20 Dimmable: NO Power factor: 0.95			




Subfamily **Led Power Supplies 48Vdc**

Picture	Article	Description	Lot	Price/Unit
	G5031200B		1	75,44 €
	LED Power Supply CV SLT200-48VFG-UN 48V 200W		5	68,58 €
			10	62,34 €
	Meets ECO Design ERP. Ultra-flat 22mm. 48Vdc constant voltage output. Efficiency 94%		60	58,27 €
	Length (mm): 384 Width (mm): 30 High (mm): 22 Colour: White Voltage In (Vac): 120~240 Voltage Out (Vdc): 48 Frecuency (Hz): 50~60 Power (W): 0~200 Room Temperature (°C): -20~+45 Critical Temperature (°C): 90 Ingress Protection: IP20 Dimmable: NO Power factor: 0.95			
				

	G5031250A		1	76,54 €
	LED power supply CV SLT250-48VFG-EU 48V 250W		5	69,59 €
			10	63,26 €
	Meets ECO Design ERP. Ultra-flat 22mm. 48Vdc constant voltage output. Efficiency 94%		60	59,12 €
	Length (mm): 384 Width (mm): 30 High (mm): 22 Colour: White Voltage In (Vac): 220~240 Voltage Out (Vdc): 48 Intensidad Out (A): 0~5.21 Frecuency (Hz): 50~60 Power (W): 30~250 Room Temperature (°C): -20~+40 Critical Temperature (°C): 90 Life (Hours): 50000 Ingress Protection: IP20 Dimmable: NO Power factor: 0.95			
				

LED TECHNOLOGY > Electronic Led Power Supplies > LED power supplies constant voltage

Subfamily **Led Power Supplies 48Vdc**

Picture	Article	Description	Lot	Price/Unit
	G5031250B		1	71,50 €
	Led power supply CV SLT250-48VLG-E 48V 250W		5	65,00 €
	ECO Design ERP. 48Vdc constant voltage output.		10	59,07 €
			60	55,21 €
	Length (mm): 230 Width (mm): 64,5 High (mm): 32,5 Colour: White Voltage In (Vac): 220~240 Voltage Out (Vdc): 48 Intensidad Out (A): 0~5.2 Frecuency (Hz): 50~60 Power (W): 0~250 Room Temperature (°C): -20~+40 Critical Temperature (°C): 90 Life (Hours): 50000 Ingress Protection: IP20 Dimmable: NO Power factor: 0.95			

