









Catalogue **SMART LIGHTING**

Line **Lighting control by Nexta Tech**

FAMILY **Receivers**






Subfamily **Constant voltage control, Dimmer, RGBW, CCT, DTW**





**Download Nexta Tech catalogue [here.](#)**

| Picture   | Article                    | Description  | Lot | Price/Unit |
|---|----------------------------|--|-----|------------|
|  | 15PLANOMASTER              |  | 1   | 62,28 €    |
|   | PLANO-MASTER 12-24V DC LED |  | 10  | 59,32 €    |
|    |                            | Universal controller for led 12-24Vdc. Dimmer, RGB, RGBW, CCT<br><br>Length (mm): 80 Width (mm): 80 High (mm): 16<br>Voltage In (Vdc): 12~24<br>Room Temperature (°C): -20~+50<br>Ingress Protection: IP20 |     |            |
|   |                            |                                    |     |            |
|  | 15PLANOONE                 |  | 1   | 69,62 €    |
|   | PLANO-ONE 12-24V DC LED    |  | 10  | 66,30 €    |
|  |                            | Universal controller for led 12-24Vdc. Dimmer, RGB, RGBW, CCT<br><br>Length (mm): 80 Width (mm): 80 High (mm): 16<br>Voltage In (Vdc): 12~24<br>Room Temperature (°C): -20~+50<br>Ingress Protection: IP20 |     |            |
|   |                            |                                    |     |            |

SMART LIGHTING > Lighting control by Nexta Tech > Receivers






Subfamily **Constant voltage control, Dimmer, RGBW, CCT, DTW**






| Picture  | Article  | Description  | Lot   | Price/Unit |
|--|--|--|---|------------|
|   | 15PLANOV5  |  | 1   | 42,04 €    |
|  | PLANO-V5 1 channel dimmer receiver monochromatic CV 12-24V |  | 10  | 40,04 €    |
|  |  | Length (mm): 80 Width (mm): 80 High (mm): 16<br>Voltage In (Vdc): 12~24 Intensidad In (A): 5<br>Power (W): 60~120 Room Temperature (°C): -20~+50<br>Ingress Protection: IP20 |   |            |
|  |  |  |    |            |

|   |                            |   |   |         |
|---|----------------------------|---|---|---------|
|  | 15PLANOV54BLE              |   | 1   | 70,66 € |
|   | Control unit PLANO-V5/4BLE |   | 10  | 67,29 € |
|   |                            | 4xLed 12-24Vdc. Max 3A por salida. 36W a12V; 72W a 24V por cada salida. Max total 5A. 60W a 12V; 120W a 24V.<br><br>Length (mm): 80 Width (mm): 80 High (mm): 16<br>Voltage In (Vdc): 12~24<br>Room Temperature (°C): -20~+55<br>Ingress Protection: IP20 |   |         |
|  |                            |   |   |         |




SMART LIGHTING > Lighting control by Nexta Tech > Receivers



Subfamily **Constant voltage control, Dimmer, RGBW, CCT, DTW**

| Picture  | Article  | Description | Lot   | Price/Unit |
|--|--|-------------|---|------------|
|    | 15PLANOV54CH   |             | 1   | 57,47 €    |
|  | PLANO-V5 4CH dimmer receiver 4 channels single color CV CV 12-24V  |             | 10  | 54,73 €    |
| <br> | Length (mm): 80 Width (mm): 80 High (mm): 16<br>Voltage In (Vdc): 12~24 Intensidad In (A): 5<br>Power (W): 60~120 Room Temperature (°C): -20~+50<br>Ingress Protection: IP20 |             |   |            |
|  |  |             |   |            |


|  |  |  |   |         |
|--|--|--|---|---------|
|   | 15PLANOV5RGBW  |  | 1   | 58,11 € |
|  | PLANO-V5 RGBW dimmer receiver for RGB and RGBW CV 12-24V LED   |  | 10  | 45,24 € |
| <br> | Length (mm): 80 Width (mm): 80 High (mm): 16<br>Voltage In (Vdc): 12~24 Intensidad In (A): 5<br>Power (W): 60~120 Room Temperature (°C): -20~+50<br>Ingress Protection: IP20 |  |   |         |
|  |  |  |   |         |

Subfamily **Constant voltage control, Dimmer, RGBW, CCT, DTW**

| Picture  | Article                        | Description   | Lot | Price/Unit |
|--|--------------------------------|---|-----|------------|
|  | 15PLANOV5RGBWBL                |   | 1   | 70,66 €    |
|  | Control unit PLANO-V5 RGBW/BLE |   | 10  | 67,29 €    |
|  |                                | Function: Mode 1: RGB. Mode 2: RGBW (W-W),<br>Mode 3: RGBW (W-W + RGB)<br><br>Length (mm): 80 Width (mm): 80 High (mm): 16<br>Voltage In (Vdc): 12~24<br>Room Temperature (°C): -20~+55<br>Ingress Protection: IP20   |     |            |
|  |                                |    |     |            |






|   |  |   |    |         |
|---|--|---|----|---------|
|  | 15TOPV84   |   | 1  | 98,25 € |
|   | Control unit dimmer TOP-V8/4 for led monocolor CV 12-24-36V. |   | 10 | 93,57 € |
|  |  | Dimmer for leds at constant voltage 12-24-36 Vdc 4 outputs max 8A per output (max 24A total) With 3 cable entries and input to extend<br><br>Length (mm): 174 Width (mm): 46 High (mm): 35<br>Voltage In (Vdc): 12~36<br>Room Temperature (°C): -20~+55<br>Ingress Protection: IP20 |    |         |
|   |  |                        |    |         |



Subfamily **Constant voltage control, Dimmer, RGBW, CCT, DTW**

| Picture  | Article  | Description   | Lot | Price/Unit |
|--|--|---|-----|------------|
|  | 15TOPV8CCT2  |   | 1   | 107,12 €   |
|  | Control unit TOP-V8/CCT2 dimmer and Tcolor for led a CV 12-24-36V. |   | 10  | 102,05 €   |
|   |  | <p>Dimmer for LEDs at constant voltage 12-24-36 Vdc with warm and cold LED. 4 outputs max 8A per output (max 24A total) With 3 cable entries and input to extend</p> <p>Length (mm): 174 Width (mm): 46 High (mm): 35<br/>Voltage In (Vdc): 12~36<br/>Room Temperature (°C): -20~+55<br/>Ingress Protection: IP20</p> |     |            |
|  |  | <p>CE</p> <p> </p>  |     |            |



|   |   |   |    |         |
|---|---|---|----|---------|
|  | 15TOPV8EXT4   |   | 1  | 68,25 € |
|   | Control unit dimmer slave TOP-V8/EXT4 for led monocolor CV 12-24-36V. |   | 10 | 65,00 € |
|  |   | <p>Slave dimmer for led to constant tension compatible with master stations TOP-V8 / 4 monocolor</p> <p>Length (mm): 174 Width (mm): 46 High (mm): 35<br/>Voltage In (Vdc): 12~24<br/>Room Temperature (°C): -20~+55<br/>Ingress Protection: IP20</p> |    |         |
|   |   | <p>CE</p> <p> </p>  |    |         |


Subfamily **Constant voltage control, Dimmer, RGBW, CCT, DTW**

| Picture  | Article   | Description   | Lot | Price/Unit |
|--|---|---|-----|------------|
|   | 15TOPV8RGBW   |   | 1   | 98,25 €    |
|  | Control unit dimmer TOP-V8/RGBW for led RGB and RGBW CV 12-24-36V |   | 10  | 93,57 €    |
|  |   | <p>Dimmer for LEDs with constant voltage 12-24-36 Vdc of RGB and RGBW LEDs. 4 outputs max 8A per output (max 24A total) With 3 cable entries and input to extend</p> <p>Length (mm): 174 Width (mm): 46 High (mm): 35<br/>Voltage In (Vdc): 12~36<br/>Room Temperature (°C): -20~+55<br/>Ingress Protection: IP20</p> |     |            |
|  |   |      |     |            |

|   |  |  |    |         |
|---|--|--|----|---------|
|   | 15WITOP100                                 |  | 1  | 16,41 € |
|   | Connection wire 1 m. RJ11 for TOP extender |  | 10 | 15,63 € |
|   |  | <p>1 meter RJ11 connection cable with mounted connectors for the connection of the master control unit with the extension of the TOP series</p> <p>Length (mm): 1000</p> |    |         |
|  |  |   |    |         |

Subfamily **Constant voltage control, Dimmer, RGBW, CCT, DTW**

| Picture  | Article                                     | Description  | Lot | Price/Unit |
|--|---|--|-----|------------|
|   | 15WITOP1000                                 |  | 1   | 26,17 €    |
|  | Connection wire 10 m. RJ11 for TOP extender |  | 10  | 24,92 €    |
|  |   | 10-meter RJ11 connection cable with mounted connectors for the connection of the master control unit with the extension of the TOP series.<br><br>Length (mm): 10000 |     |            |
|  |   |  |     |            |

|   |  |   |    |         |
|---|--|---|----|---------|
|  | 15WITOP30                                    |   | 1  | 13,10 € |
|   | Connection wire 30 cm. RJ11 for TOP extender |   | 10 | 12,48 € |
|   |  | 30 cm RJ11 connection cable with mounted connectors for the connection of the master control unit with the extension of the TOP series.<br><br>Length (mm): 300 |    |         |
|  |  |   |    |         |

SMART LIGHTING > Lighting control by Nexta Tech > Receivers

Subfamily **Constant voltage control, Dimmer, RGBW, CCT, DTW**

| Picture | Article    | Description                                | Lot | Price/Unit |
|---------|------------|--|-----|------------|
|         | 15WITOP500 |  | 1   | 21,02 €    |
|         |            | Connection wire 5 m. RJ11 for TOP extender | 10  | 20,02 €    |

5-meter RJ11 connection cable with mounted connectors for the connection of the master control panel with the extension of the TOP series.

Length (mm): 5000

