



















Catalogue **LED TECHNOLOGY**
Line **Led modules**
Family **Constant Current Led Modules**
Subfamily **Contant Current Led Modules**

Picture	Article	Description	Lot	Price/Unit
	LC0B00013M		1	8,45 €
	Led spotlight CRI80 3000K 30° 100 Lm 1W. M16 Nut and 50cm AWG20 cable		50	7,02 €
			100	6,70 €
	Anodized aluminum body + M16x1.5 nut		500	6,37 €
		High (mm): 18,3 Diameter (mm): 17 Voltage In (Vdc): 3 Intensidad In (A): 0.35 Power (W): 1 Lumen: 100 Candelas: 290 Angle (°): 30 Energy efficiency: F CRI (≥): 80 Life (Hours): 30000 Ingress Protection: IP20 Dimmable: SI		
		    		
	LC0A01062M		1	16,76 €
	Led module KC01 350mA 1,25W 2700K lens 45° 15cm red-black cable		10	15,24 €
			20	13,85 €
	Anodized aluminum body and plastic nut. IP44 and any length of cable can be made on request. Mounting in a 17mm diameter hole with its thread.		100	13,20 €
		High (mm): 26 Diameter (mm): 20 Voltage In (Vdc): 3 Intensidad In (A): 0.35 Power (W): 1.25 Room Temperature (°C): -20~+40 Colour Temperature (°K): 2700 Lumen: 119 Angle (°): 45 Energy efficiency: A++ CRI (≥): 80 Ingress Protection: IP20		
		  		

LED TECHNOLOGY > Led modules > Constant Current Led Modules





Subfamily **Contant Current Led Modules**





Picture	Article	Description	Lot	Price/Unit
	LC0A01062N		1	16,76 €
	Led module KC01 350mA 1,25W 2700K lens 25°		10	15,24 €
	15cm red-black cable		20	13,85 €
	Anodized aluminum body and plastic nut. IP44 and any length of cable can be made on request. Mounting in a 17mm diameter hole with its thread.		100	13,20 €
	High (mm): 26 Diameter (mm): 20 Voltage In (Vdc): 3 Intensidad In (A): 0.35 Power (W): 1.25 Room Temperature (°C): -20~+40 Colour Temperature (°K): 2700 Lumen: 119 Angle (°): 25 Energy efficiency: A++ CRI (?): 80 Ingress Protection: IP20			
		  		

	LC0A01062W		1	16,76 €
	Led module KC01 350mA 1,25W 2700K lens 60°		10	15,24 €
	15cm red-black cable		20	13,85 €
	Anodized aluminum body and plastic nut. IP44 and any length of cable can be made on request. Mounting in a 17mm diameter hole with its thread.		100	13,20 €
	High (mm): 26 Diameter (mm): 20 Voltage In (Vdc): 3 Intensidad In (A): 0.35 Power (W): 1.25 Room Temperature (°C): -20~+40 Colour Temperature (°K): 2700 Lumen: 119 Angle (°): 60 Energy efficiency: A++ CRI (?): 80 Ingress Protection: IP20			
		  		

LED TECHNOLOGY > Led modules > Constant Current Led Modules





Subfamily **Contant Current Led Modules**





Picture	Article	Description	Lot	Price/Unit
	LC0A01063M		1	16,76 €
	Led module KC01 350mA 1,25W 3000K lens 45°		10	15,24 €
	15cm red-black cable		20	13,85 €
	Anodized aluminum body and plastic nut. IP44 and any length of cable can be made on request. Mounting in a 17mm diameter hole with its thread.		100	13,20 €
	High (mm): 26 Diameter (mm): 20 Voltage In (Vdc): 3 Intensidad In (A): 0.35 Power (W): 1.25 Room Temperature (°C): -20~+40 Colour Temperature (°K): 3000 Lumen: 123 Angle (°): 45 Energy efficiency: A++ CRI (?): 80 Ingress Protection: IP20			
		  		

	LC0A01063N		1	16,76 €
	Led module KC01 350mA 1,25W 3000K lens 25°		10	15,24 €
	15cm red-black cable		20	13,85 €
	Anodized aluminum body and plastic nut. IP44 and any length of cable can be made on request. Mounting in a 17mm diameter hole with its thread.		100	13,20 €
	High (mm): 26 Diameter (mm): 20 Voltage In (Vdc): 3 Intensidad In (A): 0.35 Power (W): 1.25 Room Temperature (°C): -20~+40 Colour Temperature (°K): 3000 Lumen: 123 Angle (°): 25 Energy efficiency: A++ CRI (?): 80 Ingress Protection: IP20			
		  		

LED TECHNOLOGY > Led modules > Constant Current Led Modules





Subfamily **Contant Current Led Modules**





Picture	Article	Description	Lot	Price/Unit
	LC0A01063W		1	16,76 €
	Led module KC01 350mA 1,25W 3000K lens 60°		10	15,24 €
	15cm red-black cable		20	13,85 €
	Anodized aluminum body and plastic nut. IP44 and any length of cable can be made on request. Mounting in a 17mm diameter hole with its thread.		100	13,20 €
	High (mm): 26 Diameter (mm): 20 Voltage In (Vdc): 3 Intensidad In (A): 0.35 Power (W): 1.25 Room Temperature (°C): -20~+40 Colour Temperature (°K): 3000 Lumen: 123 Angle (°): 60 Energy efficiency: A++ CRI (?): 80 Ingress Protection: IP20			
		  		

	LC0A01064M		1	16,76 €
	Led module KC01 350mA 1,25W 4000K lens 45°		10	15,24 €
	15cm red-black cable		20	13,85 €
	Anodized aluminum body and plastic nut. IP44 and any length of cable can be made on request. Mounting in a 17mm diameter hole with its thread.		100	13,20 €
	High (mm): 26 Diameter (mm): 20 Voltage In (Vdc): 3 Intensidad In (A): 0.35 Power (W): 1.25 Room Temperature (°C): -20~+40 Colour Temperature (°K): 4000 Lumen: 130 Angle (°): 45 Energy efficiency: A++ CRI (?): 80 Ingress Protection: IP20			
		  		

LED TECHNOLOGY > Led modules > Constant Current Led Modules





Subfamily **Contant Current Led Modules**





Picture	Article	Description	Lot	Price/Unit
	LC0A01064N		1	16,76 €
	Led module KC01 350mA 1,25W 4000K lens 25°		10	15,24 €
	15cm red-black cable		20	13,85 €
	Anodized aluminum body and plastic nut. IP44 and any length of cable can be made on request. Mounting in a 17mm diameter hole with its thread.		100	13,20 €
	High (mm): 26 Diameter (mm): 20 Voltage In (Vdc): 3 Intensidad In (A): 0.35 Power (W): 1.25 Room Temperature (°C): -20~+40 Colour Temperature (°K): 4000 Lumen: 130 Angle (°): 25 Energy efficiency: A++ CRI (?): 80 Ingress Protection: IP20			
		  		

	LC0A01064W		1	16,76 €
	Led module KC01 350mA 1,25W 4000K lens 60°		10	15,24 €
	15cm red-black cable		20	13,85 €
	Anodized aluminum body and plastic nut. IP44 and any length of cable can be made on request. Mounting in a 17mm diameter hole with its thread.		100	13,20 €
	High (mm): 26 Diameter (mm): 20 Voltage In (Vdc): 3 Intensidad In (A): 0.35 Power (W): 1.25 Room Temperature (°C): -20~+40 Colour Temperature (°K): 4000 Lumen: 130 Angle (°): 60 Energy efficiency: A++ CRI (?): 80 Ingress Protection: IP20			
		  		

LED TECHNOLOGY > Led modules > Constant Current Led Modules







Subfamily **Contant Current Led Modules**

Picture	Article	Description	Lot	Price/Unit
	LC0A01065M		1	16,76 €
	Led module KC01 350mA 1,25W 5000K lens 45°		10	15,24 €
	15cm red-black cable		20	13,85 €
	Anodized aluminum body and plastic nut. IP44 and any length of cable can be made on request. Mounting in a 17mm diameter hole with its thread.		100	13,20 €
	High (mm): 26 Diameter (mm): 20 Voltage In (Vdc): 3 Intensidad In (A): 0.35 Power (W): 1.25 Room Temperature (°C): -20~+40 Colour Temperature (°K): 5000 Lumen: 150 Angle (°): 45 Energy efficiency: A++ CRI (?): 80 Ingress Protection: IP20			
		  		

	LC0A01065N		1	16,76 €
	Led module KC01 350mA 1,25W 5000K lens 25°		10	15,24 €
	15cm red-black cable		20	13,85 €
	Anodized aluminum body and plastic nut. IP44 and any length of cable can be made on request. Mounting in a 17mm diameter hole with its thread.		100	13,20 €
	High (mm): 26 Diameter (mm): 20 Voltage In (Vdc): 3 Intensidad In (A): 0.5 Power (W): 1.25 Room Temperature (°C): -20~+40 Colour Temperature (°K): 5000 Lumen: 150 Angle (°): 25 Energy efficiency: A++ CRI (?): 80 Ingress Protection: IP20			
		  		



LED TECHNOLOGY > Led modules > Constant Current Led Modules

Subfamily **Contant Current Led Modules**

Picture	Article	Description	Lot	Price/Unit
	LC0A01065W		1	16,76 €
	Led module KC01 350mA 1,25W 5000K lens 60°		10	15,24 €
	15cm red-black cable		20	13,85 €
	Anodized aluminum body and plastic nut. IP44 and any length of cable can be made on request. Mounting in a 17mm diameter hole with its thread.		100	13,20 €
	High (mm): 26 Diameter (mm): 20 Voltage In (Vdc): 3 Intensidad In (A): 0.35 Power (W): 1.25 Room Temperature (°C): -20~+40 Colour Temperature (°K): 5000 Lumen: 150 Angle (°): 60 Energy efficiency: A++ CRI (?): 80 Ingress Protection: IP20			
	CE	 		
	LC0C01032M		1	19,05 €
	Led module KC02 350mA 1,25W 2700K 45° lens		10	17,32 €
	15cm red-black cable		20	15,74 €
	Anodized aluminum body and plastic nut. IP44 and any length of cable can be made on request. Mounting in a 30mm diameter hole with its thread.		100	14,99 €
	High (mm): 26,3 Diameter (mm): 33,5 Voltage In (Vdc): 3 Intensidad In (A): 0.35 Power (W): 1.25 Room Temperature (°C): -20~+40 Colour Temperature (°K): 2700 Lumen: 119 Angle (°): 45 Energy efficiency: A++ CRI (?): 80 Ingress Protection: IP20			
	CE	 		



LED TECHNOLOGY > Led modules > Constant Current Led Modules

Subfamily **Contant Current Led Modules**

Picture	Article	Description	Lot	Price/Unit
	LC0C01032N		1	19,05 €
	Led module KC02 350mA 1W 2700K 30° lens 15cm red-black cable		10	17,32 €
			20	15,74 €
			100	14,99 €
	Anodized aluminum body and plastic nut. IP44 and any length of cable can be made on request. Mounting in a 30mm diameter hole with its thread.			
	High (mm): 26,3 Diameter (mm): 33,5 Voltage In (Vdc): 3 Intensidad In (A): 0.35 Power (W): 1.25 Room Temperature (°C): -20~+40 Colour Temperature (°K): 2700 Lumen: 119 Angle (°): 30 Energy efficiency: A++ CRI (?): 80 Ingress Protection: IP20			
	CE		EW	
	LC0C01033M		1	19,05 €
	Led module KC02 350mA 1W 3000K lens 45° 15cm red-black cable		10	17,32 €
			20	15,74 €
			100	14,99 €
	Anodized aluminum body and plastic nut. IP44 and any length of cable can be made on request. Mounting in a 30mm diameter hole with its thread.			
	High (mm): 26,3 Diameter (mm): 33,5 Voltage In (Vdc): 3 Intensidad In (A): 0.35 Power (W): 1.25 Room Temperature (°C): -20~+40 Colour Temperature (°K): 3000 Lumen: 123 Angle (°): 45 Energy efficiency: A++ CRI (?): 80 Ingress Protection: IP20			
	CE		EW	







LED TECHNOLOGY > Led modules > Constant Current Led Modules

Subfamily **Contant Current Led Modules**

Picture	Article	Description	Lot	Price/Unit
	LC0C01033N		1	19,05 €
	Led module KC02 350mA 1W 3000K lens 30° 15cm red-black cable		10	17,32 €
			20	15,74 €
			100	14,99 €
	Anodized aluminum body and plastic nut. IP44 and any length of cable can be made on request. Mounting in a 30mm diameter hole with its thread.			
	High (mm): 26,3 Diameter (mm): 33,5 Voltage In (Vdc): 3 Intensidad In (A): 0.35 Power (W): 1.25 Room Temperature (°C): -20~+40 Colour Temperature (°K): 3000 Lumen: 130 Angle (°): 30 Energy efficiency: A++ CRI (?): 80 Ingress Protection: IP20			
	CE		EW	
	LC0C01034M		1	19,05 €
	Led module KC02 350mA 1W 4000K lens 45° 15cm red-black cable		10	17,32 €
			20	15,74 €
			100	14,99 €
	Anodized aluminum body and plastic nut. IP44 and any length of cable can be made on request. Mounting in a 30mm diameter hole with its thread.			
	High (mm): 26,3 Diameter (mm): 33,5 Voltage In (Vdc): 3 Intensidad In (A): 0.35 Power (W): 1.25 Room Temperature (°C): -20~+40 Colour Temperature (°K): 4000 Lumen: 130 Angle (°): 45 Energy efficiency: A++ CRI (?): 80 Ingress Protection: IP20			
	CE		EW	


LED TECHNOLOGY > Led modules > Constant Current Led Modules

Subfamily **Contant Current Led Modules**

Picture	Article	Description	Lot	Price/Unit
	LC0C01034N		1	19,05 €
	Led module KC02 350mA 1W 4000K 30° lens 15cm red-black cable		10	17,32 €
			20	15,74 €
			100	14,99 €
	Anodized aluminum body and plastic nut. IP44 and any length of cable can be made on request. Mounting in a 30mm diameter hole with its thread.			
	High (mm): 26,3 Diameter (mm): 33,5 Voltage In (Vdc): 3 Intensidad In (A): 0.35 Power (W): 1.25 Room Temperature (°C): -20~+40 Colour Temperature (°K): 4000 Lumen: 130 Angle (°): 30 Energy efficiency: A++ CRI (?): 80 Ingress Protection: IP20			
	CE	 		
	LC0C01035M		1	19,05 €
	Led module KC02 350mA 1W 5000K lens 45° 15cm red-black cable		10	17,32 €
			20	15,74 €
			100	14,99 €
	Anodized aluminum body and plastic nut. IP44 and any length of cable can be made on request. Mounting in a 30mm diameter hole with its thread.			
	High (mm): 26,3 Diameter (mm): 33,5 Voltage In (Vdc): 3 Intensidad In (A): 0.35 Power (W): 1.25 Room Temperature (°C): -20~+40 Colour Temperature (°K): 5000 Lumen: 150 Angle (°): 45 Energy efficiency: A++ CRI (?): 80 Ingress Protection: IP20			
	CE	 		

LED TECHNOLOGY > Led modules > Constant Current Led Modules

Subfamily **Contant Current Led Modules**

Picture	Article	Description	Lot	Price/Unit
	LC0C01035N		1	19,05 €
		Led module KC02 350mA 1W 5000K 30° lens 15cm red-black cable	10	17,32 €
			20	15,74 €
		Anodized aluminum body and plastic nut. IP44 and any length of cable can be made on request. Mounting in a 30mm diameter hole with its thread.	100	14,99 €
		High (mm): 26,3 Diameter (mm): 33,5 Voltage In (Vdc): 3 Intensidad In (A): 0.35 Power (W): 1.25 Room Temperature (°C): -20~+40 Colour Temperature (°K): 5000 Lumen: 150 Angle (°): 30 Energy efficiency: A++ CRI (?): 80 Ingress Protection: IP20		

