



Catalogue **HALOTEC HARDWARE**
 Line **Halotec Lamps**
 FAmily **LAMPES HALOGENES**
 Subfamily **Energy Saver Halogen R7s lamps**

Picture	Article	Description	Lot	Price/Unit
	E212008		1	1,41 €
	Linear bulb 118mm 230V 350W ENERGY SAVER		50	1,05 €
	Multiposition. Energy saving 30% .Requiere protection.		100	0,95 €
	Length (mm): 118 High (mm): 10 Colour: Warm White Voltage In (Vac): 230 Power (W): 350 Colour Temperature (°K): 2900 Lumen: 7400 Socket: R7s Energy efficiency: C Kwh/1000h: 350 Life (Hours): 2000 Power factor: 1.00 Switching cycle (≥): 50000 Warm-up time up to 60% of the full light output (sec): 0.0 Lumen maintenance factor at the end of the nominal li fe: 0.80 Starting time (seg): 0.0			




Subfamily **Energy Saver Halogen R7s lamps**

Picture	Article	Description	Lot	Price/Unit
	E211003		1	1,47 €
		Linear lamp 78mm 230V 80W Energy saver	50	1,09 €
		Average lifetime 2000 hours. Multipositions. 30 % Energy saver, protection required	100	0,99 €
		Length (mm): 78 Colour: Warm White Voltage In (Vac): 230 Power (W): 80 Colour Temperature (°K): 2900 Lumen: 1400 Socket: R7s Energy efficiency: C Kwh/1000h: 80 Life (Hours): 2000 Power factor: 1,00 Switching cycle (?): 50000 Warm-up time up to 60% of the full light output (sec): 0,0 Lumen maintenance factor at the end of the nominal life: 0,80 Starting time (seg): 0,0		



Subfamily **Energy Saver Halogen R7s lamps**

Picture	Article	Description	Lot	Price/Unit
	E211002		1	1,41 €
	Linear lamp 78mm 230V 100W Energy Saver		50	1,05 €
	Average life 1000 hours. Multiposition. Energy saving 30% .requiredprotection.		100	0,95 €
	Length (mm): 78 Colour: Warm White Voltage In (Vac): 230 Power (W): 105 Colour Temperature (°K): 2900 Lumen: 1900 Socket: R7s Energy efficiency: C Kwh/1000h: 105 Life (Hours): 2000 Power factor: 1,00 Switching cycle (?): 50000 Warm-up time up to 60% of the full light output (sec): 0,0 Lumen maintenance factor at the end of the nominal li fe: 0,80 Starting time (seg): 0,0			

