



Catalogue **LED TECHNOLOGY**  
 Line **Flexible Led Strips and accessories**  
 FAmily **Flexible Led Strips IP62-IP63**  
 Subfamily **Flexible Led Strips IP62-IP63 24V**

| Picture   | Article  | Description | Lot | Price/Unit |
|---|--|-------------|-----|------------|
|  | LFD224042  |             | 1   | 31,33 €    |
|   | Flexible Led strip 5m SMD2835-60led/m. IP62 24V  |             | 5   | 28,52 €    |
|   | 4,8W/m - 24W 2700K   |             | 10  | 27,12 €    |
|   | Total number LED 300. Divisible every 10cm in modules of 6 (1 LED each 16,6mm). With adhesive.CRI>80<br><br>Length (mm): 5000 Width (mm): 8 High (mm): 3<br>Colour: White PCB Voltage In (Vdc): 24<br>Intensidad In (A): 2 Power (W/m): 4.8<br>Temperature (°C): -20+50<br>Room Temperature (°C): -20~+50<br>Colour Temperature (°K): 2700 Lumen/meter: 377<br>Angle (°): 120 CRI (≥): 80 Life (Hours): 50000<br>Ingress Protection: IP62 Dimmable: SI |             |     |            |




Subfamily **Flexible Led Strips IP62-IP63 24V**

| Picture   | Article   | Description | Lot | Price/Unit |
|---|---|-------------|-----|------------|
|  | LFD224043                                       |             | 1   | 31,33 €    |
|   | Flexible Led strip 5m SMD2835-60led/m. IP62 24V |             | 5   | 28,52 €    |
|   | 4,8W/m - 24W 3000K                              |             | 10  | 27,12 €    |

Total number LED 300. Divisible every 10cm in modules of 6 (1 LED each 16,6mm). With adhesive.CRI>80

Length (mm): 5000 Width (mm): 8 High (mm): 3  
 Colour: White PCB Voltage In (Vdc): 24  
 Intensidad In (A): 2 Power (W/m): 4.8  
 Temperature (°C): -20+50  
 Room Temperature (°C): -20~+50  
 Colour Temperature (°K): 3000 Lumen/meter: 384  
 Angle (°): 120 CRI (?): 80 Life (Hours): 50000  
 Ingress Protection: IP62 Dimmable: SI




|   |   |  |    |         |
|---|---|--|----|---------|
|  | LFD224044                                       |  | 1  | 31,23 € |
|   | Flexible Led strip 5m SMD2835-60led/m. IP62 24V |  | 5  | 28,43 € |
|   | 4,8W/m - 24W 4000K                              |  | 10 | 27,03 € |

Total number LED 300. Divisible every 10cm in modules of 6 (1 LED each 16,6mm). With adhesive.CRI>80

Length (mm): 5000 Width (mm): 8 High (mm): 3  
 Colour: White PCB Voltage In (Vdc): 24  
 Intensidad In (A): 2 Power (W): 4.8  
 Temperature (°C): -20+50  
 Room Temperature (°C): -20~+50  
 Colour Temperature (°K): 4000 Lumen/meter: 408  
 Angle (°): 120 CRI (?): 80 Life (Hours): 50000  
 Ingress Protection: IP62 Dimmable: SI



Subfamily **Flexible Led Strips IP62-IP63 24V**

| Picture   | Article  | Description | Lot | Price/Unit |
|---|--|-------------|-----|------------|
|  | LFD224045                                      |             | 1   | 31,23 €    |
|   | Flexible Led strip5m SMD2835-60led/m. IP62 24V |             | 5   | 28,43 €    |
|   | 4,8W/m - 24W 5000K                             |             | 10  | 27,03 €    |

Total number LED 300. Divisible every 10cm in modules of 6 (1 LED each 16,6mm). With adhesive.CRI>80

Length (mm): 5000 Width (mm): 8 High (mm): 3  
 Colour: White PCB Voltage In (Vdc): 24  
 Intensidad In (A): 2 Power (W/m): 4.8  
 Temperature (°C): -20+50  
 Room Temperature (°C): -20~+50  
 Colour Temperature (°K): 5000 Lumen/meter: 432  
 Angle (°): 120 CRI (?): 80 Life (Hours): 50000  
 Ingress Protection: IP62 Dimmable: SI




|   |   |  |    |         |
|---|---|--|----|---------|
|  | LFD224092                                       |  | 1  | 45,25 € |
|   | Flexible Led strip5m SMD2835-120led/m. IP62 24V |  | 5  | 41,17 € |
|   | 9,6W/m - 48W 2700K                              |  | 10 | 39,21 € |

Total number of led 600. Divisible in modules of 6 Led each 5cm, (one led every 8.3mm). With adhesive

Length (mm): 5000 Width (mm): 8 High (mm): 3  
 Colour: White PCB Voltage In (Vdc): 24  
 Intensidad In (A): 2 Power (W/m): 9.6  
 Temperature (°C): -20+50  
 Room Temperature (°C): -20~+50  
 Colour Temperature (°K): 2700 Lumen/meter: 754  
 Angle (°): 120 CRI (?): 80 Life (Hours): 50000  
 Ingress Protection: IP62 Dimmable: SI



Subfamily **Flexible Led Strips IP62-IP63 24V**

| Picture   | Article   | Description | Lot | Price/Unit |
|---|---|-------------|-----|------------|
|  | LFD224093                                       |             | 1   | 45,24 €    |
|   | Flexible Led strip5m SMD2835-120led/m. IP62 24V |             | 5   | 41,16 €    |
|   | 9,6W/m - 48W 3000K                              |             | 10  | 39,20 €    |

Total number of led 600. Divisible in modules of 6 Led each 5cm, (one led every 8.3mm). With adhesive

Length (mm): 5000 Width (mm): 8 High (mm): 3  
 Colour: White PCB Voltage In (Vdc): 24  
 Intensidad In (A): 2 Power (W/m): 9.6  
 Temperature (°C): -20+50  
 Room Temperature (°C): -20~+50  
 Colour Temperature (°K): 3000 Lumen/meter: 768  
 Angle (°): 120 CRI (?): 80 Life (Hours): 50000  
 Ingress Protection: IP62 Dimmable: SI




|   |   |  |    |         |
|---|---|--|----|---------|
|  | LFD224094                                       |  | 1  | 45,24 € |
|   | Flexible Led strip5m SMD2835-120led/m. IP62 24V |  | 5  | 41,16 € |
|   | 9,6W/m - 48W 4000K                              |  | 10 | 39,20 € |

Total number of led 600. Divisible in modules of 6 Led each 5cm, (one led every 8.3mm). With adhesive

Length (mm): 5000 Width (mm): 8 High (mm): 3  
 Colour: White PCB Voltage In (Vdc): 24  
 Intensidad In (A): 2 Power (W/m): 9.6  
 Temperature (°C): -20+50  
 Room Temperature (°C): -20~+50  
 Colour Temperature (°K): 4000 Lumen/meter: 816  
 Angle (°): 120 CRI (?): 80 Life (Hours): 50000  
 Ingress Protection: IP62 Dimmable: SI



Subfamily **Flexible Led Strips IP62-IP63 24V**

| Picture   | Article   | Description | Lot | Price/Unit |
|---|---|-------------|-----|------------|
|  | LFD224095                                       |             | 1   | 45,24 €    |
|   | Flexible Led strip5m SMD2835-120led/m. IP62 24V |             | 5   | 41,16 €    |
|   | 9,6W/m - 48W 5000K                              |             | 10  | 39,20 €    |

Total number of led 600. Divisible in modules of 6 Led each 5cm, (one led every 8.3mm). With adhesive

Length (mm): 5000 Width (mm): 8 High (mm): 3  
 Colour: White PCB Voltage In (Vdc): 24  
 Intensidad In (A): 2 Power (W/m): 9.6  
 Temperature (°C): -20+50  
 Room Temperature (°C): -20~+50  
 Colour Temperature (°K): 5000 Lumen/meter: 864  
 Angle (°): 120 CRI (?): 80 Life (Hours): 50000  
 Ingress Protection: IP62 Dimmable: SI




|   |   |  |    |         |
|---|---|--|----|---------|
|  | LFD224142                                       |  | 1  | 57,46 € |
|   | Flexible Led strip5m SMD2835-180led/m. IP62 24V |  | 5  | 52,26 € |
|   | 14,4W/m - 72W 2700K                             |  | 10 | 49,73 € |

Total number of led 900. Divisible in modules of 6 Led each 3,3cm, (one led every 5,6mm). With adhesive

Length (mm): 5000 Width (mm): 10 High (mm): 3  
 Colour: White PCB Voltage In (Vdc): 24  
 Intensidad In (A): 2 Power (W/m): 14.4  
 Temperature (°C): -20+50  
 Room Temperature (°C): -20~+50  
 Colour Temperature (°K): 2700 Lumen/meter: 1130  
 Angle (°): 120 CRI (?): 80 Life (Hours): 50000  
 Ingress Protection: IP62 Dimmable: SI



Subfamily **Flexible Led Strips IP62-IP63 24V**

| Picture   | Article   | Description | Lot | Price/Unit |
|---|---|-------------|-----|------------|
|  | LFD224143                                       |             | 1   | 57,46 €    |
|   | Flexible Led strip5m SMD2835-180led/m. IP62 24V |             | 5   | 52,26 €    |
|   | 14,4W/m - 72W 3000K                             |             | 10  | 49,73 €    |

Total number of led 900. Divisible in modules of 6 Led each 3,3cm, (one led every 5,6mm). With adhesive

Length (mm): 5000 Width (mm): 10 High (mm): 3  
 Colour: White PCB Voltage In (Vdc): 24  
 Intensidad In (A): 2 Power (W/m): 14.4  
 Temperature (°C): -20+50  
 Room Temperature (°C): -20~+50  
 Colour Temperature (°K): 3000 Lumen/meter: 1152  
 Angle (°): 120 Life (Hours): 50000  
 Ingress Protection: IP62 Dimmable: SI




|   |   |  |    |         |
|---|---|--|----|---------|
|  | LFD224144                                       |  | 1  | 57,46 € |
|   | Flexible Led strip5m SMD2835-180led/m. IP62 24V |  | 5  | 52,26 € |
|   | 14,4W/m - 72W 4000K                             |  | 10 | 49,73 € |

Total number of led 900. Divisible in modules of 6 Led each 3,3cm, (one led every 5,6mm). With adhesive

Length (mm): 5000 Width (mm): 10 High (mm): 3  
 Colour: White PCB Voltage In (Vdc): 24  
 Intensidad In (A): 2 Power (W/m): 14.4  
 Temperature (°C): -20+50  
 Room Temperature (°C): -20~+50  
 Colour Temperature (°K): 4000 Lumen/meter: 1224  
 Angle (°): 120 CRI (?): 80 Life (Hours): 50000  
 Ingress Protection: IP62 Dimmable: SI



Subfamily **Flexible Led Strips IP62-IP63 24V**

| Picture   | Article   | Description | Lot | Price/Unit |
|---|---|-------------|-----|------------|
|  | LFD224145                                       |             | 1   | 57,46 €    |
|   | Flexible Led strip5m SMD2835-180led/m. IP62 24V |             | 5   | 52,26 €    |
|   | 14,4W/m - 72W 5000K                             |             | 10  | 49,73 €    |

Total number of led 900. Divisible in modules of 6 Led each 3,3cm, (one led every 5,6mm). With adhesive

Length (mm): 5000 Width (mm): 10 High (mm): 3  
 Colour: White PCB Voltage In (Vdc): 24  
 Intensidad In (A): 2 Power (W/m): 14.4  
 Temperature (°C): -20+50  
 Room Temperature (°C): -20~+50  
 Colour Temperature (°K): 5000 Lumen/meter: 1296  
 Angle (°): 120 CRI (?): 80 Life (Hours): 50000  
 Ingress Protection: IP62 Dimmable: SI



|  |   |  |    |         |
|--|---|--|----|---------|
|  | LFD524061A  |  | 1  | 48,75 € |
|  | Flexible Led strip 5m IP65 24V 72W 3000K Warm white |  | 5  | 44,25 € |
|  |   |  | 10 | 42,15 € |

Total number of led 300. Divisible in modules of 6 every 10cm, (one LED each 16.6mm). With adhesive. CRI> 80

Length (mm): 5000 Width (mm): 9 High (mm): 3  
 Colour: White PCB Voltage In (Vdc): 24  
 Intensidad In (A): 3 Power (W/m): 14.4  
 Temperature (°C): -20+50  
 Room Temperature (°C): -20~+50  
 Colour Temperature (°K): 3000 Lumen/meter: 1104  
 Angle (°): 120 CRI (?): 80 Life (Hours): 50000  
 Ingress Protection: IP62 Dimmable: SI



Subfamily **Flexible Led Strips IP62-IP63 24V**

| Picture | Article  | Description | Lot | Price/Unit |
|---------|--|-------------|-----|------------|
|         | LFD524062  |             | 1   | 48,75 €    |
|         | Flexible Led strip 5m IP65 24V 72W 4000K Neutral white |             | 5   | 44,25 €    |
|         |  |             | 10  | 42,15 €    |

Total number of led 300. Divisible in modules of 3 every 5cm, (one LED each 16.6mm). With adhesive. CRI> 80



Length (mm): 5000 Width (mm): 9 High (mm): 3  
 Colour: White PCB Voltage In (Vdc): 24  
 Intensidad In (A): 3 Power (W/m): 14.4  
 Temperature (°C): -20+50  
 Room Temperature (°C): -20~+50  
 Colour Temperature (°K): 4000 Lumen/meter: 1175  
 Angle (°): 120 CRI (?): 80 Life (Hours): 50000  
 Ingress Protection: IP62 Dimmable: SI



|  |  |  |    |         |
|--|--|--|----|---------|
|  | LFD524063                              |  | 1  | 52,96 € |
|  | Flexible Led Strip 5m IP65 24V 72W RGB |  | 5  | 48,19 € |
|  |  |  | 10 | 45,94 € |

IP62 coating. Adhesive on back




Length (mm): 5000 Width (mm): 10 High (mm): 3  
 Colour: White PCB Voltage In (Vdc): 24  
 Intensidad In (A): 6 Power (W/m): 14.4  
 Temperature (°C): -20+50  
 Room Temperature (°C): -20~+50 Angle (°): 120  
 CRI (?): 90 Life (Hours): 50000  
 Ingress Protection: IP62 Dimmable: SI






Subfamily **Flexible Led Strips IP62-IP63 24V**

| Picture  | Article  | Description | Lot | Price/Unit |
|--|--|-------------|-----|------------|
|  | LFDW524192   |             | 1   | 101,28 €   |
|  | Flexible led strip 5m SMD5050-60led IP62 24V 19.2W |             | 5   | 92,01 €    |
|  | / m 96W 2700K RGB                                  |             | 10  | 87,66 €    |

Total number of led 300. Divisible in modules of 6 Led every 10cm, (one led every 16.7mm). With adhesive

Length (mm): 5000 Width (mm): 12 High (mm): 3,2  
 Colour: White PCB Voltage In (Vdc): 24  
 Intensidad In (A): 2 Power (W): 19.2  
 Temperature (°C): -20+50  
 Room Temperature (°C): -20~+50  
 Colour Temperature (°K): 2700 Angle (°): 120  
 CRI (?): 90 Life (Hours): 50000  
 Ingress Protection: IP62 Dimmable: SI




|  |  |  |    |          |
|--|--|--|----|----------|
|  | LFDW524193   |  | 1  | 101,28 € |
|  | Flexible led strip 5m SMD5050-60led IP62 24V 19.2W |  | 5  | 92,01 €  |
|  | / m 96W 3000K RGB                                  |  | 10 | 87,66 €  |

Total number of led 300. Divisible in modules of 6 Led every 10cm, (one led every 16.7mm). With adhesive

Length (mm): 5000 Width (mm): 12 High (mm): 3,2  
 Colour: White PCB Voltage In (Vdc): 24  
 Intensidad In (A): 2 Power (W/m): 19.2  
 Temperature (°C): -20+50  
 Room Temperature (°C): -20~+50  
 Colour Temperature (°K): 3000 Angle (°): 120  
 CRI (?): 90 Life (Hours): 50000  
 Ingress Protection: IP62 Dimmable: SI




Subfamily **Flexible Led Strips IP62-IP63 24V**

| Picture  | Article  | Description | Lot | Price/Unit |
|--|--|-------------|-----|------------|
|  | LFDW524194                                       |             | 1   | 101,28 €   |
|  | Flexible led strip 5m SMD5050-60led / m IP62 24V |             | 5   | 92,01 €    |
|  | 19.2W/m 96W 4000K RGB                            |             | 10  | 87,66 €    |

Total number of led 300. Divisible in modules of 6 Led every 10cm, (one led every 16.7mm). With adhesive

Length (mm): 5000 Width (mm): 12 High (mm): 3,2  
 Colour: White PCB Voltage In (Vdc): 24  
 Intensidad In (A): 2 Power (W/m): 19.2  
 Temperature (°C): -20+50  
 Room Temperature (°C): -20~+50  
 Colour Temperature (°K): 4000 Angle (°): 120  
 CRI (?): 90 Life (Hours): 50000  
 Ingress Protection: IP62 Dimmable: SI




|  |  |  |    |          |
|--|--|--|----|----------|
|  | LFDW524195                                       |  | 1  | 101,28 € |
|  | Flexible led strip 5m SMD5050-60led / m IP62 24V |  | 5  | 92,01 €  |
|  | 19.2W/m 96W 5000K RGB                            |  | 10 | 87,66 €  |

Total number of led 300. Divisible in modules of 6 Led every 10cm, (one led every 16.7mm). With adhesive

Length (mm): 5000 Width (mm): 12 High (mm): 3,2  
 Colour: White PCB Voltage In (Vdc): 24  
 Intensidad In (A): 2 Power (W/m): 19.2  
 Temperature (°C): -20+50  
 Room Temperature (°C): -20~+50  
 Colour Temperature (°K): 5000 Angle (°): 120  
 CRI (?): 90 Life (Hours): 50000  
 Ingress Protection: IP62 Dimmable: SI



Subfamily **Flexible Led Strips IP62-IP63 24V**


| Picture   | Article   | Description | Lot | Price/Unit |
|---|---|-------------|-----|------------|
|  | LFT224190                                       |             | 1   | 85,51 €    |
|   | Flexible led strip 5m CCT SMD2835-120led/m.IP62 |             | 5   | 77,74 €    |
|   | 24V 19.2W/m 2700-6000K                          |             | 10  | 74,04 €    |

Total number of led 600. Divisible in modules of 6 each 5cm (one led every 8.3mm). With adhesive.

Length (mm): 5000 Width (mm): 10 High (mm): 1,4  
 Colour: White PCB Voltage In (Vdc): 24  
 Intensidad In (A): 2 Power (W/m): 19.2  
 Temperature (°C): -20+50  
 Room Temperature (°C): -20~+50  
 Colour Temperature (°K): 2700~6000  
 Lumen/meter: 830 Angle (°): 120 CRI (?): 90  
 Life (Hours): 50000 Ingress Protection: IP62  
 Dimmable: SI




Subfamily **Flexible Led Strips IP62-IP63 24V**

| Picture   | Article  | Description | Lot | Price/Unit |
|---|--|-------------|-----|------------|
|  | LFT524140                                      |             | 1   | 51,14 €    |
|   | Flexible led strip 5m CCT SMD5050-60led/m.IP62 |             | 5   | 46,50 €    |
|   | 24V 14.4W/m 2700-6000K                         |             | 10  | 44,25 €    |

Total number of led 300. Divisible in modules of 6 Led each 10cm, (one led every 16.7mm). With adhesive.

Length (mm): 5000 Width (mm): 10 High (mm): 2,1  
 Colour: White PCB Voltage In (Vdc): 24  
 Intensidad In (A): 2 Power (W/m): 14.4  
 Temperature (°C): -20+50  
 Room Temperature (°C): -20~+50  
 Colour Temperature (°K): 2700~6000  
 Lumen/meter: 590 Angle (°): 120 CRI (?): 90  
 Life (Hours): 50000 Ingress Protection: IP62  
 Dimmable: SI



|  |   |  |    |         |
|--|---|--|----|---------|
|  | LFD524060   |  | 1  | 48,75 € |
|  | Flexible Led strip 5m IP65 24V 72W 6000K Cool white |  | 5  | 44,25 € |
|  |   |  | 10 | 42,15 € |


Total number LED 300. Divisible every 10cm in modules of 6 (1 LED each 16,6mm). With adhesive.CRI>80

Length (mm): 5000 Width (mm): 9 High (mm): 3  
 Colour: White PCB Voltage In (Vdc): 24  
 Intensidad In (A): 3 Power (W/m): 14.4  
 Temperature (°C): -20+50  
 Room Temperature (°C): -20~+50  
 Colour Temperature (°K): 6000 Lumen/meter: 1248  
 Angle (°): 120 CRI (?): 80 Life (Hours): 50000  
 Ingress Protection: IP62 Dimmable: SI



LED TECHNOLOGY > Flexible Led Strips and accessories > Flexible Led Strips IP62-IP63

Subfamily **Flexible Led Strips IP62-IP63 24V**

| Picture  | Article   | Description  | Lot | Price/Unit |
|--|---|--|-----|------------|
|  | LFD524061   |  | 1   | 48,75 €    |
|  | Flexible Led strip 5m IP65 24V 72W 2700K Warm white |  | 5   | 44,25 €    |
|  |   |  | 10  | 42,15 €    |
|  |   | Total number LED 300. Divisible every 10cm in modules of 6 (1 LED each 16,6mm). With adhesive.CRI>80   |     |            |
|  |   | Length (mm): 5000 Width (mm): 9 High (mm): 3<br>Colour: White PCB Voltage In (Vdc): 24<br>Intensidad In (A): 3 Power (W/m): 14.4<br>Temperature (°C): -20+50<br>Room Temperature (°C): -20~+50<br>Colour Temperature (°K): 2700 Lumen/meter: 1090<br>Angle (°): 120 CRI (?): 80 Life (Hours): 50000<br>Ingress Protection: IP62 Dimmable: SI |     |            |

