








Catalogue **ELECTRICAL EQUIPMENT**
 Line **Lampholders**
 FAmily **Halogen Lampholders Low Voltage**
 Subfamily **G4 Lampholder Screws**

Picture	Article	Description	Lot	Price/Unit
	996040S		1	0,91 €
	Halogen lampholder A60 40cm Silicone T180°		100	0,81 €
	Material PPS, with 40cm cable Silicone 0,75mm2 T180°C . Fixing holes M3		500	0,78 €
		Length (mm): 16 Width (mm): 26 High (mm): 8,7 Section (mm2): 0,75 Voltage In (Vdc): 24 Intensidad In (A): 4 Temperature (°C): 180-250 Socket: G4		
				
	996050S		1	0,91 €
	Halogen lampholder A60 50cm Silicone T180°		100	0,81 €
	Material PPS, with 50cm cable Silicone 0,75mm2 T180°C. Fixing holes M3		500	0,78 €
		Length (mm): 16 Width (mm): 16 High (mm): 8,7 Section (mm2): 0,75 Voltage In (Vdc): 24 Intensidad In (A): 4 Temperature (°C): 180-250 Socket: G4		
				


ELECTRICAL EQUIPMENT > Lampholders > Halogen Lampholders Low Voltage

Subfamily **G4 Lampholder Screws**

Picture	Article	Description	Lot	Price/Unit
	996080S		1	1,07 €
	Halogen lampholder A60 80cm Silicone T180°		100	0,95 €
	Material PPS, with 80cm cable Silicone 0,75mm2 T180°C. Fixing holes M3		500	0,92 €
	Length (mm): 16 Width (mm): 26 High (mm): 8,7 Section (mm2): 0,75 Voltage In (Vdc): 24 Intensidad In (A): 4 Temperature (°C): 180-250 Socket: G4			
				
	AR3701012		1	0,87 €
	Lampholder low voltage 5420/SIL75/12,5cm		50	0,5405 €
	Material PPS with 12,5cm Silicone cable 0.75mm2		500	0,4225 €
	1500		0,3871 €	
	Length (mm): 16 Width (mm): 26 High (mm): 8 Section (mm2): 0,75 Colour: Black Voltage In (Vdc/ac): 24 Intensidad In (A): 4 Temperature (°C): 180-220 Socket: G4			

ELECTRICAL EQUIPMENT > Lampholders > Halogen Lampholders Low Voltage

Subfamily G4 Lampholder Screws

Picture	Article	Description	Lot	Price/Unit
	AR3701016		1	0,83 €
		Lampholder low voltage 5420/SIL75/16cm	50	0,5213 €
		Material PPS with 16 cm Silicone cable 0.75mm2	500	0,4073 €
			1500	0,3748 €

Length (mm): 16 Width (mm): 26 High (mm): 8
 Section (mm2): 0,75 Colour: Black
 Voltage In (Vdc/ac): 24 Intensidad In (A): 4
 Temperature (°C): 180-220 Socket: G4

