


Catalogue **ELECTRICAL EQUIPMENT**

Line **Lampholders**


Family **Halogen Lampholder for mains**

Subfamily **Gu10 Halogens Lampholder**

Picture	Article	Description	Lot	Price/Unit
	AR3360250	Lampholder 5500GU/FPFP20/25cm	500	1,30 €
		With 25cm Teflon FEP double insulation cable AWG20 High (mm): 22 Diameter (mm): 28 Section (mm2): 0,61 Colour: Esteatita Voltage In (Vac): 250 Intensidad In (A): 4 Temperature (°C): 180-250 Socket: GU10 Reference: 019931		

arditi

ERIC


	AR3360252	Lampholder 5500GU mounted on bracket	1	3,64 €
		SQ22/FPFP20/25cm	10	2,29 €
		Fitted on bracket M10x1, with 25cm Teflon FEP double insulation cable AWG20	500	1,76 €
			1500	1,72 €
		High (mm): 37 Diameter (mm): 28 Section (mm2): 0,61 Colour: Esteatita Voltage In (Vac): 250 Intensidad In (A): 4 Temperature (°C): 180-250 Socket: GU10 Reference: 028399		

arditi

ERIC

ELECTRICAL EQUIPMENT > Lampholders > Halogen Lampholder for mains

Subfamily **Gu10 Halogens Lampholder**

Picture	Article	Description	Lot	Price/Unit
	AR3510250		1	1,85 €
	Lampholder 5510GU/SIL75/25cm		10	1,16 €
	With 25cm Silicone cable 0.75mm2		500	0,90 €
			1500	0,87 €
	High (mm): 16 Diameter (mm): 28 Section (mm2): 0,75 Colour: Esteatita Voltage In (Vac): 250 Intensidad In (A): 4 Temperature (°C): 180-250 Socket: GU10			
	Reference: 023179			




	AR3510600		1	2,38 €
	Lampholder 5510GU/SIL75/60cm		10	1,48 €
	With 60cm silicone cable 0.75mm2		500	1,14 €
			1500	1,11 €
	High (mm): 16 Diameter (mm): 28 Section (mm2): 0,75 Colour: Esteatita Voltage In (Vac): 250 Intensidad In (A): 4 Temperature (°C): 180-250 Socket: GU10			
	Reference: 025180			



ELECTRICAL EQUIPMENT > Lampholders > Halogen Lampholder for mains

Subfamily **Gu10 Halogens Lampholder**

Picture	Article	Description	Lot	Price/Unit
	AR3540250		1	2,21 €
		Lampholder 5510GU/TF20/25cm	10	1,38 €
		With 25cm Teflon FEP cable AWG20	500	1,07 €
			1500	1,03 €
		High (mm): 16 Diameter (mm): 28 Section (mm2): 0,61 Colour: Esteatita Voltage In (Vac): 250 Intensidad In (A): 4 Temperature (°C): 180-250 Socket: GU10 Reference: 019501		

