




Catalogue **STEAB ACCESORIES**Line **STEAB insulating fittings**FAMILY **STEAB Lighting**Subfamily **Junction Boxes For Class I and II**See complete section of the catalogue from the manufacturer [here.](#)

| Picture   | Article      | Description  | Lot  | Price/Unit |
|---|--------------|--|------|------------|
|   | 16559003     |  | 1    | 0,5199 €   |
|   | 5590/02//122 | Junction box bipolar Nylon66-AE white  | 50   | 0,26 €     |
|   |              | Supplied without connectors, resistant to glow wire test 850°  | 250  | 0,1487 €   |
|   |              |  | 1250 | 0,1377 €   |
|   |              | Length (mm): 36,2 Width (mm): 17 High (mm): 9<br>Colour: White Ingress Protection: IP20  |      |            |
|  | 16559007     |  | 1    | 1,08 €     |
|   | 5590/4//122  | Connection box bipolar Nylon66-AE white  | 50   | 0,73 €     |
|   |              | 5290/90 insulation sleeves, cab. max 1.5mm2  | 250  | 0,4984 €   |
|   |              | "2x1.5mm2. input Cab.Connection.No 5290/90 sleeves, cab. H03 / H05 Ø max 6.5mm. Double isolation barrier.Output Cab: H03 / H05 Ø 6.5mm max. Double isolation | 1250 | 0,4616 €   |
|   |              | Colour: White Voltage In (Vac): 250<br>Intensidad In (A): 4 Temperature (°C): 110  |      |            |

STEAB ACCESORIES > STEAB insulating fittings > STEAB Lighting


**Subfamily Junction Boxes For Class I and II**

| Picture   | Article        | Description                        | Lot  | Price/Unit |
|---|----------------|------------------------------------|------|------------|
|  | 16559008       |                                    | 1    | 0,2575 €   |
|   | 5590/01 // 122 | Terminal holder for connection box | 50   | 0,1287 €   |
|   | Nylon66-AE     |                                    | 250  | 0,0736 €   |
|   |                |                                    | 1250 | 0,0681 €   |

For class II, WITHOUT mounted connection terminals, for 1.5 mm cable. Terminal code 16566403.

Length (mm): 36,2 Width (mm): 26,4 High (mm): 5,9  
Colour: White Ingress Protection: IP20



|   |              |  |      |          |
|---|--------------|--|------|----------|
|  | 16559302     |  | 1    | 1,08 €   |
|   | 5593/2///122 | Junction box tripolar 3x1,5 Nylon66-AE | 50   | 0,73 €   |
|   | white        |  | 250  | 0,4978 € |
|   |              |  | 1250 | 0,4609 € |




For class I. Without rubber tube and assembled connectors, wire test resistant 850th incandescente



Length (mm): 39 Width (mm): 30 High (mm): 9  
Colour: White Voltage In (Vac): 250  
Intensidad In (A): 4 Ingress Protection: IP20



STEAB ACCESORIES > STEAB insulating fittings > STEAB Lighting




**Subfamily Junction Boxes For Class I and II**



| Picture  | Article  | Description | Lot  | Price/Unit |
|--|--|-------------|------|------------|
|   | 16559303   |             | 1    | 1,42 €     |
|  | 5593/4 /// 122 3x1.5 3-pole connection box with Nylon66-AE sleeve  |             | 50   | 0,95 €     |
|  |  |             | 250  | 0,65 €     |
|  |  |             | 1250 | 0,5984 €   |
|  | For class I. With rubber tube and assembled connectors, wire test resistant 850h   |             |      |            |
|  | Length (mm): 132 Width (mm): 30 High (mm): 9<br>Colour: White Voltage In (Vac): 250<br>Intensidad In (A): 4 Ingress Protection: IP20 |             |      |            |
|  |   |             |      |            |

|   |  |  |     |        |
|---|--|--|-----|--------|
|  | 16563701   |  | 1   | 4,54 € |
|   | 5637/////222 Junction box for Class I Nylon66-AE black   |  | 10  | 3,34 € |
|   |  |  | 100 | 2,54 € |
|   |  |  | 500 | 2,35 € |
|   | For unipolar or double insulation cable, equipped with 5 connectors not assembled  |  |     |        |
|   | Length (mm): 53,5 Width (mm): 40 High (mm): 11,6<br>Colour: Black Voltage In (Vac): 250<br>Intensidad In (A): 4 Ingress Protection: IP20 |  |     |        |
|  |   |  |     |        |

STEAB ACCESORIES > STEAB insulating fittings > STEAB Lighting


**Subfamily Junction Boxes For Class I and II**

| Picture  | Article   | Description | Lot | Price/Unit |
|--|---|-------------|-----|------------|
|   | 16563702  |             | 1   | 1,59 €     |
|  | 5637/1 /// 222 5p strip for class I Nylon66-AE Black  |             | 10  | 1,17 €     |
|  |   |             | 100 | 0,88 €     |
|  | For class I. For unipolar cable or hose, provided with 5 disassembled connectors  |             | 500 | 0,85 €     |
|  | Length (mm): 53,5 Width (mm): 39 High (mm): 9,7<br>Colour: Black Voltage In (Vac): 250<br>Intensidad In (A): 4 Ingress Protection: IP20 |             |     |            |
|  |    |             |     |            |

|   |  |  |      |          |
|---|--|--|------|----------|
|  | 16566403   |  | 1    | 0,60 €   |
|   | 5664/34 // 100 1.5 mm brass connector for connection box                                     |  | 100  | 0,2402 € |
|   |  |  | 500  | 0,1374 € |
|   | For bipolar or tripolar connection boxes.  |  | 2500 | 0,1269 € |
|   | Length (mm): 10 Width (mm): 3,8 High (mm): 4,7<br>Voltage In (Vac): 250 Intensidad In (A): 4 |  |      |          |
|  |  |  |      |          |

STEAB ACCESORIES &gt; STEAB insulating fittings &gt; STEAB Lighting

Subfamily **Junction Boxes For Class I and II**

| Picture   | Article   | Description   | Lot  | Price/Unit |
|---|-----------|---|------|------------|
|  | 16568305  |   | 1    | 0,2187 €   |
|   | 5683/47/2 | fixing bolt Nylon PA66-AE White   | 100  | 0,0880 €   |
|   |           | thickness 1.4 / 2.6mm.  | 1000 | 0,0503 €   |
|   |           | Length (mm): 8 Width (mm): 5,5 High (mm): 8<br>Diameter (mm): 4,7 Colour: White | 5000 | 0,0464 €   |
|   |           |   |      |            |

