







Catalogue **STEAB ACCESORIES**Line **STEAB insulating fittings**FAMILY **STEAB Lighting**Subfamily **Junction Boxes For Class I and II**See complete section of the catalogue from the manufacturer [here.](#)

Picture	Article	Description	Lot	Price/Unit
	16559003		1	0,5199 €
	5590/02//122	Junction box bipolar Nylon66-AE white	50	0,26 €
		Supplied without connectors, resistant to glow wire test 850°	250	0,1487 €
			1250	0,1377 €
		Length (mm): 36,2 Width (mm): 17 High (mm): 9 Colour: White Ingress Protection: IP20		
				
	16559007		1	1,08 €
	5590/4//122	Connection box bipolar Nylon66-AE white	50	0,73 €
		5290/90 insulation sleeves, cab. max 1.5mm ²	250	0,4984 €
		"2x1.5mm ² . input Cab.Connection.No 5290/90 sleeves, cab. H03 / H05 Ø max 6.5mm. Double isolation barrier.Output Cab: H03 / H05 Ø 6.5mm max. Double isolation	1250	0,4616 €
	Colour: White Voltage In (Vac): 250 Intensidad In (A): 4 Temperature (°C): 110			
				
				

STEAB ACCESORIES > STEAB insulating fittings > STEAB Lighting


Subfamily Junction Boxes For Class I and II

Picture	Article	Description	Lot	Price/Unit
	16559008		1	0,2575 €
	5590/01 // 122 Terminal holder for connection box Nylon66-AE		50	0,1287 €
			250	0,0736 €
			1250	0,0681 €

For class II, WITHOUT mounted connection terminals, for 1.5 mm cable. Terminal code 16566403.

Length (mm): 36,2 Width (mm): 26,4 High (mm): 5,9
Colour: White Ingress Protection: IP20



	16559302		1	1,08 €
	5593/2///122 Junction box tripolar 3x1,5 Nylon66-AE white		50	0,73 €
			250	0,4978 €
			1250	0,4609 €


For class I. Without rubber tube and assembled connectors, wire test resistant 850th incandescente

Length (mm): 39 Width (mm): 30 High (mm): 9
Colour: White Voltage In (Vac): 250
Intensidad In (A): 4 Ingress Protection: IP20




STEAB ACCESORIES > STEAB insulating fittings > STEAB Lighting

Subfamily Junction Boxes For Class I and II

Picture	Article	Description	Lot	Price/Unit
	16559303		1	1,42 €
	5593/4 /// 122 3x1.5 3-pole connection box with Nylon66-AE sleeve		50	0,95 €
			250	0,65 €
	For class I.With rubber tube and assembled connectors, wire test resistant 850h		1250	0,5984 €
	Length (mm): 132 Width (mm): 30 High (mm): 9 Colour: White Voltage In (Vac): 250 Intensidad In (A): 4 Ingress Protection: IP20			








	16563701		1	4,54 €
	5637/////222 Junction box for Class I Nylon66-AE black		10	3,34 €
			100	2,54 €
	For unipolar or double insulation cable, equipped with 5 connectors not assembled		500	2,35 €
	Length (mm): 53,5 Width (mm): 40 High (mm): 11,6 Colour: Black Voltage In (Vac): 250 Intensidad In (A): 4 Ingress Protection: IP20			



STEAB ACCESORIES > STEAB insulating fittings > STEAB Lighting

Subfamily Junction Boxes For Class I and II

Picture	Article	Description	Lot	Price/Unit
	16563702		1	1,59 €
	5637/1 /// 222 5p strip for class I Nylon66-AE Black		10	1,17 €
			100	0,88 €
	For class I. For unipolar cable or hose, provided with 5 disassembled connectors		500	0,85 €
	Length (mm): 53,5 Width (mm): 39 High (mm): 9,7 Colour: Black Voltage In (Vac): 250 Intensidad In (A): 4 Ingress Protection: IP20			
				

	16566403		1	0,60 €
	5664/34 // 100 1.5 mm brass connector for connection box		100	0,2402 €
			500	0,1374 €
	For bipolar or tripolar connection boxes.		2500	0,1269 €
	Length (mm): 10 Width (mm): 3,8 High (mm): 4,7 Voltage In (Vac): 250 Intensidad In (A): 4			
				

STEAB ACCESORIES > STEAB insulating fittings > STEAB Lighting

Subfamily **Junction Boxes For Class I and II**

Picture	Article	Description	Lot	Price/Unit
	16568305		1	0,2187 €
	5683/47/2	fixing bolt Nylon PA66-AE White	100	0,0880 €
		thickness 1.4 / 2.6mm.	1000	0,0503 €
		Length (mm): 8 Width (mm): 5,5 High (mm): 8	5000	0,0464 €
		Diameter (mm): 4,7 Colour: White		

