










Catalogue **ELECTRICAL EQUIPMENT**
 Line **Lampholders**
 FAmily **Halogen Lampholders Low Voltage**
 Subfamily **Lampholders Without Tower G4-Gx5.3-G6.35-Gy6.35**




Picture	Article	Description	Lot	Price/Unit
	92P650T		1	1,08 €
	lampholder P65 20cm teflon low voltage T180 th		100	0,86 €
	Steatite with 20cm cable Teflon FEP AWG20 Bases : G5.3, GX5.3. IP20		1000	0,78 €
	High (mm): 10,2 Diameter (mm): 17 Voltage In (Vdc): 24 Intensidad In (A): 8 Temperature (°C): 180-250			
				

	AR4240168		1	1,69 €
	Lampholder Low Tension 5311/GU/TF20/16 cm		500	1,31 €
	With support GU and 16cm Teflon FEP AWG20 cable		1500	1,29 €
	High (mm): 9 Diameter (mm): 17 Section (mm2): 0,61 Colour: Esteatita Voltage In (Vdc/ac): 24 Intensidad In (A): 10 Temperature (°C): 180-300			
		Reference: 025582		


ELECTRICAL EQUIPMENT > Lampholders > Halogen Lampholders Low Voltage

Subfamily Lampholders Without Tower G4-Gx5.3-G6.35-Gy6.35

Picture	Article	Description	Lot	Price/Unit
	AR4240400		1	1,48 €
	Lampholder Low Tension 5311/TF20/40 cm		500	1,16 €
	With 40cm Teflon FEP AWG20 cable, pins G4 GZ4(4A/24V) GX5.3 G6.35 GY6.35		1500	1,11 €
		High (mm): 9 Diameter (mm): 17 Section (mm2): 0,61 Colour: Esteatita Voltage In (Vdc/ac): 24 Intensidad In (A): 10 Temperature (°C): 180-300		
				

	AR4240600		1	3,47 €
	Lampholder low voltage 5311/TF20/60cm		50	2,17 €
	With 60cm Teflon FEP AWG20 cable, pins G4 GZ4(4A/24V) GX5.3 G6.35 GY6.35		1000	1,64 €
		High (mm): 9 Diameter (mm): 17 Section (mm2): 0,61 Colour: Esteatita Voltage In (Vdc/ac): 24 Intensidad In (A): 10 Temperature (°C): 180-300		
		Reference: 023834		
				

Subfamily Lampholders Without Tower G4-Gx5.3-G6.35-Gy6.35

Picture	Article	Description	Lot	Price/Unit
	AR4241750		1	5,98 €
	Lampholder low voltage5311/TF20/175cm		50	3,73 €
	With 175m Teflon FEP AWG20 cable, pins G4		500	2,91 €
	GZ4(4A/24V) GX5.3 G6.35 GY6.35		1000	2,82 €
		High (mm): 9 Diameter (mm): 17 Section (mm2): 0,61 Colour: Esteatita Voltage In (Vdc/ac): 24 Intensidad In (A): 10 Temperature (°C): 180-300		






	AR4242000		1	7,38 €
	Lampholder Low Tension 5311/TF20/200 cm		50	4,62 €
	With 200cm Teflon FEP AWG20 cable, pins G4		500	3,60 €
	GZ4(4A/24V) GX5.3 G6.35 GY6.35		1000	3,50 €
		High (mm): 9 Diameter (mm): 17 Section (mm2): 0,61 Colour: Esteatita Voltage In (Vdc/ac): 24 Intensidad In (A): 10 Temperature (°C): 180-300		
		Reference: 025598		



ELECTRICAL EQUIPMENT > Lampholders > Halogen Lampholders Low Voltage


Subfamily **Lampholders Without Tower G4-Gx5.3-G6.35-Gy6.35**

Picture	Article	Description	Lot	Price/Unit
	AR4242150		1	9,41 €
	Lampholder Low Tension 5311/TF20/215 cm		10	5,89 €
	With 215cm Teflon FEP AWG20 cable, pins G4		100	4,62 €
	GZ4(4A/24V) GX5.3 G6.35 GY6.35		500	4,47 €
	High (mm): 9 Diameter (mm): 17 Section (mm2): 0,61 Colour: Esteatita Voltage In (Vdc/ac): 24 Intensidad In (A): 10 Temperature (°C): 180-300			
				

	AR4242200		1	7,90 €
	Lampholder low voltage 5311/TF20/220cm		10	4,93 €
	With 220cm Teflon FEP AWG20 cable, pins G4		100	3,86 €
	GZ4(4A/24V) GX5.3 G6.35 GY6.35		500	3,73 €
	High (mm): 9 Diameter (mm): 17 Section (mm2): 0,61 Colour: Esteatita Voltage In (Vdc/ac): 24 Intensidad In (A): 10 Temperature (°C): 180-300			
				


ELECTRICAL EQUIPMENT > Lampholders > Halogen Lampholders Low Voltage

Subfamily Lampholders Without Tower G4-Gx5.3-G6.35-Gy6.35

Picture	Article	Description	Lot	Price/Unit
	AR4110120		1	0,72 €
	Lampholder Low Tension 5310/5/SIL75/12,5 cm		500	0,56 €
	With 12,5cm Silicone cable 0,75mm2		1500	0,5437 €

High (mm): 9 Diameter (mm): 17 Section (mm2): 0,75
 Colour: Esteatita Voltage In (Vdc/ac): 24
 Intensidad In (A): 4 Temperature (°C): 180-300




	AR4110160		1	1,17 €
	Lampholder low voltage 5310/5/SIL75/16cm		50	0,73 €
	With 16cm Silicone cable 0,75mm2		1000	0,5742 €

High (mm): 9 Diameter (mm): 17 Section (mm2): 0,75
 Colour: Esteatita Voltage In (Vdc/ac): 24
 Intensidad In (A): 4 Temperature (°C): 180-300




ELECTRICAL EQUIPMENT > Lampholders > Halogen Lampholders Low Voltage

Subfamily **Lampholders Without Tower G4-Gx5.3-G6.35-Gy6.35**

Picture	Article	Description	Lot	Price/Unit
	AR4140200		1	0,85 €
		lampholder Low Tension 5310/5/TF20/20 cm	500	0,66 €
		With 20cm Teflon FEP AWG20 cable		

High (mm): 9 Diameter (mm): 17 Section (mm2): 0,61
 Colour: Esteatita Voltage In (Vdc/ac): 24
 Intensidad In (A): 4 Temperature (°C): 180-300




	AR4140300		1	1,24 €
		Lampholder Low Tension 5310/5/TF20/30 cm	500	0,95 €
		With 30cm Teflon FEP AWG20 cable	1500	0,92 €

High (mm): 9 Diameter (mm): 17 Section (mm2): 0,61
 Colour: Esteatita Voltage In (Vdc/ac): 24
 Intensidad In (A): 4 Temperature (°C): 180-300




Subfamily Lampholders Without Tower G4-Gx5.3-G6.35-Gy6.35

Picture	Article	Description	Lot	Price/Unit
	AR4140302		1	1,57 €
	Lampholder Low Tension 5310/TF20/30 cm		50	0,99 €
			100	0,83 €
	With 30cm Silicone cable 0,75mm2		500	0,81 €

High (mm): 9 Diameter (mm): 17 Section (mm2): 0,61
 Colour: Esteatita Voltage In (Vdc/ac): 24
 Intensidad In (A): 4 Temperature (°C): 180-300




	AR4140400		1	1,26 €
	Low voltage lamp holder 5310/5/TF20/40 cm		500	0,98 €
	With 40cm Teflon FEP cable AWG20. G5.3-GX5.3 socket			

High (mm): 9 Diameter (mm): 17 Section (mm2): 0,61
 Colour: Esteatita Voltage In (Vdc/ac): 24
 Intensidad In (A): 4 Temperature (°C): 180-300




ELECTRICAL EQUIPMENT > Lampholders > Halogen Lampholders Low Voltage

Subfamily Lampholders Without Tower G4-Gx5.3-G6.35-Gy6.35

Picture	Article	Description	Lot	Price/Unit
	AR4141600		1	3,38 €
		Low voltage lamp holder 5310/5/TF20/160 cm	500	2,65 €
		With 160cm Teflon FEP cable AWG20. G5.3-GX5.3 socket		
		High (mm): 9 Diameter (mm): 17 Section (mm2): 0,61 Colour: Esteatita Voltage In (Vdc/ac): 24 Intensidad In (A): 4 Temperature (°C): 180-300		




	AR4141750		1	6,29 €
		Lampholder low voltage 5310/5/TF20/175cm	50	3,94 €
		With 175cm Teflon FEP AWG20 cable	1000	3,00 €
		High (mm): 9 Diameter (mm): 17 Section (mm2): 0,61 Colour: Esteatita Voltage In (Vdc/ac): 24 Intensidad In (A): 4 Temperature (°C): 180-300		




ELECTRICAL EQUIPMENT > Lampholders > Halogen Lampholders Low Voltage

Subfamily Lampholders Without Tower G4-Gx5.3-G6.35-Gy6.35

Picture	Article	Description	Lot	Price/Unit
	AR4142200		1	3,76 €
		Low voltage lamp holder 5310/5/TF20/220 cm	500	2,95 €
		With 200cm Teflon FEP cable AWG20. G5.3-GX5.3 socket		
		High (mm): 9 Diameter (mm): 17 Section (mm2): 0,61 Colour: Esteatita Voltage In (Vdc/ac): 24 Intensidad In (A): 4 Temperature (°C): 180-300		





	AR4150750		1	5,58 €
		Lampholder low voltage 5310/5/TFA/75 cm	50	3,48 €
		Mounted with 75cm Teflon cable.	100	2,70 €
			500	2,64 €
		Voltage In (Vdc/ac): 24 Intensidad In (A): 4 Temperature (°C): 180-300		



ELECTRICAL EQUIPMENT > Lampholders > Halogen Lampholders Low Voltage


Subfamily Lampholders Without Tower G4-Gx5.3-G6.35-Gy6.35

Picture	Article	Description	Lot	Price/Unit
	AR41A0300		1	1,20 €
	Lampholder low voltage 5310/5/PTFE/30 cm		100	1,00 €
	Mounted with 75cm Teflon cable.		500	0,96 €
	Voltage In (Vdc/ac): 24 Intensidad In (A): 4 Temperature (°C): 250-300			


	AR4310120		1	1,59 €
	Lampholder low voltage 5320/SIL75/12,5cm		50	0,98 €
	With 12,5cm Silicone cable 0,75mm ² , pins G4 GZ4(4A/24V) GX5.3 G6.35 GY6.35		500	0,76 €
	Length (mm): 16 Width (mm): 26 High (mm): 8 Section (mm ²): 0,75 Colour: Esteatita Voltage In (Vdc/ac): 24 Intensidad In (A): 10 Temperature (°C): 180-300		1000	0,74 €



Subfamily Lampholders Without Tower G4-Gx5.3-G6.35-Gy6.35


Picture	Article	Description	Lot	Price/Unit
	AR4310200		1	1,04 €
	Lampholder Low Tension 5320/SIL75/20 cm		500	0,82 €
	With 20cm Silicone cable 0,75mm2, pins G4 GZ4(4A/24V) GX5.3 G6.35 GY6.35		1500	0,79 €
		Length (mm): 16 Width (mm): 26 High (mm): 8 Section (mm2): 0,75 Colour: Esteatita Voltage In (Vdc/ac): 24 Intensidad In (A): 4 Temperature (°C): 180-300		




	AR4310250		1	1,78 €
	Lampholder low voltage 5320/SIL75/25cm		50	1,11 €
	With 25cm Silicone cable 0,75mm2, pins G4 GZ4(4A/24V) GX5.3 G6.35 GY6.35		1000	0,85 €
		Length (mm): 16 Width (mm): 26 High (mm): 8 Section (mm2): 0,75 Colour: Esteatita Voltage In (Vdc/ac): 24 Intensidad In (A): 10 Temperature (°C): 180-300		



Subfamily **Lampholders Without Tower G4-Gx5.3-G6.35-Gy6.35**

Picture	Article	Description	Lot	Price/Unit
	AR4310300		1	1,92 €
	Lampholder Low Tension 5320/SIL75/30 cm		50	1,21 €
	With 30cm Silicone cable 0,75mm2, pins G4		500	0,94 €
	GZ4(4A/24V) GX5.3 G6.35 GY6.35		1000	0,91 €
		Length (mm): 16 Width (mm): 26 High (mm): 8 Section (mm2): 0,75 Colour: Esteatita Voltage In (Vdc/ac): 24 Intensidad In (A): 10 Temperature (°C): 180-300		




	AR4310800		1	2,29 €
	Lampholder low voltage 5320/SIL75/8 cm		50	1,42 €
	With 80cm Silicone cable 0,75mm2, pins G4		500	1,09 €
	GZ4(4A/24V) GX5.3 G6.35 GY6.35		1000	1,05 €
		Length (mm): 16 Width (mm): 26 High (mm): 8 Section (mm2): 0,75 Colour: Esteatita Voltage In (Vdc/ac): 24 Intensidad In (A): 10 Temperature (°C): 180-300		




ELECTRICAL EQUIPMENT > Lampholders > Halogen Lampholders Low Voltage

Subfamily Lampholders Without Tower G4-Gx5.3-G6.35-Gy6.35

Picture	Article	Description	Lot	Price/Unit
	AR4312000		1	5,28 €
	Lampholder low voltage 5320/SIL75/200cm		50	3,29 €
	With 200cm Silicone cable 0,75mm2, pins G4		250	2,57 €
	GZ4(4A/24V) GX5.3 G6.35 GY6.35		500	2,52 €
	Length (mm): 16 Width (mm): 26 High (mm): 8 Section (mm2): 0,75 Colour: Esteatita Voltage In (Vdc/ac): 24 Intensidad In (A): 10 Temperature (°C): 180-300			







arditi
LIGHTING INNOVATION



	994118T		1	0,96 €
	Halogen Lampholder A41 T180 ° 18 cm Teflon		500	0,87 €
	Steatite. With 18cm cable Teflon FEP AWG20. Bases:		1000	0,83 €
	G4, G6.35, GU5.3, GX5.3, GY6.35.			
	High (mm): 9,5 Diameter (mm): 17 Voltage In (Vdc): 24 Intensidad In (A): 10 Temperature (°C): 180-300			



Subfamily Lampholders Without Tower G4-Gx5.3-G6.35-Gy6.35

Picture	Article	Description	Lot	Price/Unit
	994198T		1	3,46 €
	Halogen Lampholder A41 T180 ° 160 cm Teflon		500	3,15 €
	Steatite. With 160cm cable Teflon FEP AWG20. Bases: G4, G6.35, GU5.3, GX5.3, GY6.35.		1000	3,00 €
		High (mm): 9,5 Diameter (mm): 17 Voltage In (Vdc): 24 Intensidad In (A): 10 Temperature (°C): 180-300		
	<hr/>			
	994250T		1	1,82 €
	Halogen Lampholder A41 T180 ° 40 cm Teflon with bracket		500	1,66 €
	Steatite. With 50cm cable Teflon FEP AWG20. Bases: G4, G6.35, GU5.3, GX5.3, GY6.35. with bracket		1000	1,55 €
		Length (mm): 32 Width (mm): 21,5 High (mm): 11 Voltage In (Vdc): 24 Intensidad In (A): 10 Temperature (°C): 180-300		
	<hr/>			
	994260T		1	1,99 €
	Halogen lampholder 60 cm + stand A41 T180 ° Teflon		500	1,82 €
	Steatite. With 60cm cable Teflon FEP AWG20. Bases: G4, G6.35, GU5.3, GX5.3, GY6.35. with bracket		1000	1,74 €
		Length (mm): 32 Width (mm): 21,5 High (mm): 11 Voltage In (Vdc): 24 Intensidad In (A): 10 Temperature (°C): 180-300		
	<hr/>			