




Catalogue **ELECTRICAL EQUIPMENT**
 Line **Lampholders**
 Family **Fluorescent Lampholders**
 Subfamily **Lampsholders for Fluorescent Lamps G24-Gx24**



Picture	Article	Description	Lot	Price/Unit
	9201630		1	0,2337 €
		Dome for A50 G24 Lampholder	1000	0,1869 €
		Material PA66 25% Fiber glass T140° Fixation to lampholder by pressure, thread M10x1	3000	0,1781 €
		High (mm): 15 Diameter (mm): 37 Colour: White Temperature (°C): 140		
				

	920163Z		1	0,2867 €
		Dome for A50 G24 Lampholder- anti-twist screw.	1000	0,2293 €
		Material PA66 25%Fiber glass T140° Fixing to lampholder by pressure,thread M10x1 anti-rotation screw	3000	0,2184 €
		High (mm): 15 Diameter (mm): 37 Colour: White Temperature (°C): 140		
				




ELECTRICAL EQUIPMENT > Lampholders > Fluorescent Lampholders




Subfamily Lampsholders for Fluorescent Lamps G24-Gx24

Picture	Article	Description	Lot	Price/Unit
	9201640		1	0,1411 €
	G24 lampholder adapter		1000	0,1128 €
	Material PA66 25% Fiber glass fixation by pressure		3000	0,1074 €
	High (mm): 5 Diameter (mm): 37 Colour: White Temperature (°C): 140			
				

	9201660		1	0,1576 €
	G24 lampholder adapter		1000	0,1260 €
	Material PA66 25% Fiber glass, fixation by pression, rectangular basis to be embed in hole 20x10mm		3000	0,12 €
	High (mm): 12,5 Diameter (mm): 37 Colour: White Temperature (°C): 140			
				


Subfamily **Lampsholders for Fluorescent Lamps G24-Gx24**

Picture	Article	Description	Lot	Price/Unit
	92A50D1		1	0,98 €
	lampholder G24d-1 A50 2A/250V		25	0,78 €
	For rigid 0,5-1mm ² or flexible cables with brass terminal, anti-rotation system		400	0,74 €
		High (mm): 30,5 Diameter (mm): 40 Colour: White Voltage In (Vac): 250 Intensidad In (A): 2 Temperature (°C): 140 Connection: Automatic Socket: G24d-1		
				


	92A50D2		1	0,98 €
	lampholder G24d-2 A50 2A/250V		25	0,78 €
	For rigid 0,5-1mm ² or flexible cables with brass terminal, anti-rotation system		400	0,74 €
		High (mm): 30,5 Diameter (mm): 40 Colour: White Voltage In (Vac): 250 Intensidad In (A): 2 Temperature (°C): 140 Connection: Automatic Socket: G24d-2		
				

ELECTRICAL EQUIPMENT > Lampholders > Fluorescent Lampholders

Subfamily **Lampholders for Fluorescent Lamps G24-Gx24**


Picture	Article	Description	Lot	Price/Unit
	92A50Q2		1	1,34 €
	lampholder G24q-2 A50 2A/250V		25	1,08 €
	For rigid 0,5-1mm2 or flexible cables with brass terminal, anti-rotation system		400	0,98 €
		High (mm): 30,5 Diameter (mm): 40 Colour: White Voltage In (Vac): 250 Intensidad In (A): 2 Temperature (°C): 140 Connection: Automatic Socket: G24q-2		




	AR4410030		1	0,67 €
	Lampholder 721A G24 d-3		500	0,5212 €
	Fixing with M3 screws or model 100 caps. For rigid cables of 0.5-1mm2.		1000	0,5060 €
		High (mm): 30 Diameter (mm): 40 Colour: White Voltage In (Vac): 500 Intensidad In (A): 2 Temperature (°C): 140 Connection: Automatic Socket: G24d-3		



Subfamily **Lampsholders for Fluorescent Lamps G24-Gx24**

Picture	Article	Description	Lot	Price/Unit
	AR4410060		1	0,78 €
	Lampholder 721A G24 q-3		500	0,61 €
	Fixing with M3 screws or model 100 caps. For rigid cables of 0.5-1mm2.		1000	0,5944 €
		High (mm): 30 Diameter (mm): 40 Colour: White Voltage In (Vac): 500 Intensidad In (A): 2 Temperature (°C): 140 Connection: Automatic Socket: G24q-3		




	AR4420010		1	0,65 €
	Lampholder 721A G24 d-1		500	0,5106 €
	With antirotation pins, fixation by M3 screws or cover 100 for rigid cables 0,5-1mm2		1500	0,4958 €
		High (mm): 30 Diameter (mm): 40 Colour: White Voltage In (Vac): 500 Intensidad In (A): 2 Temperature (°C): 140 Connection: Automatic Socket: G24d-1		




ELECTRICAL EQUIPMENT > Lampholders > Fluorescent Lampholders

Subfamily Lampholders for Fluorescent Lamps G24-Gx24


Picture	Article	Description	Lot	Price/Unit
	AR4420020		1	0,65 €
	Lampholder 721A G24 d-2		500	0,5106 €
		With antirotation pins, fixation by M3 screws or cover 100 for rigid cables 0,5-1mm2	1500	0,4958 €
		High (mm): 30 Diameter (mm): 40 Colour: White Voltage In (Vac): 500 Intensidad In (A): 2 Temperature (°C): 140 Connection: Automatic Socket: G24d-2		




	AR4420040		1	0,78 €
	Lampholder 721A G24 q-1		500	0,61 €
		With antirotation pins, fixation by M3 screws or cover 100 for rigid cables 0,5-1mm2	1500	0,5901 €
		High (mm): 30 Diameter (mm): 40 Colour: White Voltage In (Vac): 500 Intensidad In (A): 2 Temperature (°C): 140 Connection: Automatic Socket: G24q-1		
		Reference: 027353		



Subfamily **Lampsholders for Fluorescent Lamps G24-Gx24**




Picture	Article	Description	Lot	Price/Unit
	AR4420050		1	0,77 €
	Lampholder 721A G24 q-2		500	0,60 €
	With antirotation pins, fixation by M3 screws or cover 100 for rigid cables 0,5-1mm2		1500	0,5840 €
	High (mm): 30 Diameter (mm): 40 Colour: White Voltage In (Vac): 500 Intensidad In (A): 2 Temperature (°C): 140 Connection: Automatic Socket: G24q-2			






	AR4420060		1	0,78 €
	Lampholder 721A G24 q-3		500	0,61 €
	With antirotation pins, fixation by M3 screws or cover 100 for rigid cables 0,5-1mm2		1500	0,5940 €
	High (mm): 30 Diameter (mm): 40 Colour: White Voltage In (Vac): 500 Intensidad In (A): 2 Temperature (°C): 140 Connection: Automatic Socket: G24q-3			




Subfamily **Lampsholders for Fluorescent Lamps G24-Gx24**

Picture	Article	Description	Lot	Price/Unit
	AR4420091		1	0,91 €
	Lampholder 721A G24 q-6		500	0,71 €
	With antirotation pins, fixation by M3 screws or cover 100 for rigid cables 0,5-1mm2		1500	0,69 €
	High (mm): 30 Diameter (mm): 40 Colour: White Voltage In (Vac): 500 Intensidad In (A): 2 Temperature (°C): 140 Connection: Automatic Socket: G24q-6			
				
				


	AR4420092		1	0,91 €
	Lampholder 721A G24 q-7		500	0,71 €
	With antirotation pins, fixation by M3 screws or cover 100 for rigid cables 0,5-1mm2		1500	0,69 €
	High (mm): 30 Diameter (mm): 40 Colour: White Voltage In (Vac): 500 Intensidad In (A): 2 Temperature (°C): 140 Connection: Automatic Socket: G24q-7			
				
				

ELECTRICAL EQUIPMENT > Lampholders > Fluorescent Lampholders

Subfamily Lampholders for Fluorescent Lamps G24-Gx24

Picture	Article	Description	Lot	Price/Unit
	AR4430010		1	0,62 €
	Lampholder 724 G24 d-1		500	0,4879 €
	Snap-in hole 20x10mm, thickness 0,6-1mm2 for rigid cables 0,5-1mm2		1500	0,4737 €
		High (mm): 30 Diameter (mm): 40 Colour: White Voltage In (Vac): 500 Intensidad In (A): 2 Temperature (°C): 140 Connection: Automatic Socket: G24d-1		




	AR4430020		1	0,62 €
	Lampholder 724 G24 d-2		500	0,4879 €
	Snap-in hole 20x10mm, thickness 0,6-1mm2 for rigid cables 0,5-1mm2		1500	0,4737 €
		High (mm): 30 Diameter (mm): 40 Colour: White Voltage In (Vac): 500 Intensidad In (A): 2 Temperature (°C): 140 Connection: Automatic Socket: G24d-2		




ELECTRICAL EQUIPMENT > Lampholders > Fluorescent Lampholders

Subfamily **Lampholders for Fluorescent Lamps G24-Gx24**

Picture	Article	Description	Lot	Price/Unit
	AR4430050		1	0,83 €
	Lampholder 724 G24 q-2		500	0,65 €
	Snap-in hole 20x10mm, thickness 0,6-1mm2 for rigid cables 0,5-1mm2		1500	0,63 €
		High (mm): 30 Diameter (mm): 40 Colour: White Voltage In (Vac): 500 Intensidad In (A): 2 Temperature (°C): 140 Connection: Automatic Socket: G24q-2		



	AR4430060		1	0,83 €
	Lampholder 724 G24 q-3		500	0,65 €
	Snap-in hole 20x10mm, thickness 0,6-1mm2 for rigid cables 0,5-1mm2		1500	0,63 €
		High (mm): 30 Diameter (mm): 40 Colour: White Voltage In (Vac): 500 Intensidad In (A): 2 Temperature (°C): 140 Connection: Automatic Socket: G24q-3		



ELECTRICAL EQUIPMENT > Lampholders > Fluorescent Lampholders

Subfamily **Lampholders for Fluorescent Lamps G24-Gx24**

Picture	Article	Description	Lot	Price/Unit
	E724D13	Lampholder G24d-1 anti-rotation	1	0,3093 €
		With pins anti-rotation, for rigid cables 0,5-1mm2 M40x2,5	500 2000	0,2761 € 0,2401 €
		High (mm): 30,5 Diameter (mm): 40 Colour: White Voltage In (Vac): 250 Intensidad In (A): 2 Temperature (°C): 140 Connection: Automatic Socket: G24d-1		
				
	E724D18	Lampholder G24d-2 anti-rotation	1	0,3093 €
		With pins anti-rotation, for rigid cables 0,5-1mm2 M40x2,5	500 2000	0,2761 € 0,2401 €
		High (mm): 31,5 Diameter (mm): 40 Colour: White Voltage In (Vac): 250 Intensidad In (A): 2 Temperature (°C): 140 Connection: Automatic Socket: G24d-2		
				
	E724D26	Lampholder G24d-3 anti-rotation	1	0,3093 €
		With pins anti-rotation, for rigid cables 0,5-1mm2 M40x2,5	500 2000	0,2761 € 0,2401 €
		High (mm): 32,5 Diameter (mm): 40 Colour: White Voltage In (Vac): 250 Intensidad In (A): 2 Temperature (°C): 140 Connection: Automatic Socket: G24d-3		
				