


Catalogue **HALOTEC HARDWARE**


Line **Halotec Lighting**

FAMILY **Led Luminaires**

Subfamily **LED Projectors**


Picture	Article	Description	Lot	Price/Unit
	SK09402		1	10,79 €
	Spotlight LED 10W 3000K black		10	9,36 €
			20	8,45 €
	20leds SMD 5730			
		Length (mm): 135 Width (mm): 115 High (mm): 40 Colour: Black Voltage In (Vac): 85~265 Power (W): 10 Colour Temperature (°K): 3000 Lumen: 800 Angle (°): 120 Energy efficiency: A - A++ CRI (≥): 80 Life (Hours): 50000 Ingress Protection: IP65 Power factor: 0.90		



	SK09403		1	17,55 €
	Spotlight LED 20W 5000K black		10	15,21 €
			20	13,78 €
	40leds SMD 5730			
		Length (mm): 183 Width (mm): 155 High (mm): 47 Colour: Black Voltage In (Vac): 85~265 Power (W): 20 Colour Temperature (°K): 5000 Lumen: 1600 Angle (°): 120 Energy efficiency: A - A++ CRI (≥): 80 Life (Hours): 50000 Ingress Protection: IP65 Power factor: 0.90		



Subfamily **LED Projectors**

Picture	Article	Description	Lot	Price/Unit
	SK09405		1	24,31 €
	Spotlight LED 30W 5000K black		10	21,19 €
	60leds SMD 5730		20	18,85 €
		Length (mm): 230 Width (mm): 190 High (mm): 54 Colour: Black Voltage In (Vac): 85~265 Power (W): 30 Colour Temperature (°K): 5000 Lumen: 2400 Angle (°): 120 Energy efficiency: A - A++ CRI (?): 80 Life (Hours): 50000 Ingress Protection: IP65 Power factor: 0.90		




	SK09407		1	37,96 €
	Spotlight LED 50W 5000K black		8	33,15 €
	100leds SMD 5730		16	28,73 €
		Length (mm): 285 Width (mm): 240 High (mm): 70 Colour: Black Voltage In (Vac): 85~265 Power (W): 50 Colour Temperature (°K): 5000 Lumen: 4000 Angle (°): 120 Energy efficiency: A - A++ CRI (?): 80 Life (Hours): 50000 Ingress Protection: IP65		



HALOTEC HARDWARE > Halotec Lighting > Led Luminaires

Subfamily **LED Projectors**

Picture	Article	Description	Lot	Price/Unit
	SK09408		1	37,96 €
	Spotlight LED 50W 3000K black		8	33,15 €
	100leds SMD 5730		16	28,73 €
	Length (mm): 285 Width (mm): 240 High (mm): 70 Colour: Black Voltage In (Vac): 85~265 Power (W): 50 Colour Temperature (°K): 3000 Lumen: 4000 Angle (°): 120 Energy efficiency: A - A++ CRI (?): 80 Life (Hours): 50000 Ingress Protection: IP65 Power factor: 0.9			

