


Catalogue **LED TECHNOLOGY**Line **Led modules**FAMILY **Led Lumens Modules**Subfamily **EggDrop G-series**

COB modules mains voltage 120V (UL) and 230V (EC) potencias 4 to 40W. CRI 80 and 90. T Color from 2700K to 600K. With automatic connectors .compatible with most existing TRIAC dimmer in the market .Optionally with LED Holder (Zhaga compliant) and Thermal pad connectors to distribute heat over the entire surface..


see manual application [aquí.](#)

see manual product [aquí.](#)


Picture	Article	Description	Lot	Price/Unit
	LUE47108302A		1	10,66 €
	Led Cob EDC/47C/10W/830/230V/A101		9	8,91 €
	Automatic connectors Dimmable with most Triac dimmers. SDCM 3. Assembly holes Zhaga standars.		180	8,45 €
		High (mm): 4,8 Diameter (mm): 47 Voltage In (Vac): 230 Intensidad In (A): 0.043 Frecuency (Hz): 50~60 Power (W): 10 Temperature (°C): -40+85 Room Temperature (°C): -40~+85 Critical Temperature (°C): 85 Colour Temperature (°K): 3000 Lumen: 1150 Angle (°): 120 Energy efficiency: A+ CRI (≥): 80 Life (Hours): 50000 Dimmable: Corte inicio o fin de fase Power factor: >0,99		



Subfamily **EggDrop G-series**

Picture	Article	Description	Lot	Price/Unit
	LUE47108402A		1	10,66 €
	Led Cob EDC/47C/10W/840/230V/A101		9	8,91 €
	Automatic connectors Dimmable with most Triac dimmers. SDCM 3. Assembly holes Zhaga standards.		180	8,45 €
	High (mm): 4,8 Diameter (mm): 47 Voltage In (Vac): 230 Intensidad In (A): 0.043 Frecuency (Hz): 50~60 Power (W): 10 Temperature (°C): -40+85 Room Temperature (°C): -40~+85 Critical Temperature (°C): 85 Colour Temperature (°K): 4000 Lumen: 1219 Angle (°): 120 Energy efficiency: A+ CRI (?): 80 Life (Hours): 50000 Dimmable: Corte inicio o fin de fase Power factor: >0.99			




	LUE47129272		1	13,10 €
	Led Cob EDC/47C/12W/927/230V/A		9	10,92 €
	Automatic connectors Dimmable with most Triac dimmers. SDCM 3. Assembly holes Zhaga standards.		90	9,10 €
	High (mm): 4,8 Diameter (mm): 47 Voltage In (Vac): 230 Intensidad In (A): 0.052 Frecuency (Hz): 50~60 Power (W): 12 Temperature (°C): -40+85 Room Temperature (°C): -40~+85 Critical Temperature (°C): 85 Colour Temperature (°K): 2700 Lumen: 1020 Angle (°): 120 Energy efficiency: A+ CRI (?): 90 Life (Hours): 50000 Dimmable: Corte inicio o fin de fase Power factor: >0.99		180	8,71 €




LED TECHNOLOGY > Led modules > Led Lumens Modules

Subfamily **EggDrop G-series**


Picture	Article	Description	Lot	Price/Unit
	LUE47129302		1	13,10 €
	Led Cob EDC/47C/12W/930/230V/A		9	10,92 €
	Automatic connectors Dimmable with most Triac dimmers. SDCM 3. Assembly holes Zhaga standars.		90	9,10 €
			180	8,71 €
	High (mm): 4,8 Diameter (mm): 47 Voltage In (Vac): 230 Intensidad In (A): 0.052 Frecuency (Hz): 50~60 Power (W): 12 Temperature (°C): -40+85 Room Temperature (°C): -40~+85 Critical Temperature (°C): 85 Colour Temperature (°K): 3000 Lumen: 1080 Angle (°): 120 Energy efficiency: A+ CRI (?): 90 Life (Hours): 50000 Dimmable: Corte inicio o fin de fase Power factor: >0.99			




	LUE47158302		1	14,20 €
	Led Cob EDC/47C/15W/830/230V/A		9	11,83 €
	Automatic connectors. Dimmable with most Triac dimmers. SDCM 3. Mounting holes Zhaga standars.		90	9,88 €
			180	9,36 €
	High (mm): 4,8 Diameter (mm): 47 Voltage In (Vac): 230 Intensidad In (A): 0.065 Frecuency (Hz): 50~60 Power (W): 15 Temperature (°C): -40+85 Room Temperature (°C): -40~+85 Critical Temperature (°C): 85 Colour Temperature (°K): 3000 Lumen: 1500 Angle (°): 120 Energy efficiency: A+ CRI (?): 80 Life (Hours): 50000 Dimmable: Corte inicio o fin de fase Power factor: >0.99			



Subfamily **EggDrop G-series**

Picture	Article	Description	Lot	Price/Unit
	LUE47158402A		1	12,31 €
	Led Cob EDC/47C/15W/840/230V/A101		9	10,35 €
	Automatic connectors Dimmable with most Triac dimmers. SDCM 3. Assembly holes Zhaga standars.		180	9,88 €
	High (mm): 4,8 Diameter (mm): 47 Voltage In (Vac): 230 Intensidad In (A): 0.065 Frecuency (Hz): 50~60 Power (W): 15 Temperature (°C): -40+85 Room Temperature (°C): -40~+85 Critical Temperature (°C): 85 Colour Temperature (°K): 4000 Lumen: 1545 Angle (°): 120 Energy efficiency: A+ CRI (?): 80 Life (Hours): 50000 Dimmable: Corte inicio o fin de fase Power factor: >0.99			




	LUE47159272		1	12,75 €
	Led Cob EDC/47C/15W/927/230V/A		9	10,63 €
	Automatic connectors. Dimmable with most Triac dimmers. SDCM 3. Mounting holes Zhaga standars.		90	8,88 €
	High (mm): 4,8 Diameter (mm): 47 Voltage In (Vac): 230 Intensidad In (A): 0.065 Frecuency (Hz): 50~60 Power (W): 15 Temperature (°C): -40+85 Room Temperature (°C): -40~+85 Critical Temperature (°C): 85 Colour Temperature (°K): 2700 Lumen: 1275 Angle (°): 120 Energy efficiency: A+ CRI (?): 90 Life (Hours): 50000 Dimmable: Corte inicio o fin de fase Power factor: >0.99		180	8,41 €




LED TECHNOLOGY > Led modules > Led Lumens Modules

Subfamily **EggDrop G-series**

Picture	Article	Description	Lot	Price/Unit
	LUE47159302		1	12,75 €
	Led Cob EDC/47C/15W/930/230V/A		9	10,63 €
	Automatic connectors Dimmable with most Triac dimmers. SDCM 3. Assembly holes Zhaga standars.		90	8,88 €
			180	8,41 €
	High (mm): 4,8 Diameter (mm): 47 Voltage In (Vac): 230 Intensidad In (A): 0.065 Frecuency (Hz): 50~60 Power (W): 15 Temperature (°C): -40+85 Room Temperature (°C): -40~+85 Critical Temperature (°C): 85 Colour Temperature (°K): 3000 Lumen: 1500 Angle (°): 120 Energy efficiency: A+ CRI (?): 90 Life (Hours): 50000 Dimmable: Corte inicio o fin de fase Power factor: >0,99			


LUMENS
 Leading the LED Revolution


	LUE57129272F		1	18,10 €
	Led Cob EDC/57C/12W/927/230V/A FF Flicker Free		5	15,08 €
	Automatic connectors. Dimmable with most Triac dimmers. SDCM 3. Mounting holes Zhaga standars.		50	12,61 €
			100	11,96 €
	High (mm): 9,9 Diameter (mm): 57 Voltage In (Vac): 230 Intensidad In (A): 0.052 Frecuency (Hz): 50~60 Power (W): 12 Temperature (°C): -40+85 Room Temperature (°C): -40~+85 Critical Temperature (°C): 85 Colour Temperature (°K): 2700 Lumen: 1241 Angle (°): 120 Energy efficiency: A+ CRI (?): 90 Life (Hours): 50000 Dimmable: Corte inicio o fin de fase Power factor: >0.99			


LUMENS
 Leading the LED Revolution


LED TECHNOLOGY > Led modules > Led Lumens Modules

Subfamily **EggDrop G-series**

Picture	Article	Description	Lot	Price/Unit
	LUE57208302D		1	20,44 €
	Led Cob EDC/57C/20W/830DW/230V/A/FF Dimable to warm and FF		5	17,03 €
			50	14,17 €
			100	13,52 €
	Automatic connectors. Dimmable with most Triac dimmers. SDCM 3. Mounting holes Zhaga standards. High (mm): 4,8 Diameter (mm): 57 Voltage In (Vac): 230 Intensidad In (A): 0.087 Frecuency (Hz): 50~60 Power (W): 20 Temperature (°C): -40+85 Room Temperature (°C): -40~+85 Critical Temperature (°C): 85 Colour Temperature (°K): 1800~3000 Lumen: 2000 Angle (°): 120 Energy efficiency: A+ CRI (?): 80 Life (Hours): 50000 Dimmable: Corte inicio o fin de fase Power factor: >0.99			




	LUEHL38		1	0,75 €
	Holder D41 for EDC/38C white		5	0,62 €
			50	0,52 €
			100	0,49 €
	UNTIL END OF STOCKS. Zhaga standard. 5.5mm diameter fixing holes 35mm apart between centers. High (mm): 6,6 Diameter (mm): 41 Colour: White			




LED TECHNOLOGY > Led modules > Led Lumens Modules

Subfamily **EggDrop G-series**

Picture	Article	Description	Lot	Price/Unit
	LUEHL47		1	0,83 €
	Holder D50 for EDC/47C white		5	0,69 €
	UNTIL END OF STOCKS. Zhaga standard. 5.5mm diameter fixing holes 35mm apart between centers.		50	0,57 €
	High (mm): 6,6 Diameter (mm): 50 Colour: White		100	0,55 €




	LUEHL47T		1	0,83 €
	Holder D50 for EDC/47C transparent		5	0,69 €
	UNTIL STOCK LAST. Zhaga standard. 5.5mm diameter fastening holes spaced 35mm between centers.		50	0,57 €
	High (mm): 6,6 Diameter (mm): 50 Colour: Transparent		100	0,55 €




LED TECHNOLOGY > Led modules > Led Lumens Modules

Subfamily **EggDrop G-series**

Picture	Article	Description	Lot	Price/Unit
	LUEHL57		1	0,87 €
	Holder D60 for EDC/57C white		5	0,73 €
	Zhaga standard. 5.5mm diameter mounting holes separated by 35mm between centers.		50	0,61 €
			100	0,59 €
	High (mm): 6,6 Diameter (mm): 60 Colour: White			




	LUETT47		1	0,75 €
	Thermal Tape for EDC/47C		5	0,62 €
	UNTIL END OF STOCKS. Distributes the heat on the surface of the module. It should measure 6mm more in diameter than the module		50	0,52 €
			100	0,49 €
	Diameter (mm): 53			



LED TECHNOLOGY > Led modules > Led Lumens Modules

Subfamily **EggDrop G-series**

Picture	Article	Description	Lot	Price/Unit
	LUETT57		1	0,72 €
	Thermal Tape for EDC/57C		5	0,60 €
	UNTIL END OF STOCKS. Distributes the heat on the surface of the module. It should measure 6mm more in diameter than the module		50	0,55 €
	Diameter (mm): 63		100	0,52 €

