


Catalogue **HALOTEC HARDWARE**
 Line **Halotec Lamps**
 Family **Fluorescent Compact E14**
 Subfamily **Micro Triple Tube E14 Fluorescent lamps**

Picture	Article	Description	Lot	Price/Unit
	E268213		1	1,67 €
	Lamp Micro ELT E14 230V 13W 2700°K		25	1,29 €
	Integrated electronic ballast. No dimmable. Average life 8000h		50	1,16 €
	Length (mm): 116 Diameter (mm): 38 Colour: Warm White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 13 Colour Temperature (°K): 2700 Lumen: 665 Socket: E14 Energy efficiency: A Kwh/1000h: 13 CRI (≥): 80 Life (Hours): 8000 Power factor: 0,55 Switching cycle (≥): 8000 Warm-up time up to 60% of the full light output (sec): <40 Lumen maintenance factor at the end of the nominal life: 0,70 Starting time (seg): <0,3			



HALOTEC HARDWARE > Halotec Lamps > Fluorescent Compact E14

Subfamily **Micro Triple Tube E14 Fluorescent lamps**

Picture	Article	Description	Lot	Price/Unit
	E268409		1	1,51 €
	Lamp Micro ELT E14 230V 9W 4200°K		25	1,14 €
	Integrated electronic ballast. No dimmable. Average life 8000h		50	1,04 €
		Length (mm): 101 Diameter (mm): 38 Colour: Natural White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 9 Colour Temperature (°K): 4200 Lumen: 405 Socket: E14 Energy efficiency: A Kwh/1000h: 9 CRI (?): 80 Life (Hours): 8000 Power factor: 0,55 Switching cycle (?): 8000 Warm-up time up to 60% of the full light output (sec): <40 Lumen maintenance factor at the end of the nominal life: 0,70 Starting time (seg): <0,3		



HALOTEC HARDWARE > Halotec Lamps > Fluorescent Compact E14

Subfamily **Micro Triple Tube E14 Fluorescent lamps**

Picture	Article	Description	Lot	Price/Unit
	E268411		1	1,60 €
	Lamp Micro ELT E14 230V 11W 4200°K		25	1,19 €
		Integrated electronic ballast. No dimmable. Average life 8000h	50	1,10 €
		Length (mm): 106 Diameter (mm): 38 Colour: Natural White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 11 Colour Temperature (°K): 4200 Lumen: 535 Socket: E14 Energy efficiency: A Kwh/1000h: 11 CRI (?): 80 Life (Hours): 8000 Power factor: 0.55 Switching cycle (?): 8000 Warm-up time up to 60% of the full light output (sec): <40 Lumen maintenance factor at the end of the nominal li fe: 0.70 Starting time (seg): <0.3		



Subfamily **Micro Triple Tube E14 Fluorescent lamps**

Picture	Article	Description	Lot	Price/Unit
	E268413		1	1,67 €
	Lamp Micro ELT E14 230V 13W 4200°K		25	1,29 €
	Integrated electronic ballast. No dimmable. Average life 8000h		50	1,16 €
	Length (mm): 116 Diameter (mm): 38 Colour: Natural White Voltage In (Vac): 230 Frecuency (Hz): 50 Power (W): 13 Colour Temperature (°K): 4200 Lumen: 665 Socket: E14 Energy efficiency: A Kwh/1000h: 13 CRI (?): 80 Life (Hours): 8000 Power factor: 0.55 Switching cycle (?): 8000 Warm-up time up to 60% of the full light output (sec): <40 Lumen maintenance factor at the end of the nominal li fe: 0.70 Starting time (seg): <0.3			

