




Catalogue **ELECTRICAL EQUIPMENT**
 Line **Terminal Blocks and Junction Boxes**
 FAmily **Terminal Blocks Nylon**
 Subfamily **Nylon 4mm2-32A terminal blocks**

| Picture | Article | Description | Lot | Price/Unit |
|---|--|-------------|------|------------|
|  | 491MRS4 | | 1 | 0,3114 € |
| | Terminal block OK433-NY 4mm 2 poles | | 50 | 0,2774 € |
| | Natural polyamide 6-6, Auto-extinguishing UL94V2. Working temperature of T110 C GWIT775 C (EN 60695-2-13). Metallic inserts in brass OT58 nickel plated. Crews in zinc plated steel | | 100 | 0,2219 € |
| | Length (mm): 17 Width (mm): 20,2 High (mm): 17,3 Section (mm2): 4 Colour: Neutral Voltage In (Vac): 450 Intensidad In (A): 32 Temperature (°C): 110 Connection: Screw | | 3000 | 0,2018 € |
| | Reference: 4111707 | | | |




Subfamily **Nylon 4mm2-32A terminal blocks**

| Picture | Article | Description | Lot | Price/Unit |
|---|---|-------------|------|------------|
|  | 491MRS5 | | 1 | 0,4667 € |
| | Terminal block OK433-NY 4mm 3 poles | | 50 | 0,4161 € |
| | Natural polyamide 6-6, Auto-extinguishing UL94V2. Working temperature of T110 C GWIT775 C (EN 60695-2-13). Metallic inserts in brass OT58 nickel plated. Crews in zinc plated steel | | 100 | 0,3328 € |
| | Length (mm): 27 Width (mm): 20,2 High (mm): 17,3 Section (mm2): 4 Colour: Neutral Voltage In (Vac): 450 Intensidad In (A): 32 Temperature (°C): 110 Connection: Screw | | 2000 | 0,3028 € |
| | Reference: 4111807 | | | |
|  | 491MRS6 | | 1 | 1,87 € |
| | Terminal block OK433-NY 4mm 12 poles | | 20 | 1,66 € |
| | Natural polyamide 6-6, Auto-extinguishing UL94V2. Working temperature of T110 C GWIT775 C (EN 60695-2-13). Metallic inserts in brass OT58 nickel plated. Crews in zinc plated steel | | 100 | 1,37 € |
| | Length (mm): 116,7 Width (mm): 20,2 High (mm): 17,3 Section (mm2): 4 Colour: Neutral Voltage In (Vac): 450 Intensidad In (A): 32 Temperature (°C): 110 Connection: Screw | | 450 | 1,21 € |
| | Reference: 4111590 | | | |

ELECTRICAL EQUIPMENT > Terminal Blocks and Junction Boxes > Terminal Blocks Nylon

Subfamily **Nylon 4mm2-32A terminal blocks**

| Picture | Article | Description | Lot | Price/Unit |
|---|---|--|------|------------|
|  | 491MRT4 | | 1 | 0,3271 € |
| | Terminal block OK433-NY 4mm 2 poles marking L.N | | 50 | 0,2915 € |
| | Natural polyamide 6-6, Auto-extinguishing UL94V2. | | 100 | 0,2332 € |
| | Working temperature of T110 C GWIT775 C (EN 60695-2-13). Metallic inserts in brass OT58 nickel plated. Crews in zinc plated steel | | 3000 | 0,2120 € |
| | | Length (mm): 17 Width (mm): 20,2 High (mm): 17,3 Section (mm2): 4 Colour: Neutral Voltage In (Vac): 450 Intensidad In (A): 32 Temperature (°C): 110 Connection: Screw | | |
| | Reference: 4503007 | | | |

