



Catalogue **ELECTRICAL EQUIPMENT**  
 Line **Terminal Blocks and Junction Boxes**  
 FAmily **Terminal Blocks Nylon**  
 Subfamily **Nylon Plug in connectors**

Picture	Article	Description	Lot	Price/Unit
	B3EN802M		1	0,65 €
	2-pole male strip 2,5mm2		10	0,4364 €
			100	0,3637 €
	Polyamide 6.6 UL94V2 natural.Autoextinguible		1500	0,3463 €

Length (mm): 15 Width (mm): 32,6 High (mm): 15  
 Section (mm2): 2,5 Voltage In (Vac): 450  
 Intensidad In (A): 24 Temperature (°C): 110  
 Connection: Screw

Reference: 4161727








	B3EN803		1	1,68 €
	Terminal block male-female 3 poles 2.5mm2		10	1,13 €
			100	0,95 €
	Polyamide 6-6 natural.Autoextinguible UL94V2		1100	0,90 €

Length (mm): 23,1 Width (mm): 32,8 High (mm): 14,7  
 Section (mm2): 2,5 Voltage In (Vac): 450  
 Intensidad In (A): 24 Temperature (°C): 110  
 Connection: Screw





Subfamily **Nylon Plug in connectors**



Picture	Article	Description	Lot	Price/Unit
	B3EN804		1	2,24 €
	Terminal block male-female 4 poles 2.5mm2		10	1,50 €
	Polyamide 6-6 natural.Autoextinguible UL94V2		50	1,24 €
			750	1,20 €
	Length (mm): 31,1 Width (mm): 32,8 High (mm): 14,7 Section (mm2): 2,5 Voltage In (Vac): 450 Intensidad In (A): 24 Temperature (°C): 110 Connection: Screw			
	 			


	B3EN902		1	1,46 €
	Terminal block male-female 2 poles 4mm2		10	0,95 €
	Polyamide 6-6 natural.Autoextinguible UL94V2		100	0,81 €
			2000	0,76 €
	Length (mm): 17,7 Width (mm): 40,2 High (mm): 16,6 Section (mm2): 4 Voltage In (Vac): 450 Intensidad In (A): 28 Temperature (°C): 110 Connection: Screw			
				

Subfamily **Nylon Plug in connectors**

Picture	Article	Description	Lot	Price/Unit
	B3EN903		1	2,18 €
	Terminal block male-female 3 poles 4mm2		10	1,47 €
	Polyamide 6-6 natural.Autoextinguible UL94V2		50	1,22 €
			700	1,16 €
	Length (mm): 27,7 Width (mm): 40,2 High (mm): 16,6 Section (mm2): 4 Voltage In (Vac): 450 Intensidad In (A): 28 Temperature (°C): 110 Connection: Screw			
	B3EN904		1	2,91 €
	Terminal block male-female 4 poles 4mm2		10	1,95 €
	Polyamide 6-6 natural.Autoextinguible UL94V2		100	1,63 €
			500	1,53 €
	Length (mm): 37,7 Width (mm): 40,2 High (mm): 16,6 Section (mm2): 4 Voltage In (Vac): 450 Intensidad In (A): 28 Temperature (°C): 110 Connection: Screw			

Subfamily **Nylon Plug in connectors**





Picture	Article	Description	Lot	Price/Unit
	B3EN9M3		1	0,92 €
	Terminal block male 3 poles 4mm		10	0,62 €
	Polyamide 6-6 natural.Autoextinguible UL94V2		100	0,5121 €
			1000	0,4949 €
	Length (mm): 17,7 Width (mm): 40,2 High (mm): 16,6 Section (mm2): 4 Colour: Neutral Voltage In (Vac): 450 Intensidad In (A): 28 Temperature (°C): 110			
				





	B3EP902		1	0,88 €
	Terminal block 3 poles 433/2 PLP male-female 4mm		100	0,85 €
			1000	0,82 €
	Length (mm): 23,1 Width (mm): 32,9 High (mm): 14,7 Section (mm2): 4 Voltage In (Vac): 250 Intensidad In (A): 28 Temperature (°C): 120			

Subfamily **Nylon Plug in connectors**





Picture	Article	Description	Lot	Price/Unit
	B3RE802F		1	0,3173 €
		Terminal block female 2 poles 2,5mm2.	10	0,2115 €
			100	0,1763 €
		Polyamid PA6-6 with 25 % fiber glass auto-extinguible UL94V2	1500	0,1677 €
		Length (mm): 16 Width (mm): 16,3 High (mm): 15 Section (mm2): 2,5 Colour: Tile Voltage In (Vac): 450 Intensidad In (A): 24 Temperature (°C): 150 Connection: Screw		
		Reference: 4170228		
<hr/>				
	B3RE802M		1	0,68 €
		Terminal block male 2 poles 2,5mm2.	10	0,4529 €
			100	0,3774 €
		Polyamid PA6-6 with 25 % fiber glass auto-extinguible UL94V2	1500	0,3595 €
		Length (mm): 16 Width (mm): 16,3 High (mm): 15 Section (mm2): 2,5 Colour: Tile Voltage In (Vac): 450 Intensidad In (A): 24 Temperature (°C): 150 Connection: Screw		
		Reference: 4170227		

Subfamily **Nylon Plug in connectors**

Picture	Article	Description	Lot	Price/Unit
	B3RE803		1	1,72 €
	Terminal block male-female 3 poles 2.5mm2		10	1,14 €
	Polyamid PA6-6 with 25 % fiber glass auto-extinguible UL94V2		100	0,95 €
	Length (mm): 23,1 Width (mm): 32,8 High (mm): 14,7 Section (mm2): 2,5 Colour: Tile Voltage In (Vac): 450 Intensidad In (A): 24 Temperature (°C): 150 Connection: Screw		1500	0,91 €
	 			


	B3RE804		1	2,34 €
	Terminal block male-female 4 poles 2.5mm2		10	1,57 €
	Polyamid PA6-6 with 25 % fiber glass auto-extinguible UL94V2		50	1,31 €
	Length (mm): 31,1 Width (mm): 32,8 High (mm): 14,7 Section (mm2): 2,5 Colour: Tile Voltage In (Vac): 450 Intensidad In (A): 24 Temperature (°C): 150 Connection: Screw		750	1,22 €
	 			

Subfamily **Nylon Plug in connectors**

Picture	Article	Description	Lot	Price/Unit
	B3RE902		1	1,43 €
	Terminal block male-female 2 poles 4mm2		10	0,95 €
	Polyamid PA6-6 with 25 % fiber glass auto-extinguible UL94V2		100	0,79 €
	Length (mm): 17,7 Width (mm): 40,2 High (mm): 16,6 Section (mm2): 4 Colour: Tile Voltage In (Vac): 450 Intensidad In (A): 24 Temperature (°C): 150 Connection: Screw		1000	0,75 €
				
	B3RE903		1	2,18 €
	Terminal block male-female 3 poles 4mm2		10	1,46 €
	Polyamid PA6-6 with 25 % fiber glass auto-extinguible UL94V2		100	1,21 €
	Length (mm): 27,7 Width (mm): 40,2 High (mm): 16,6 Section (mm2): 4 Colour: Tile Voltage In (Vac): 450 Intensidad In (A): 24 Temperature (°C): 150 Connection: Screw		700	1,13 €
				

ELECTRICAL EQUIPMENT > Terminal Blocks and Junction Boxes > Terminal Blocks Nylon

Subfamily **Nylon Plug in connectors**

Picture	Article	Description	Lot	Price/Unit
	B3RE904		1	2,86 €
	Terminal block male-female 4 poles 4mm2		10	1,90 €
	Polyamid PA6-6 with 25 % fiber glass auto-extinguible UL94V2		100	1,57 €
	Length (mm): 37,7 Width (mm): 40,2 High (mm): 16,6 Section (mm2): 4 Colour: Tile Voltage In (Vac): 450 Intensidad In (A): 24 Temperature (°C): 150 Connection: Screw		500	1,52 €

