

Catalogue **ELECTRICAL EQUIPMENT**

Line **Electronic Devices**

FAMILY **Lighting Sensors**

Subfamily **Relays Relco**


Picture	Article	Description	Lot	Price/Unit
	G508120IR3		1	7,64 €
	Electronic Relay AEK120-IR-3 sensor IR and dimmer		5	6,37 €
	CCT 12/24Vdc		10	5,85 €
	With IR sensor included 1m wiring with connector. diameter 15mm. Detection 3-8 cm.		100	5,59 €
	Length (mm): 108 Width (mm): 44 High (mm): 15 Colour: White Voltage In (Vdc): 12~24 Voltage Out (Vdc): 12~24 Intensidad In (A): 5 Intensidad Out (A): 5 Power (W): 60~120 Room Temperature (°C): +35 Critical Temperature (°C): 80 Life (Hours): 50000 Ingress Protection: IP20			

LETARON




ELECTRICAL EQUIPMENT > Electronic Devices > Lighting Sensors

Subfamily **Relays Relco**


Picture	Article	Description	Lot	Price/Unit
	G508200IR		1	10,92 €
	Electronic Relay AEK200-IR sensor IR 120-240Vac		5	9,10 €
	Includes wired sensor and connector. Diameter 15mm. 3-8 cm detection by passing the hand ON / OFF function. 5 year warranty		10	8,32 €
	Length (mm): 108 Width (mm): 44 High (mm): 15 Colour: White Voltage In (Vac): 120~240 Voltage Out (Vac): 120~240 Intensidad In (A): 1 Intensidad Out (A): 1 Frecuency (Hz): 50~60 Power (W): 120~240 Room Temperature (°C): +40 Critical Temperature (°C): 80 Life (Hours): 50000 Ingress Protection: IP20		100	7,93 €




	G508SL01A		1	9,76 €
	Brightness sensor for dimmable Led drivers 0 / 1-10V		5	8,14 €
	It detects the brightness of the environment and regulates the intensity of the luminaire automatically. Adjustable sensitivity 10-500lux .. Wide detection area.		10	7,42 €
	High (mm): 24 Diameter (mm): 23 Colour: White Voltage Out (Vdc): 1~10 Intensidad Out (A): 0.05 Room Temperature (°C): -20~+50 Angle (°): 90 Ingress Protection: IP20		50	7,03 €



Subfamily **Relays Relco**

Picture	Article	Description	Lot	Price/Unit
	G507IR0		1	22,19 €
		Electronic relay SHE-B-250 with PIR motion sensor	5	20,16 €
			10	18,34 €
		With 1.5 meters of cable, 80° and time of 10 seconds. 3 min. 250W. Maximum distance 2.5 meters. class II	100	17,15 €
		Length (mm): 83 Width (mm): 35 High (mm): 21 Voltage In (Vac): 100~240 Intensidad Out (A): 1 Frecuency (Hz): 50~60 Maximum Power (W): 250 Temperature (°C): 80 Room Temperature (°C): -20~+50 Critical Temperature (°C): 70 Ingress Protection: IP20		









	G507IRB		1	20,41 €
		Electronic Relay HZK218B with infrared sensor IR cabinets	5	18,56 €
			10	16,87 €
		Recommended detection range less than 5cm. with 2m of cable and sensor, for cabinets to open ON and close OFF. Sensor insertion hole diameter 13mm.	100	15,77 €
		Length (mm): 83 Width (mm): 35 High (mm): 19 Voltage In (Vac): 110~240 Frecuency (Hz): 50~60 Power (W): 250 Temperature (°C): 80		



ELECTRICAL EQUIPMENT > Electronic Devices > Lighting Sensors


Subfamily **Relays Relco**

Picture	Article	Description	Lot	Price/Unit
	G5071RC		1	20,41 €
	Electronic Relay HZK218C with infrared IR hand sensor		5	18,56 €
			10	16,87 €
			100	15,77 €
	Recommended detection range less than 5cm. with 2m cable and sensor. Sensor insert hole diameter 13mm. Swipe to turn it on and off. Length (mm): 83 Width (mm): 35 High (mm): 19 Voltage In (Vac): 230 Frecuency (Hz): 50~60 Power (W): 250 Temperature (°C): 80			
 				

	G507201		1	15,77 €
	Electronic relay HZK201 with touch sensor		5	14,34 €
			10	13,04 €
			100	12,18 €
	Adjustable touch sensitivity. Maximum 4 meters touch control cable. Length (mm): 106 Width (mm): 32 High (mm): 21 Voltage In (Vac): 220~240 Voltage Out (Vac): 220~240 Frecuency (Hz): 50 Power (W): 500 Temperature (°C): 80 Ingress Protection: IP20			
 				

ELECTRICAL EQUIPMENT > Electronic Devices > Lighting Sensors

Subfamily **Relays Relco**

Picture	Article	Description	Lot	Price/Unit
	G505618		1	18,15 €
	MINI PIR -1715LV 12-24V motion controller		5	16,50 €
	With integrated daylight sensor.		20	14,98 €
			100	14,42 €
	High (mm): 13,5 Diameter (mm): 24 Voltage In (Vdc): 12~24 Voltage Out (Vdc): 12~24 Power (W): 18~36 Room Temperature (°C): -20~+35 Ingress Protection: IP20			



SELV