

LED TECHNOLOGY > Electronic Led Power Supplies > LED power supplies current and voltage constant
Led power supplies current and voltage constant 700mA

G503504C

Led Power Supply CV CC AED04-700ILS 5Vdc 700mA 3,5W

December 03rd, 2024, 19:12

LETARON



DESCRIPTION

Led power supply for independent use that can work according to the identification of the load with output at constant voltage of 5Vdc and max 600mA or at constant current of 700mA and voltage of 2.5-5Vdc. To CV loads connected in parallel and to DC loads connected in series. Class II. Protection against open circuit, short circuit, over load and over temperature. Automatic reset in case of failure.

PRICE

| | Lot | P.V.P. excluding VAT |
|--|-----|----------------------|
| | 1 | 6,29€ |
| | 10 | 5,24€ |
| | 50 | 4,76€ |
| | 200 | 4,45€ |



Continued on next page >>

G503504C

Led Power Supply CV CC AED04-700ILS 5Vdc 700mA 3,5W

TECHNICAL SPECIFICATIONS

SYMBOLS



SELV



CERTIFICADOS

RoHS
COMPLIANT

CE



(LVD)

Weight: 29 Grams

Packging: Box 200 Units

NOTES

ECO Design ERP Compliant. LED power supply with constant voltage 5Vdc or constant current 700mA depending on load

OTHER FEATURES

Length (mm): 51,5

Width (mm): 32,8

High (mm): 17

Colour: White

Voltage In (Vac): 100~240

Voltage Out (Vdc): 3~5

Intensidad Out (A): 0.7

Frecuency (Hz): 50~60

Power (W): 2~3.5

Room Temperature (°C): +45

Critical Temperature (°C): 80

Ingress Protection: IP20

Dimmable: NO

Power factor: 0.5

DOCUMENTS

 [Data Sheet](#)

 [Led Power Supply CV CC AED04-700ILS 5Vdc 700mA 3,5W](#)

 [Electromagnetic compatibility TÜV SÜD](#)

 [LVD \(DIRECTA BAJO VOLTAJE\)](#)