

LED TECHNOLOGY > Electronic Led Power Supplies > LED power supplies current and voltage constant
Led power supplies current and voltage constant 700mA

G5035081B

Led Power Supply CV CC AED08-700ILS 12Vdc 700mA 8 W

November 21st, 2024, 14:22



LETARON

DESCRIPTION

Led power supply for independent use that can work according to the identification of the load with output at constant voltage of 12Vdc and max 625mA or at constant current of 700mA and voltage of 6-12Vdc. A CV caragas connected in parallel. To DC loads connected in series. Class II. Protection against open circuit, short circuit, over load and over temperature. Automatic reset in case of failure.

PRICE

	Lot	P.V.P. excluding VAT
	1	8,45€
	10	7,05€
	50	6,40€
	200	5,98€



Continued on next page >>

G5035081B

Led Power Supply CV CC AED08-700ILS 12Vdc 700mA 8 W

TECHNICAL SPECIFICATIONS

SYMBOLS



SELV



RoHS
COMPLIANT

CE

cULUS



UL US



Weight: 50 Grams

NOTES

ECO Design ERP Compliant. 12Vdc constant voltage LED power supply or 700mA constant current depending on load.

OTHER FEATURES

Length (mm): 79,5

High (mm): 19

Voltage In (Vac): 100~240

Intensidad Out (A): 0.625

Power (W): 4.2~7.7

Critical Temperature (°C): 80

Ingress Protection: IP20

Power factor: 0.5

Width (mm): 39

Colour: White

Voltage Out (Vdc): 6~11

Frecuency (Hz): 50~60

Room Temperature (°C): -10~+45

Life (Hours): 30000

Dimmable: NO

DOCUMENTS

 [Data Sheet](#)

 [Led Power Supply CV CC AED08-700ILS 12Vdc 700mA 8 W](#)

 [Electromagnetic compatibility TÜV SÜD](#)